

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	1055	99.8
	Missing Cases	2	.2
	Total	1057	100.0
Unselected Cases		0	.0
Total		1057	100.0

a. If weight is in effect, see classification table for the total number of cases.

Categorical Variables Codings

		Frequency	Parameter coding (1)
timing	Before COVID-19 pandemic	351	.000
	During COVID-19 pandemic	704	1.000
age_cat	Less than 22	824	1.000
	23 and older	231	.000
Smoking	Smoker	124	1.000
	Non-smoker	931	.000
Income_dicho	Sufficient	1027	.000
	Insufficient	28	1.000
Sex	Male	526	.000
	Female	529	1.000

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	Sex(1)	.544	.178	9.359	1	.002	1.723	1.216	2.441
	age_cat(1)	.460	.229	4.033	1	.045	1.584	1.011	2.483
	Smoking(1)	-.114	.300	.144	1	.704	.892	.495	1.608
	Income_dicho(1)	.538	.457	1.385	1	.239	1.713	.699	4.196
	timing(1)	.661	.192	11.808	1	<.001	1.937	1.329	2.825
	Constant	-2.692	.272	98.094	1	<.001	.068		

a. Variable(s) entered on step 1: Sex, age_cat, Smoking, Income_dicho, timing.

Correlations – Pearson's

		Level	GPA	Total perceived stress score
Level	Pearson Correlation	1	-.337**	-.089**
	Sig. (2-tailed)		<.001	.004
	N	1057	918	1057
GPA	Pearson Correlation	-.337**	1	.023
	Sig. (2-tailed)	<.001		.490
	N	918	918	918
Total perceived stress score	Pearson Correlation	-.089**	.023	1
	Sig. (2-tailed)	.004	.490	
	N	1057	918	1057

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Level	GPA
Spearman's rho	Level	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	1057
	GPA	Correlation Coefficient	-.366**
		Sig. (2-tailed)	<.001
		N	918
	Total perceived stress score	Correlation Coefficient	-.080**
		Sig. (2-tailed)	.009
		N	1057

** . Correlation is significant at the 0.01 level (2-tailed).