Marine or freshwater: hobbyists' preferences and its role in ornamental fish conservation in Brazil (#75432)

First submission

Guidance from your Editor

Please submit by 2 Aug 2022 for the benefit of the authors (and your \$200 publishing discount).



Structure and Criteria

Please read the 'Structure and Criteria' page for general guidance.



Custom checks

Make sure you include the custom checks shown below, in your review.



Raw data check

Review the raw data.



Image check

Check that figures and images have not been inappropriately manipulated.

Privacy reminder: If uploading an annotated PDF, remove identifiable information to remain anonymous.

Files

Download and review all files from the <u>materials page</u>.

- 3 Figure file(s)
- 4 Table file(s)
- 1 Raw data file(s)
- 1 Other file(s)



Human participant/human tissue checks

- Have you checked the authors <u>ethical approval statement?</u>
- Does the study meet our <u>article requirements</u>?
- Has identifiable info been removed from all files?
- Were the experiments necessary and ethical?

Structure and Criteria



Structure your review

The review form is divided into 5 sections. Please consider these when composing your review:

- 1. BASIC REPORTING
- 2. EXPERIMENTAL DESIGN
- 3. VALIDITY OF THE FINDINGS
- 4. General comments
- 5. Confidential notes to the editor
- You can also annotate this PDF and upload it as part of your review

When ready submit online.

Editorial Criteria

Use these criteria points to structure your review. The full detailed editorial criteria is on your guidance page.

BASIC REPORTING

- Clear, unambiguous, professional English language used throughout.
- Intro & background to show context.
 Literature well referenced & relevant.
- Structure conforms to <u>PeerJ standards</u>, discipline norm, or improved for clarity.
- Figures are relevant, high quality, well labelled & described.
- Raw data supplied (see <u>PeerJ policy</u>).

EXPERIMENTAL DESIGN

- Original primary research within Scope of the journal.
- Research question well defined, relevant & meaningful. It is stated how the research fills an identified knowledge gap.
- Rigorous investigation performed to a high technical & ethical standard.
- Methods described with sufficient detail & information to replicate.

VALIDITY OF THE FINDINGS

- Impact and novelty not assessed.

 Meaningful replication encouraged where rationale & benefit to literature is clearly stated.
- All underlying data have been provided; they are robust, statistically sound, & controlled.



Conclusions are well stated, linked to original research question & limited to supporting results.



Standout reviewing tips



The best reviewers use these techniques

| Τ | p |
|---|---|

Support criticisms with evidence from the text or from other sources

Give specific suggestions on how to improve the manuscript

Comment on language and grammar issues

Organize by importance of the issues, and number your points

Please provide constructive criticism, and avoid personal opinions

Comment on strengths (as well as weaknesses) of the manuscript

Example

Smith et al (J of Methodology, 2005, V3, pp 123) have shown that the analysis you use in Lines 241-250 is not the most appropriate for this situation. Please explain why you used this method.

Your introduction needs more detail. I suggest that you improve the description at lines 57-86 to provide more justification for your study (specifically, you should expand upon the knowledge gap being filled).

The English language should be improved to ensure that an international audience can clearly understand your text. Some examples where the language could be improved include lines 23, 77, 121, 128 – the current phrasing makes comprehension difficult. I suggest you have a colleague who is proficient in English and familiar with the subject matter review your manuscript, or contact a professional editing service.

- 1. Your most important issue
- 2. The next most important item
- 3. ...
- 4. The least important points

I thank you for providing the raw data, however your supplemental files need more descriptive metadata identifiers to be useful to future readers. Although your results are compelling, the data analysis should be improved in the following ways: AA, BB, CC

I commend the authors for their extensive data set, compiled over many years of detailed fieldwork. In addition, the manuscript is clearly written in professional, unambiguous language. If there is a weakness, it is in the statistical analysis (as I have noted above) which should be improved upon before Acceptance.



Marine or freshwater: hobbyists' preferences and its role in ornamental fish conservation in Brazil

Anna Karolina Martins Borges ^{Corresp., Equal first author, 1}, Rômulo Romeu Nóbrega Alves ^{Equal first author, 2}, Tacyana Pereira Ribeiro Oliveira ³

Corresponding Author: Anna Karolina Martins Borges Email address: karolm26@hotmail.com

Background. The use of ornamental fish as pets has important implications for the conservation of the species used in fishkeeping, particularly in relation to overexploitation. Understanding aquarists' relationship with the hobby can provide important information for assessing the potential impacts of the activity. In this work, we analyzed the profile of Brazilian aquarists and evaluated their preferences and their consequences from the conservationist point of view.

Methods. The information was obtained by applying questionnaires to 906 aquarists participating in fishkeeping groups in a social network. The applied questionnaire contained questions about the species of fish kept (freshwater and marine), techniques used, soeio-economic aspects, and associated conservation perspectives.

Results. Most aquarists were young men (20-40 years old), with higher education and monthly income above US\$530.00. Participants predominantly kept freshwater fish (86%), but marine fish only (5%) or both marine and freshwater hobbyists (9%) were also recorded. A total of 523 species of ornamental fish were kept by hobbyists, most of which comprised freshwater (76% of the total) and exotic species (73%). About a third of the species recorded were under national trade restrictions. Marine aquariums require a greater financial investment than freshwater aquariums and are also almost entirely based on exotic species. The aesthetic factor is the main motivation associated with practicing this hobby, being color and behavior key factors in choosing fish. A total of 14% of aquarists have already released fish into the wild, highlighting concerns about potential biological invasions. We urge the need to enforce regulations towards restricting aquarists' access to threatened and potentially invasive species, as well as measures aimed at informing and raising aquarists' awareness of conservation measures related to the hobby.

Programa de Pós-Graduação em Etnobiologia e Conservação da Natureza, Universidade Federal Rural de Pernambuco, Recife, PE 52171-900, Brazil

² Departamento de Biologia, Universidade Estadual da Paraíba, Campina Grande, PB 58109-753, Brazil

Centro de Ciências Biológicas e Sociais Aplicadas, Universidade Estadual da Paraíba, João Pessoa, PB 58071-160, Brazil



Marine or freshwater: hobbyists' preferences and its role in ornamental fish conservation in Brazil Anna Karolina Martins Borges¹, Tacyana Pereira Ribeiro de Oliveira², Rômulo Romeu Nóbrega Alves³ ¹ Programa de Pós-Graduação em Etnobiologia e Conservação da Natureza, Universidade Federal Rural de Pernambuco, Recife, PE 52171-900, Brazil ² Centro de Ciências Biológicas e Sociais Aplicadas, Universidade Estadual da Paraíba, João Pessoa, PB 58071-160, Brazil ³ Departamento de Biologia, Universidade Estadual da Paraíba, Campina Grande, PB 58109-753, Brazil Corresponding Author: Anna Karolina Martins Borges¹ Universidade Federal Rural de Pernambuco, Recife, PE 52171-900, Brazil Email address: karolm26@hotmail.com



Marine or freshwater: hobbyists' preferences and its role in ornamental fish conservation in Brazil

42 43

40

41

Abstract

- 44 **Background.** The use of ornamental fish as pets has important implications for the conservation
- 45 of the species used in fishkeeping, particularly in relation to overexploitation. Understanding
- 46 aguarists' relationship with the hobby can provide important information for assessing the
- 47 potential impacts of the activity. In this work, we analyzed the profile of Brazilian aquarists and
- 48 evaluated their preferences and their consequences from the conservationist point of view.
- 49 **Methods.** The information was obtained by applying questionnaires to 906 aquarists
- 50 participating in fishkeeping groups in a social network. The applied questionnaire contained
- 51 questions about the species of fish kept (freshwater and marine), techniques used, soeio-
- 52 economic aspects, and associated conservation perspectives.
- Results. Most aquarists were young men (20-40 years old), with higher education and monthly
- income above US\$530.00. Participants predominantly kept freshwater fish (86%), but marine
- fish only (5%) or both marine and freshwater hobbyists (9%) were also recorded. A total of 523
- species of ornamental fish were kept by hobbyists, most of which comprised freshwater (76% of
- 57 the total) and exotic species (73%). About a third of the species recorded were under national
- 58 trade restrictions. Marine aquariums require a greater financial investment than freshwater
- 59 aquariums and are also almost entirely based on exotic species. The aesthetic factor is the main
- 60 motivation associated with practicing this hobby, being color and behavior key factors in
- 61 choosing fish. A total of 14% of aquarists have already released fish into the wild, highlighting
- 62 concerns about potential biological invasions. We urge the need to enforce regulations towards
- 63 restricting aquarists' access to threatened and potentially invasive species, as well as measures
- 64 aimed at informing and raising aquarists' awareness of conservation measures related to the
- 65 hobby.

66 **Keywords**: Social media; marine fish; freshwater fish; invasive species, trade regulations.

67 68

69

70

71

72 73

74

75

76

Introduction

The ornamental use of animals, whether for entertainment or company, is currently considered one of the main hobbies in the world (Alves & Rocha, 2018; Alves et al., 2019), generating a global trade of about US\$15-30 billion (Evers et al., 2019). The practice of raising fish for ornamental purposes, known as fishkeeping, has been practiced for at least a thousand years (Stern et al., 2016; Walster et al., 2015) and has become a segment of the pet market which has continuously grown since 1970 at an annual rate of 14% (Evers et al., 2019).

Fish currently ranks third among the most popular pets in the world (Kumar et al., 2015; Pate et al., 2019; Reynoso et al., 2012). Fishkeeping is also a very popular hobby in Brazil, with



an estimated 19.1 million ornamental fish being kept as pets in 2018 (ABINPET, 2019). Considering only the domestic online trade, Brazilian fishkeeping involves at least 609 species of marine and freshwater fish (Borges et al., 2021). In addition, Brazil occupies an important place in the world aquarium scene, being one of the main exporters of ornamental fish (Rhyne et al., 2012a), reaching third place in the world market in the sector (ABINPET, 2015).

Consumer preferences are considered the major drivers of the ornamental market (Hisnley et al., 2015; Sung & Fong, 2018). Aquarists' preferences, for instance, are linked to species considered rare or threatened, with striking colors, peculiar shapes, and/or behaviors (Borges et al., 2021; Dhar & Ghosh, 2015; Morcom et al., 2016). This applies to both marine and freshwater species, despite a much larger number of freshwater species being used for aquariums (Evers et al., 2019). It is estimated that aquarium worldwide involves more than 5,300 freshwater and 1,802 marine fish species (Raghavan et al., 2013), of which at least 80% are from the tropics (Stern et al., 2016).

Such motivations for fishkeeping raise particular conservation concerns, as several of the species involved in the ornamental trade are threatened and/or vulnerable to overexploitation (Banha et al., 2019; Evers et al., 2019; Sadovy & Vincent, 2002). These concerns are also applied to exotic species (Patoka et al., 2016, 2018), since aquarium is considered an important source of invasive species, either through intentional release (Maceda-Veiga et al., 2019), the unintentional introduction of 'hitchhiking' species (Duggan, 2010; Patoka et al., 2016), or the introduction of disease vectors (Maceda-Veiga et al., 2013; Magalhães & Jacobi, 2013). On the other hand, if fishkeeping is well managed, it can be an ally for biodiversity conservation. In addition to being considered a crucial source of income for several local economies (Evers et al., 2019; Zehev et al., 2015), it can offer a possibility to protect endangered species by encouraging the development of strategies for captive breeding and sustainable trade (Rhyne et al., 2017).

Understanding the trade-offs between hobbyists' preferences and ornamental fish conservation may comprise an invaluable tool for advancing the protection and sustainable use of the exploited species (Hinsley et al., 2015), especially in countries that play an essential role in the trade, such as Brazil. Here, we evaluated the preferences for marine and freshwater ornamental fish species by Brazilian aquarium hobbyists from Facebook groups We assessed Facebook as it comprises one of the most popular online platforms worldwide where users feel comfortable sharing their ideas and experiences about the hobby (Pi et al., 2013) and has been identified as one of the most used in the wild animal trade (Canlas et al., 2017; Haysom, 2018; Sy, 2018). We aimed to: (1) identify the motivations behind hobbyists' choices in keeping fish as pets; (2) describe the hobbyists' profile and their behavior in relation to the hobby and animals; (3) relate their preferences and behaviors to conservation issues; and (4) compare all these aspects between marine and freshwater aquarists.

Materials & Methods

115 Data collection



117

118

119120

121

122

123124

125

126

127

128129

130

131

132

133134

135

136

137138

139

140

141142

143

144

145

146147

148

149

150

151

152

153

154155

Data were gathered through online questionnaires applied to 906 aquarium hobbyists from six Brazilian aquarism groups on the Facebook social network (https://www.facebook.com/), between January and March 2019. For determining the Facebook group to be sampled, we performed searches using the keywords fishkeeping, fish+ornamental, aquarium+ornamental (in Portuguese, aquarismo, peixes+ornamentais, aquário+ornamentais), considering that they bring together people who keep ornamental fish and use the social network to exchange information about the hobby. Our search resulted in 83 groups, of which six were selected for being more active (higher frequency of publications). Then, we individually contacted all profiles (n = 4.630) from those six groups over three months through private messages (Alves et al., 2019), in which the objectives of the study were explained, and the aguarist was invited to answer a semi-structured questionnaire (Albuquerque et al., 2014). Once the invitation was accepted and the person expressed in writing their consent to participate in the research, each aquarist received a new message containing the link that directed them to the online questionnaire. The questionnaire contained closed, open, and mixed questions about socio-economic aspects and the hobby (supplementary material). All questionnaires were applied online using the Google Forms platform tool (https://www.google.com/intl/pt-BR/forms/about/). The study was approved by the Research Ethics Committee of Hospital Universitário Lauro Wanderley (CEP/HULW, authorization # 3.062.563).

The income of the research participants was determined based on the Brazilian minimum monthly wage in force at the time of data collection. These values were converted to US dollars considering the exchange rate for the period in which the data were collected (Brazilian minimum monthly salary in 2019: BR\$998 = US\$266).

Species were identified based on participants' information and confirming the photographs sent by them. We used the Fishbase database (Froese and Pauly, 2019) and consulted specialists for those species whose identification was problematic. To verify if the recorded species were allowed to be traded for ornamental purposes and their conservation status, we consulted the legislation applied in Brazil during the period covered by this study, as previously described in Borges et al. (2021), and also the Red List of the International Union for the Conservation of Nature (IUCN, 2019), and the list of the Convention on International Trade in Endangered Species of Wild Flora and Fauna (CITES, 2019).

Data analysis

We used descriptive statistics to describe the profile of survey participants and their responses to aquarium-related questions. Percentages were calculated based on the number of citations. Thus, the sum of n may exceed the total number of participants (n = 906) in case of the questions allowed more than one answer option. Chi-Squared tests were used to assess associations between socioeconomic factors (e.g., gender, age, monthly income) and hobby characteristics (e.g., marine-only or freshwater-only aquarists, number of fish kept, experience time in the aquarium hobby, monthly spending on the hobby) ($p \le 0.05$ value was considered significant). For analyzes comparing responses from freshwater-only and marine-only aquarists, responses from aquarists who claimed to have both types of aquariums were not considered. We



also used a word cloud analysis to visually evaluate aquarists' perceptions regarding the release of ornamental fish in the wild. This technique makes it possible to identify which words were most frequently cited by the participants (McNaught and Lam, 2010; Barbosa-Filho et al., 2020). All analyzes were performed using the R software ver.3.6.1 program (R Core Team, 2019).

Results

Profile of Brazilian aquarists

Most aquarists were male (88%; n = 795), aged between 20 and 40 years (73%; n = 661). Approximately two-thirds of aquarists (69%; n = 627) had higher education and the monthly income of the majority (78%; n = 744) was over US\$530 (equivalent to two Brazilian minimum monthly salaries). Aquarists residing in 24 Brazilian states participated in the study, most of them from the southeastern region of the country (51%; n = 468), mainly from the states of São Paulo (40%; n = 308) and Rio de Janeiro (12.8%; n = 116; Fig. 1). Most aquarists had practiced the hobby for less than five years (40%; n = 372) and had mainly acquired experience through internet searches (corresponding to 22% of the sources mentioned; Fig. 2).

Most aquarists prefer to acquire their animals through stores or pet shops (55% of the sources mentioned) and owned freshwater aquariums only (86%; n = 776). We also recorded participants who kept both marine and freshwater aquariums (9%; n = 84).

Animals used in the hobby

The aquarists kept fish belonging to 523 species (93 families), most of them freshwater (76%; n = 400 species). The beauty of aquariums and fish (76%; n = 790) was the main motivation for practicing aquarism (Table 1). Behavior (26%; n = 537;) and aesthetics (22%; n = 441) were key factors in choosing fish for the hobby (Figure 2). Most species were not native to Brazil (73%; n = 293) - half of the freshwater species (50%; n = 203) and more than half of marine species (73%; n = 90). In addition, 33% (n = 131) of the species had their exploitation prohibited in the country (see supplementary material).

Aquarists preferred the following freshwater fish families: Cichlidae (34%), Characidae (12%), and Cyprinidae (11%), especially the following species: *Pterophyllum scalare* (4.1%), *Hypostomus plecostomus* (3.7%) and *Poecilia reticulata* (3.5%), all native to Brazil. The preferred families regarding marine fish were Acanthuridae (28%) and Pomacentridae (28%), with a predilection for the following species: *Amphiprion ocellaris* (18%), *Zebrasoma flavescens* (9%), and *Paracanthurus hepatus* (7%), all exotics. Regarding the conservation status, 39 species were included in threatened categories in the IUCN classification, namely: ten species are listed as "Near Threatened", 14 species as "Vulnerable", eight species as "Endangered", and seven species as "Critically Endangered" (Table 2). In addition, six species were included in the CITES Appendices and five species are included in the Brazilian List of Threatened Species (see supplementary material).

Besides keeping fishes, about a third of aquarists (36%; n = 328) declared having invertebrates, mentioning 66 animals belonging to 14 classes, mainly crustaceans (48%; n = 28) and mollusks (33%; n = 22). Invertebrate maintenance was more common among marine (70%)



of marine aquarists) than among freshwater aquarists (30%). The most common invertebrates kept by aquarists were snails of the genus *Pomacea* (23%) and shrimps of the genus *Neocaridina* (16%).

Maintenance of the animals

Most participants claimed to keep between 10 and 50 specimens (64%; n = 675; Table 1), mostly in mixed-species tanks (34%; n = 512; Supplementary material). The number of fish kept by hobbyists was related to income ($X^2 = 53.787$, df = 25, p = 0.0007) and with the experience time in the aquarium hobby ($X^2 = 45.681$, df = 20, p = 0.0008). Most participants (52%; n = 475) claimed to spend less than US\$20 monthly to maintain the hobby (Table 1). Monthly costs were not related to the number of fish kept by the aquarists ($X^2 = 105.74$, df = 25, p = 6.662e-12), but to the habitat type of the animals (marine or freshwater) ($X^2 = 63.222$, df = 10, p = 8.858e-10), and aquarists who own marine fish reported higher expenses (Table 1).

Most participants (40%; n = 364) stated that they cleaned the aquariums and performed partial water changes weekly (36%; n = 330) or biweekly (30%; n = 273). Fish illness was reported by 74% of the participants (n = 675), who mentioned 26 types of diseases, the most cited being: ictio (white spots disease; n = 374), diseases caused by fungi (n = 72), and hole in the head (caused by the protozoan *Hexamita intestinalis*; n = 35). The treatments used by the participants were mainly based on exchanging experiences with other aquarists (40%; n = 419; Table 1). The main treatments mentioned were the use of antibiotic products, use of fungicides, and changes in the physical-chemical parameters of the aquarium (e.g., temperature, salinity, luminosity; see supplementary material).

When asked about their attitude when they want to dispose of a fish, the most frequent attitude was donation (44%; n = 559). Other attitudes mentioned were exchanges with other aquarists (30%; n = 382), sale (22%; n = 275), released in the wild (2%; n = 30), exchange or return at the store where they purchased the animal (0.2%; n = 3) and use for feeding (0.1%; n = 2).

Collecting and releasing fish in the wild

About 10% (n = 95) of participants collected fish in the wild, mostly freshwater-only aquarists (77%; n = 73). Among those, most had no formal education ($X^2 = 33.0$, df = 6, p = 1.037e-05; 38%), kept more than 500 fish ($X^2 = 26.1$, df = 5, p = 8.267e-05; 42%), and declared that they had no expenses to maintain the hobby ($X^2 = 19.4$, df = 5, p = 0.001; 34%; Table 3). The collections were always carried out in habitats close to the aquarists' homes (e.g., rivers, streams, waterfalls, creeks, lagoons/lakes, ponds, dams, estuaries, beaches, rocky shores), using different techniques (i.e., hook and bait, fishing net, sieve, cast net, artisanal traps, manual collection). Fish collections belonging to at least 19 families were reported, mainly Cichlidae (32%) and Poeciliidae (18%).

Considering releases, 10% (n = 88) of participants revealed they had released animals from their aquariums into the wild, most of them freshwater-only aquarists (90%; n = 80). Regarding the profile of aquarists who release fish in the wild, those most likely to perform this practice were males ($X^2 = 12.5$, df = 4, p = 0.013; 11%), with less than 20 years ($X^2 = 19.7$, df = 10.00).



8, p = 0.011; 21%), and with an income of more than 10 Brazilian minimum monthly salaries ($X^2 = 22.9, df = 10, p = 0.011; 25\%$; Table 3). According to participants, the releases were made in rivers, streams, waterfalls, creeks, springs, and lakes close to their homes; in artificial lakes and ponds in public parks; in private dams and weirs; and into the sea. Releases of fish belonging to at least 9 families have been reported, mainly Cichlidae (29%) and Loricariidae (22%), and invertebrates of two classes, Gastropoda (Pomacea spp.) and Malacostraca (Macrobrachium carcinus). Participants who said they had never released any animals (86%; n = 780) expressed their opinions regarding this practice and the most cited words were: "never", "release", "nature", "species", "fish" and "native" (Fig. 3).

Asked about the future of the ornamental fish trade, 66% (n = 599) stated that more fish will be available for commercialization due to cultivation and 34% (n = 307) believe that less fish will be available due to overfishing.

Discussion

Hobby overview

Our results demonstrate that the profile of the Brazilian hobbyist is quite homogeneous, being mainly formed by men with education and monthly income above the general average in Brazil (most of the adult population has at most completed elementary school and a monthly income equivalent to little more than two minimum monthly salaries; IBGE, 2019). This profile of aquarists with an above-average financial situation reinforces that fishkeeping is a luxury hobby (Rhyne & Tlusty, 2012), although technological development has facilitated maintaining ornamental fish and increased the popularity of the activity (Arbuatti & Lucidi, 2010; Banha et al., 2019). In fact, fishkeeping is a hobby that demands a great financial commitment, since the acquisition of fish and equipment for aquariums can demand a high investment.

As expected, aesthetics was the main motivation for choosing fishkeeping as a hobby. Fish with striking color patterns and different shapes attract people and make them want to have those fish at home for contemplation and entertainment (Walster et al., 2015). Hobbyists in our study also highlighted as a motivation keeping fish for therapeutic purposes, a trend registered in studies associated with pets of different taxa, which revealed the positive impact pets can have on the quality of life of people who have stress or depression (Brooks et al., 2016, 2018; Enmarker et al., 2012; Hui Gan et al., 2019). These benefits for human well-being constitute another factor that has contributed to popularizing the hobby, attracting people who seek relaxation and reduced stress levels (Magalhães et al., 2017; Stern et al., 2016).

Freshwater fish dominate fishkeeping in Brazil, representing more than half of the species kept by hobbyists who participated in this study. This preference for continental fish was also recorded by Mazza et al. (2015) in a study performed in Italy, and can mainly be attributed to price, as freshwater fish tend to be cheaper than marine fish. Another factor pointed out by these authors which may be decisive for this preference is the ease of maintenance, considering that maintaining aquariums with marine fish requires greater dedication and improved



equipment, in addition to higher financial investment, as we were also able to verify with our results (Borges et al., 2021).

In addition to fish, invertebrates are also exploited by aquarists in Brazil, although to a lesser extent. Despite the use of invertebrates not being as well documented as the use of fish in fishkeeping, it has been recorded by some studies which have highlighted the popularized trade of these animals for this purpose (Alves & Rocha, 2018; Ng et al., 2016; Uderbayev et al., 2017). Without considering corals, it is estimated that about 500 species of invertebrates are used in fishkeeping, including mollusks (gastropods, bivalves, and cephalopods), polychaetes, crustaceans (shrimps, crabs, and lobsters), anemones and echinoderms (starfish, urchins) and sea cucumbers) (Alves & Rocha, 2018; Palmtag, 2017). In addition to the aesthetic factor, invertebrates are sought after by aquarists interested in the services they can provide. Integrating so-called "cleaning teams", the invertebrates work by eliminating parasites from the aquarium, filtering the water, and sifting the substrate (Palmtag, 2017).

Several factors are crucial to ensure the well-being of fish kept as pets, and almost all of them directly depend on the hobbyist's knowledge (Walster, 2015). Herein, we found that aquarists know the needs of the organisms they maintain and adapt aspects such as cleaning and partial water changes to these needs, taking into account the different needs of marine fish and freshwater fish. Some of the main difficulties in keeping ornamental fish are related to water quality maintenance, including parameters such as temperature, pH, salinity, ammonia, nitrate concentration, and dissolved oxygen (Stevens et al., 2017). In addition, inadequate diets, handling, crowding, living with fish species with different needs, and the confinement itself are factors that can cause stress to fish, often culminating in death (Stevens et al., 2017; Walster, 2015).

An imbalance in any of the necessary factors for the well-being of fish in captivity can affect resistance to pathogens, leading to the development of diseases (Cardoso et al., 2019). Most hobbyists reported the occurrence of diseases in their fish for which they mentioned a series of treatments, mostly carried out on their own based on information obtained from other aquarists or on the internet. In fact, the lack of access to a diagnosis performed by professionals, whether due to logistical or financial difficulties, can lead many aquarists to use over-the-counter remedies and home treatments, which can have the opposite effect, causing more suffering to the animals (Walster, 2015). Home treatments for diseases in ornamental fish still raise a concern related to public health. The substances used for these treatments, such as antibiotics, fungicides, and parasiticides, are often added to the aquarium water, and if this untreated water is discarded into the sewage system it can contaminate water that is used by the human population.

Implications of the hobby for conservation

Collecting fish in the wild to meet the demand required by aquarists and the preferences of aquarists raise concerns about the long-term sustainability of this practice (Evers et al., 2019). In addition to the overexploitation of species, destructive fishing practices and the high risk of



biological invasion can transform fishkeeping into a threat to biodiversity (Banha et al., 2019; Evers et al., 2019). Most aquarists in our study believed that a greater number of ornamental fish will be available in the market in the future due to improved cultivation and breeding practices in captivity. In fact, aquaculture has been touted as the solution to the over-exploitation of species for ornamental purposes (Teletchea, 2016). However, it cannot be treated as a panacea, as most of successful cultivation has only been developed for freshwater fish, while the marine ornamental fish trade almost entirely depends on collection in the wild (Máñez et al., 2014; Morcom et al., 2018).

Fish are among the most introduced aquatic animals worldwide (Magalhães & Jacobi, 2013) and the ease of acquiring exotic species through pet shops and the internet enhances the ability of aquarists to trigger introductions (Azevedo-Santos et al., 2015). The action of invasive species is considered the second leading cause of extinction worldwide (Wilcove et al., 1998). These species act by drastically modifying the ecosystems in which they settle, causing the decline of native species and resulting in biodiversity loss (Mantellato et al., 2018). There are introduction records of more than 150 non-native fish species in the last two centuries in Brazil, many of which were introduced through fishkeeping (Azevedo-Santos et al., 2015; França et al., 2017).

Hobbyists discarding their fish in the wild is mainly motivated by the growth of the animals, a demonstration of aggression, or the time and money demand that the hobby requires (Azevedo-Santos et al., 2015; Magalhães & Jacobi, 2013). For example, some of the fish genera kept by the aquarists interviewed, such as *Channa* Scopoli 1777, *Pangasianodon* Chevey 1931, *Clarias* Scopoli 1777 and *Osphronemus* Lacepède 1801, can reach large sizes and exhibit predatory behavior, representing a high risk of biological invasion (Magalhães & Jacobi, 2013) and are commercialized for ornamental purposes with restrictions in Brazil (MPA, 2012). Other examples of aquarium introductions include the jaguar cichlid (*Parachromis managuensis*) in northeastern Brazil (França et al., 2017) and the lionfish (*Pterois volitans*) along the east coast of North America (Whitfield et al., 2002), with the latter being considered one of the worst marine invasive species.

Invertebrates are also of concern when it comes to biological invasion. The invertebrates most used by aquarists participating in the study were snails of the genus *Pomacea*, which had their importation prohibited in the European Union because they are considered organisms with a high threat of invasion (Ng et al., 2016). Herein, we recorded the release of these animals into the wild. In addition to snails, we also recorded the use of some species that were previously introduced in Brazil and other countries through fishkeeping. For example, the Red swamp crayfish (*Procambarus clarkii*) has established itself worldwide after being extensively translocated by the ornamental trade (Torres and Álvarez, 2012) and is considered one of the 100 worst invaders in Europe (Gherardi, 2007). The establishment of this species has already been demonstrated in Brazil (Loureiro et al., 2015) and it has been hypothesized that the introduction occurred through fishkeeping (Magalhães et al., 2005), although studies on its impacts have not



 yet been conducted in Brazilian ecosystems. Another example is the case of the Thiarid snail (*Melanoides tuberculatus*), which was first recorded in Brazil in 1967 and currently has extensive distribution throughout the country (Barros et al., 2019). It was primarily introduced and dispersed through the plant and animal trade (Vaz et al., 1986), with the high abundance of this snail having caused damage to the native benthic community of Brazil (Pointier, 1993).

In addition to the intentional introduction, fishkeeping also acts as a dispersion route for potentially invasive species that can be accidentally transported along with fish, such as invertebrates, aquatic plants, and microorganisms (Assis et al., 2014; Banha et al., 2019; Patoka et al., 2015). Potentially zoonotic pathogens that pose risks to the pet industry and humans can also be spread through improper disposal of water used in aquariums (Cardoso et al., 2019; Pate et al., 2019).

Brazil is a signatory country of the United Nations Convention on Biological Diversity, , through which it commits to making efforts to prevent and control possible introductions in aiming to protect against the threat that invasions can pose to biodiversity (França et al., 2017). The regulation of fish importation for ornamental purposes in the country is based on lists of permitted species, with emphasis on species that are strictly prohibited due to high invasion risk. However, lack of disclosure of legal restrictions and precarious inspection are factors that prevent the full functioning of the legislation, in addition to the fact that there are aquarists willing to violate the law to maintain prohibited species (Banha et al., 2019; Marchio, 2018; Patoka et al., 2018).

Management and conservation opportunities

Our results showed that most aquarists participating in the study are aware of the risks related to the release of non-native fish into the wild, reinforcing the idea that education and information campaigns are the main key to modifying behaviors that can trigger biological invasions. As fishkeeping offers an opportunity to bring the population closer to scientific concepts by directly observing organisms and their ecological processes, the educational potential of the hobby is an opportunity that can be used to communicate conservation, seeking to sensitize hobbyists on the problem of biological invasions and involve them in conservation initiatives (Azevedo-Santos et al., 2015; Evers et al., 2019; Marchio, 2018).

Some strategies for disseminating this information are to distribute informative material in aquarium stores, discuss this subject in the specialized media (i.e., aquarium magazines and websites), and disseminate it on social networks through channels of the environmental agencies themselves (Azevedo-Santos et al., 2015). The attitude of sellers is also a key point to inhibit improper disposal of ornamental fish through responsible sales. Consumers should receive all technical information about the species they intend to acquire, especially regarding behavior and maximum size (Azevedo-Santos et al., 2015). In addition to investing in environmental education, creating collection centers to receive unwanted animals offers an alternative to discarding fish in nature (Banha et al., 2019).



392

393 394

395

396

397

398 399

400

401

Conclusions

Our results reveal the main trends in fishkeeping in Brazil, such as the choice of hobby mainly being motivated by aesthetic and behavioral factors of the animals, the preference for freshwater species and non-native species, and the fact that most aquarists are males with above-average education and financial situation. Furthermore, our findings support the premise that fishkeeping has the potential to trigger biological invasions, especially considering that most species used in the hobby are exotic and many are known to be potential invaders. These results reinforce that performing fishkeeping as a sustainable hobby, which does not represent a threat to biodiversity, requires the joint action of aquarists, traders, and environmental agencies. Considering that there is already legislation in the country that prohibits the use of certain species for fishkeeping, efforts must now be directed toward environmental education practices and improved inspections and monitoring.

402 403 404

Acknowledgements

- 405 We thank all the participants. We also thank the National Council for Scientific and
- 406 Technological Development for the MSc scholarship granted to the first author (CNPq,
- 407 130751/2018-9) and for the productivity research grant granted to the last author.

408 409

References

410

- 411 ABINPET Associação Brasileira da Indústria de Produtos para Animais de Estimação, 2019.
- 412 Informações gerais do setor pet. Available at http://abinpet.org.br/infos gerais/ (accessed 27
- 413 September 2019).
- 414 Albuquerque UP, Cunha LVFC, Lucena RFP, Alves RRN. 2014. Methods and techniques in
- 415 *ethnobiology and ethnoecology*. New York: Springer.
- 416 Alves RRN. 2012. Relationships between fauna and people and the role of ethnozoology in
- 417 animal conservation. Ethnobiology and conservation 1:1-69. DOI: 10.15451/ec2012-8-1.2-1-69
- 418 Alves RRN, Rocha LA. 2018. Fauna at home: Animals as pets. In: Alves RRN, Albuquerque
- 419 UP, eds. Ethnozoology: Animals in Our Lives. Massachusetts: Academic Press, 303-321.
- 420 Alves RRN, Araújo BMC, Policarpo IS, Pereira HM, Borges AKM, Vieira WLS, Vasconcellos
- 421 A. 2019. Keeping reptiles as pets in Brazil: ethnozoological and conservation aspects. *Journal*
- 422 for nature conservation 49:9-21. DOI: 10.1016/j.jnc.2019.02.002.
- 423 Arbuatti A, Lucidi P. 2010. Reef aquariofily: a hobby for everyone? How an adequate
- knowledge of Pterois volitans' behavior and welfare can avoid risks and accidents. Aquaculture,
- 425 Aquarium, Conservation & Legislation 3:9-16.
- 426 Assis DAS, Cavalcante SS, Brito MFG. 2014. Aquarium trade as a potential disseminator of
- 427 non-native invertebrates in Northeastern Brazil. *Neotropical Biology and Conservation* 9:115-
- 428 119. DOI 10.4013/nbc.2014.92.06.



- 429 Azevedo-Santos VM, Pelicice FM, Lima-Junior DP, Magalhães ALB, Orsi ML, Vitule JRS.,
- 430 Agostinho AA. 2015. How to avoid fish introductions in Brazil: education and information as
- 431 alternatives. *Natureza & Conservação* 13:123-132. DOI 10.1016/j.ncon.2015.06.002.
- Banha F, Diniz A, Anastácio PM. 2019. Patterns and drivers of aquarium pet discharge in the
- 433 wild. *Ecological Indicators* 106:105513. DOI 10.1016/j.ecolind.2019.105513.
- 434 Barbosa-Filho ML, Seminara CI, Tavares DC, Siciliano S, Hauser-Davis RA, Mourão JS. 2020.
- 435 Artisanal fisher perceptions on ghost nets in a tropical South Atlantic marine biodiversity
- 436 hotspot: Challenges to traditional fishing culture and implications for conservation
- 437 strategies. *Ocean & Coastal Management* 192:105189. DOI 10.1016/j.ocecoaman.2020.105189.
- 438 Brasil. 2008. Normas, critérios e padrões para a explotação com finalidade ornamental e de
- 439 aquariofilia de peixes nativos ou exóticos de águas continentais. Instrução Normativa n.203/08.
- 440 Brasília, DF: Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis
- 441 Brasil. 2012. Normas, critérios e padrões para a explotação de peixes nativos ou exóticos de
- 442 águas continentais com finalidade ornamental ou de aquariofilia. Instrução Normativa
- Interministerial n.001/12. Brasília, DF: Ministério da Pesca e Aquicultura.
- Barros MRF, Chagas RA, Herrmann M, Bezerra AM. 2019. New record of the invasive snail
- 445 Melanoides tuberculata (Gastropoda, Thiaridae)-Ceará State, Brazil. Brazilian Journal of
- 446 *Biology* 80:368-372. DOI 10.1590/1519-6984.210408.
- 447 Borges AKM, Oliveira TPR, Rosa IL, Braga-Pereira F, Ramos HAC, Rocha LA, Alves RRN.
- 448 2021. Caught in the (inter) net: Online trade of ornamental fish in Brazil. *Biological*
- 449 *Conservation* 263:109344. DOI 10.1016/j.biocon.2021.109344.
- 450 Brooks HL, Rushton K, Lovell K, Bee P, Walker L, Grant L, Rogers A. 2018. The power of
- 451 support from companion animals for people living with mental health problems: a systematic
- review and narrative synthesis of the evidence. BMC psychiatry 18:1-12. DOI 10.1186/s12888-
- 453 018-1613-2.
- 454 Brooks H, Rushton K, Walker S, Lovell K, Rogers A. 2016. Ontological security and
- connectivity provided by pets: a study in the self-management of the everyday lives of people
- 456 diagnosed with a long-term mental health condition. BMC psychiatry 16:1-12. DOI
- 457 10.1186/s12888-016-1111-3.
- 458 Cardoso PHM, Moreno AM, Moreno LZ, Oliveira CH, Baroni, FA, Maganha SRL, Souza RLM,
- 459 Balian SC. 2019. Infectious diseases in aquarium ornamental pet fish: prevention and control
- 460 measures. Brazilian Journal of Veterinary Research and Animal Science 56:e151697-e151697.
- 461 DOI 10.11606/issn.1678-4456.bjvras.2019.151697.
- 462 CITES. 2019. The Convention on International Trade in Endangered Species of Wild Fauna and
- 463 Flora. Available at https://www.cites.org/eng/app/appendices.php (accessed 17 July 2019).
- 464 Chucholl C, Pfeiffer M. 2010. First evidence for an established Marmorkrebs (Decapoda,
- 465 Astacida, Cambaridae) population in Southwestern Germany, in syntopic occurrence with
- Orconectes limosus (Rafinesque, 1817). Aquatic invasions 5:405-412. DOI
- 467 10.3391/ai.2010.5.4.10.



- 468 Dhar B, Ghosh SK 2015. Genetic assessment of ornamental fish species from North East
- 469 India. Gene 555:382-392. DOI 10.1016/j.gene.2014.11.037.
- 470 Duggan IC. 2010. The freshwater aquarium trade as a vector for incidental invertebrate
- 471 fauna. *Biological invasions* 12:3757-3770. DOI 10.1007/s10530-010-9768-x.
- 472 Enmarker I, Hellzén O, Ekker K, Berg AG. 2012. Health in older cat and dog owners: The Nord-
- 473 Trondelag Health Study (HUNT)-3 study. *Scandinavian journal of public health* 40:718-724.
- 474 DOI 10.1177/1403494812465031.
- Evers HG, Pinnegar JK, Taylor MI. 2019. Where are they all from? sources and sustainability in
- 476 the ornamental freshwater fish trade. *Journal of Fish Biology* 94:909-916. DOI
- 477 10.1111/jfb.13930.
- 478 França EJ, Almeida CAC, Almeida Neto MS, Santos RE, Magalhães ALB, El-Deir ACA, Severi
- 479 W. 2017. Novelty on the market, novelty in the environment: The invasion of non-native fish
- 480 jaguar guapote (Perciformes) in northeastern Brazil. Neotropical Biology and
- 481 *Conservation* 12:12-18. DOI 10.4013/nbc.2017.121.02.
- 482 Froese R, Pauly D. 2019. FishBase. World Wide Web electronic publication. Available at
- 483 www.fishbase.org (accessed 17 July 2019).
- 484 Gherardi F. 2007. *Biological invaders in inland waters: profiles, distribution, and threats.*
- 485 Dordrecht: Springer, 504-542.
- 486 Hinsley A, Verissimo D, Roberts DL. 2015. Heterogeneity in consumer preferences for orchids
- in international trade and the potential for the use of market research methods to study demand
- 488 for wildlife. *Biological Conservation* 190:80-86. DOI 10.1016/j.biocon.2015.05.010.
- 489 Hui Gan GZ, Hill AM, Yeung P, Keesing S, Netto JA. 2020. Pet ownership and its influence on
- 490 mental health in older adults. Aging & mental health 24:1605-1612. DOI
- 491 10.1080/13607863.2019.1633620.
- 492 IBAMA (Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis). 2008a.
- 493 Normas, critérios e padrões para a explotação com finalidade ornamental e de aquariofilia de
- 494 peixes nativos ou exóticos de águas marinhas e estuarinas. Instrução Normativa n.202/08.
- 495 Brasília, DF.
- 496 IBAMA (Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis). 2008b.
- 497 Normas, critérios e padrões para a exploração com finalidade ornamental e de aquariofilia de
- 498 exemplares vivos de raias nativas de água continental, Família Potamotrygonidae. Instrução
- 499 Normativa n.204/08. Brasília, DF.
- 500 IBGE. 2019. Pesquisa Nacional por Amostra de Domicílios Contínua (PNAD Contínua).
- 501 Available at https://www.ibge.gov.br/estatisticas/sociais/populacao/17270-pnad-continua.html
- 502 (accessed 6 September 2019).
- 503 IUCN. 2019. The IUCN Red List of Threatened Species (version 2019-1). Available at
- 504 http://www.iucnredlist.org/ (accessed 17 July 2019).



- Kumar TA, Gunasundari V, Prakash S. 2015. Breeding and rearing of marine ornamentals. In:
- 506 Perumal S, Thirunavukkarasu AR, Perumal P, eds. Advances in Marine and Brackishwater
- 507 Aquaculture New Delhi: Springer, 101-107.
- Kuhnen VV, Kanaan VT. 2014. Wildlife trade in Brazil: A closer look at wild pets welfare
- 509 issues. *Brazilian Journal of Biology* 74:124-127. DOI 10.1590/1519-6984.18912.
- 510 Loureiro TG, Anastácio PM, Bueno SL, Araujo PB, Souty-Grosset C, Almerão MP. 2015.
- 511 Distribution, introduction pathway, and invasion risk analysis of the North American crayfish
- 512 Procambarus clarkii (Decapoda: Cambaridae) in Southeast Brazil. *Journal of Crustacean*
- 513 *Biology* 35:88-96. DOI 10.1163/1937240X-00002307.
- Maceda-Veiga A, Escribano-Alacid J, Sostoa A, García-Berthou E. 2013. The aquarium trade as
- a potential source of fish introductions in southwestern Europe. *Biological invasions* 15:2707-
- 516 2716. DOI 10.1007/s10530-013-0485-0.
- 517 Maceda-Veiga A, Escribano-Alacid J, Martínez-Silvestre A, Verdaguer I, Mac Nally R. 2019.
- 518 What's next? The release of exotic pets continues virtually unabated 7 years after enforcement of
- new legislation for managing invasive species. *Biological Invasions* 21:2933-2947. DOI
- 520 10.1007/s10530-019-02023-8.
- Magalhães C, Bueno SLS, Bond-Buckup G, Valenti WC, Silva HLM, Kiyohara F, Mossolin EC,
- Rocha SS. 2005. Exotic species of freshwater decapod crustaceans in the state of São Paulo,
- Brazil: records and possible causes of their introduction. *Biodiversity & Conservation* 14:1929-
- 524 1945. DOI 10.1007/s10531-004-2123-8.
- Magalhães ALB, Jacobi CM. 2013. Invasion risks posed by ornamental freshwater fish trade to
- 526 southeastern Brazilian rivers. *Neotropical Ichthyology* 11:433-441.
- 527 Magalhães ALB, Orsi ML, Pelicice FM, Azevedo-Santos VM, Vitule JR, Brito MF. 2017. Small
- size today, aquarium dumping tomorrow: sales of juvenile non-native large fish as an important
- 529 threat in Brazil. *Neotropical Ichthyology* 15:e170033. DOI 10.1590/1982-0224-20170033.
- 530 Máñez KS, Dandava L, Ekau W. 2014. Fishing the last frontier: the introduction of the marine
- 531 aguarium trade and its impact on local fishing communities in Papua New Guinea. Marine
- 532 *Policy* 44:279-286. DOI 10.1016/j.marpol.2013.09.018.
- 533 Mantelatto MC, Silva AG. Santos Louzada T, McFadden CS, Creed JC. 2018. Invasion of
- aguarium origin soft corals on a tropical rocky reef in the southwest Atlantic, Brazil. *Marine*
- 535 *pollution bulletin* 130:84-94. DOI 10.1016/j.marpolbul.2018.03.014.
- 536 Marchio EA. 2018. The art of aquarium keeping communicates science and
- conservation. Frontiers in Communication 3:17. DOI 10.3389/fcomm.2018.00017.
- 538 Mazza G, Aquiloni L, Inghilesi AF, Giuliani C, Lazzaro L, Ferretti G, Lastrucci ., Foggi B,
- 539 Tricarico E. (2015. Aliens just a click away: the online aquarium trade in Italy. *Management of*
- 540 *Biological Invasions* 6:253-261. DOI 10.3391/mbi.2015.6.3.04.
- McNaught C, Lam P. 2010. Using Wordle as a supplementary research tool. *Qualitative Report*
- 542 15:630-643.



- Morcom SM, Yang D, Pomeroy RS, Anderson PA. 2018. Marine ornamental aquaculture in the
- Northeast US: The state of the industry. *Aquaculture Economics & Management* 22:49-71. DOI
- 545 10.1080/13657305.2016.1206994.
- Ng TH, Tan SK, Wong WH, Meier R, Chan SY, Tan HH, Yeo DC. 2016. Molluscs for sale:
- assessment of freshwater gastropods and bivalves in the ornamental pet trade. *PLoS One*
- 548 *11*:e0161130. DOI 10.1371/journal.pone.0161130.
- Palmtag MR. 2017. The marine ornamental species trade. In: Calado R, Olivotto I, Oliver MP,
- Holt GJ, eds. *Marine ornamental species aquaculture*. New Jersey: Wiley Blackwell, 3-14.
- Pate M, Ovca A, Jenčič V, Žolnir-Dovč M, Ocepek M. 2019. Mycobacteria in aquarium fish: are
- fish handlers aware of their zoonotic potential? Slovenian veterinary research 56:53-58.
- Patoka J, Bláha M, Devetter M, Rylková K, Čadková Z, Kalous L. 2016. Aquarium hitchhikers:
- attached commensals imported with freshwater shrimps via the pet trade. *Biological Invasions*
- 555 18:457-461. DOI 10.1007/s10530-015-1018-9.
- Patoka J, Magalhães ALB, Kouba A, Faulkes Z, Jerikho R, Vitule JRS. 2018. Invasive aquatic
- pets: failed policies increase risks of harmful invasions. *Biodiversity and Conservation* 27:3037-
- 558 3046. DOI 10.1007/s10531-018-1581-3.
- Pi SM, Chou CH, Liao HL. 2013. A study of Facebook Groups members' knowledge sharing.
- 560 *Computers in Human Behavior* 29:1971-1979. DOI 10.1016/j.chb.2013.04.019.
- Pointie JP. 1993. The introduction of Melanoides tuberculata (Mollusca: Thiaridae) to the island
- of Saint Lucia (West Indies) and its role in the decline of Biomphalaria glabrata, the snail
- intermediate host of Schistosoma mansoni. *Acta tropica* 54:13-18. DOI 10.1016/0001-
- 564 706X(93)90064-I PMid:8103624.
- 565 R Core Team. 2019. R: A Language and Environment for Statistical Computing. R Foundation
- 566 for Statistical Computing, Vienna, Austria.
- Raghavan R, Dahanukar N, Tlusty MF, Rhyne AL, Kumar KK, Molur S, Rosser
- 568 AM. 2013. Uncovering an obscure trade: Threatened freshwater fishes and the aquarium pet
- 569 markets. *Biological Conservation* 164:158–169. DOI 10.1016/j.biocon.2013.04.019.
- 570 Reynoso FL, Castañeda-Chávez M, Zamora-Castro JE, Hernández-Zárate G, Ramírez-Barragán
- 571 MA. Solís-Morán E. 2012. La acuariofilia de especies ornamentales marinas: un mercado de
- 572 retos y oportunidades. Latin american journal of aquatic research 40:12-21.
- 573 Rhyne AL, Tlusty MF, Schofield PJ, Kaufman LES, Morris Jr JA, Bruckner AW. 2012.
- Revealing the appetite of the marine aquarium fish trade: the volume and biodiversity of fish
- imported into the United States. *PloS one* 7:e35808. DOI 10.1371/journal.pone.0035808.
- 576 Rhyne AL, Tlusty MF. 2012. Trends in the marine aquarium trade: the influence of global
- 577 economics and technology. Aquaculture, Aquariums, Conservation & Legislation 5:99-102.
- 578 Rhyne AL, Tlusty MF, Szczebak JT, Holmberg RJ. 2017. Expanding our understanding of the
- trade in marine aquarium animals. *PeerJ* 5:e2949. DOI 10.7717/peerj.2949.



- Sadovy YJ, Vincent ACJ. 2002. Ecological issues and the trades in live reef fishes. In: Sale PF,
- 681 ed. Coral Reef Fishes: Dynamics and Diversity in a Complex Ecosystem. San Diego: Academic
- 582 Press, 391-420.
- 583 Stern N, Rachmilovitz EN, Sharon G, Diamant A. 2018. The dire implications of releasing
- marine ornamental fishes into the wild: first reported case from the Red Sea. *Marine*
- 585 *Biodiversity* 48:1615-1620. DOI 10.1007/s12526-016-0600-4.
- 586 Stevens CH, Croft DP, Paull GC, Tyle CR. 2017. Stress and welfare in ornamental fishes: what
- 587 can be learned from aquaculture?. *Journal of fish biology* 91:409-428. DOI 10.1111/jfb.13377.
- 588 Sung YH, Fong JJ. 2018. Assessing consumer trends and illegal activity by monitoring the
- online wildlife trade. *Biological Conservation* 227:219-225. DOI 10.1016/j.biocon.2018.09.025.
- Teletchea F. 2016. Domestication level of the most popular aquarium fish species: Is the
- aguarium trade dependent on wild populations. *Cybium* 40:21-29.
- Torres E, Álvarez F. 2012. Genetic variation in native and introduced populations of the red
- 593 swamp crayfish Procambarus clarkii (Girard, 1852) (Crustacea, Decapoda, Cambaridae) in
- 594 Mexico and Costa Rica. *Aquatic Invasions* 7:235-241. DOI 10.3391/ai.2012.7.2.009.
- 595 Uderbayev T, Patoka J, Beisembayev R, Petrtýl M, Bláha M, Kouba A. 2017. Risk assessment of
- 596 pet-traded decapod crustaceans in the Republic of Kazakhstan, the leading country in Central
- 597 Asia. Knowledge & Management of Aquatic Ecosystems 418:30. DOI 10.1051/kmae/2017018.
- 598 Vaz JF, Teles HMS, Correa MA, Leite SPDS. 1986. Ocorrência no Brasil de Thiara
- 599 (Melanoides) tuberculata (OF Muller, 1774) (Gastropoda, Prosobranchia), primeiro hospedeiro
- 600 intermediário de Clonorchis sinensis (Cobbold, 1875) (Trematoda, Plathyhelmintes). Revista de
- 601 Saúde Pública 20:318-322. DOI 10.1590/S0034-89101986000400008 PMid:3554478.
- Walster C, Rasidi E, Saint-Erne N, Loh R. 201). The welfare of ornamental fish in the home
- aguarium. Companion Animal 20:302-306. DOI 10.12968/coan.2015.20.5.302.
- Wilcove DS, Rothstein D, Dubow J, Phillips A, Losos E. 1998. Quantifying threats to imperiled
- species in the United States. *BioScience* 48:607-615. DOI 10.2307/1313420.
- 606 Whitfield PE, Gardner T, Vives SP, Gilligan MR, Courtenay Jr WR, Ray GC, Hare JA. 2002.
- Biological invasion of the Indo-Pacific lionfish Pterois volitans along the Atlantic coast of North
- America. Marine Ecology Progress Series 235:289-297. DOI 10.3354/meps235289.
- Zehev BS, Vera A, Asher B, Raimundo R. 2015. Ornamental fishery in Rio Negro (Amazon
- 610 region), Brazil: combining social, economic and fishery analyses. Fisheries and Aquaculture
- 611 *Journal* 6:1000143. DOI 10.4172/2150-3508.1000143.



Table 1(on next page)

Answers from Brazilian aquarists interviewed to questions related to hobby maintenance.



Table 1. Answers from Brazilian aquarists interviewed to questions related to hobby maintenance.

| Question | Type of fish kept | | | | | | |
|---|-------------------|---------------|-------------------|-------------------|--|--|--|
| | Freshwater (%, n) | Marine (%, n) | Both types (%, n) | General (%, n) | | | |
| How many fish do you currently | | | | | | | |
| have? | | | | | | | |
| Less than 5 fish | 10% (77) | 24% (11) | 9% (7) | 10% (95) | | | |
| Between 5 and 10 fish | 19% (147) | 46% (21) | 19% (16) | 20% (184) | | | |
| Between 10 and 20 fish | 26% (202) | 19% (9) | 16% (14) | 25% (225) | | | |
| Between 20 and 50 fish | 39% (303) | 11% (5) | 50% (42) | 39% (350) | | | |
| Between 50 and 100 fish | 1.5% (13) | 0 | 1% (1) | 1.5% (14) | | | |
| Between 100 and 500 fish | 1.3% (10) | 0 | 3% (2) | 1.3% (12) | | | |
| Between 500 and 1000 fish | 1.1% (9) | 0 | 0 | 1% (9) | | | |
| More than a thousand | 1.1% (9) | 0 | 1% (1) | 1% (10) | | | |
| How much do you spend monthly on the hobby? | | | | | | | |
| Don't spend anything | 0.5% (4) | 0 | 0 | 0.5% (4) | | | |
| Less than US\$ 20 | 53% (437) | 24% (11) | 32% (27) | 52% (475) | | | |
| Between US\$200 and US\$ 100 | 38% (293) | 63% (29) | 51% (43) | 40% (365) | | | |
| Between US\$100 and US\$ 200 | 4% (34) | 8.7% (4) | 6% (5) | 5% (43) | | | |
| Between US\$200 and US\$ 400 | 3.5% (3) | 0 | 0.5% (4) | 1% (7) | | | |
| More than US\$ 400 | 3.5% (3) | 2% (2) | 3.5% (3) | 1% (8) | | | |
| Do not know | 2% (2) | 0 | 2% (2) | 0.5% (4) | | | |
| What is the cleaning frequency? | | | | | | | |
| Daily | 0.4% (3) | 2% (1) | 1% (1) | 1% (5) | | | |
| More than once a week | 10% (77) | 22% (10) | 19% (16) | 11% (103) | | | |
| Weekly | 40% (313) | 41% (19) | 38% (32) | 40% (364) | | | |
| Biweekly | 28% (216) | 17% (8) | 30% (25) | 27% (249) | | | |
| Monthly | 18% (141) | 15% (7) | 11% (9) | 17% (157) | | | |
| Quarterly | 1% (7) | 0 | 0 | 1% (7) | | | |
| Semiannual | 1% (7) | 0 | 0 | 1% (7) | | | |
| As required | 0.6%(5) | 0 | 1% (1) | 1% (6) | | | |
| Other answers | 1% (7) | 2% (1) | 0 | 1% (8) | | | |
| What is the frequency of partial | | | | | | | |
| water changes? | | | | | | | |
| Weekly | 38% (296) | 13% (6) | 33% (28) | 36% (330) | | | |
| More than once a week | 5% (38) | 0 | 4% (3) | 4.5% (41) | | | |
| Biweekly | 30% (230) | 30% (14) | 34% (29) | 30% (273) | | | |
| Monthly | 16% (125) | 33% (15) | 20% (17) | 17% (157) | | | |
| Bimonthly | 5% (42) | 19% (9) | 6% (5) | 6% (56) | | | |
| When necessary | 1% (8) | 2% (1) | 1% (1) | 1% (10) | | | |
| Just replenish the water | 3% (22) | 0 | 0 | 2.5% (22) | | | |
| Other answers | 2% (15) | 2%(1) | 1%(1) | 2% (17) | | | |
| Have any of your fish ever gotten | _, (10) | - , , (-) | -/-(-) | = , ; (- ,) | | | |
| sick? | | | | | | | |
| No | 26% (205) | 28% (13) | 15% (13) | 25% (231) | | | |
| Yes | 73% (571) | 72% (33) | 84% (71) | 75% (675) | | | |
| Where did you seek treatment? | (2 / 1) | . = , 0 (33) | / - (/ - / | (0,0) | | | |





| With others aquarists On the Internet With professionals | 40% (349) 38% (329) 21% (182) | 42% (23) 33% (18) | 38% (47) 34% (42) | 40% (419) 37% (389) |
|--|-------------------------------------|----------------------|----------------------|------------------------|
| with professionals | 2170 (102) | 24% (13) | 2770 (34) | 22% (229) |



Table 2(on next page)

Ornamental fish species kept by Brazilian aquarists with some degree of threat according to the IUCN classification.



1 Table 2. Ornamental fish species kept by Brazilian aquarists with some degree of threat according

2 to the IUCN classification.

| Species | Family | 25+ cited | Native | Brazilian legislation |
|--|--------------------------|--------------|----------|--------------------------|
| Neart threatened | | | | |
| Altolamprologus calvus (Poll, 1978) | Cichlidae | | No | Allowed |
| Aulonocara nyassae Regan, 1922 | Cichlidae | | No | Allowed |
| Corydoras panda Nijssen & Isbrücker, 1971 | Callichthyidae | | Yes | Allowed |
| Chiloscyllium punctatum Müller & Henle, | | | No | |
| 1838 | Hemiscylliidae | | | Allowed |
| Chindongo elongatus (Fryer, 1956) | Cichlidae | | No | Allowed |
| Chitala chitala (Hamilton, 1822) | Notopteridae | | No | Forbidden |
| Chitala blanci (d'Aubenton, 1965) | Notopteridae | | No | Allowed |
| Danio kyathit Fang, 1998 | Cyprinidae | | No | Allowed |
| Erpetoichthys calabaricus Smith, 1865 | Polypteridae | | No | Forbidden |
| Trichopodus leerii (Bleeker, 1852) | Osphronemidae | | No | Allowed |
| Vulnerable | | | | |
| Aulonocara hansbaenschi Meyer, Riehl & | | | No | |
| Zetzsche, 1987 | Cichlidae | | | Allowed |
| Aulonocara steveni Meyer, Riehl & Zetzsche, | | | No | |
| 1987 | Cichlidae | | | Forbidden |
| Balantiocheilos melanopterus (Bleeker, 1850) | Cyprinidae | | No | Allowed |
| Cyprinus carpio Linnaeus, 1758 | Cyprinidae | Yes | No | Allowed |
| Cyrtocara moorii Boulenger, 1902 | Cichlidae | | No | Allowed |
| Datnioides undecimradiatus (Roberts & | | | No | |
| Kottelat, 1994) | Datnioididae | | | Forbidden |
| Haplochromis aeneocolor Greenwood, 1973 | Cichlidae | | No | Forbidden |
| Haplochromis obliquidens (Hilgendorf, 1888) | Cichlidae | | No | Allowed |
| Notholebias minimus (Myers, 1942) | Rivulidae | | Yes | Forbidden |
| Paratilapia polleni Bleeker, 1868 | Cichlidae | | No | Forbidden |
| Pethia nigrofasciata (Günther, 1868) | Cyprinidae | | No | Forbidden |
| Pseudotropheus demasoni (Konings, 1994) | Cichlidae | | No | Allowed |
| Puntius titteya Deraniyagala, 1929 | Cyprinidae | | No | Forbidden |
| Tropheus duboisi Marlier, 1959 | Cichlidae | | No | Allowed |
| Endangered | | | NI. | |
| Champsochromis spilorhynchus (Regan, | Ciablidae | | No | Earlaid dan |
| 1922) | Cichlidae | | No | Forbidden |
| Glossolepis incisus Weber, 1907 | Melanotaeniidae | | No No | Allowed Allowed |
| Melanotaenia boesemani Allen & Cross, 1980 | Melanotaeniidae | Vag | No No | Allowed |
| Pangasianodon hypophthalmus (Sauvage, | Dangagiidaa | Yes | No | Earbiddon |
| 1878) | Pangasiidae Cichlidae | | No | Forbidden Allowed |
| Placidochromis phenochilus (Trewavas, 1935) | | Yes | No No | Allowed |
| Pterapogon kauderni Koumans, 1933 | Apogonidae | 1 68 | No | Allowed |
| Puntius arulius (Jerdon, 1849) | Cyprinidae Cyprinidae | | | Allowed |
| Sahyadria denisonii (Day, 1865) | Сургинае | | No | Anowed |
| Critically endangered | Ciablida | | No | Allorenad |
| Aulonocara baenschi Meyer & Riehl, 1985 | Cichlidae | | No No | Allowed Allowed |
| Aulonocara maylandi Trewavas, 1984 | Cichlidae | | No | Anowed |





| Chindongo saulosi (Konings, 1990) | Cichlidae | No | Forbidden |
|--|------------|----|-----------|
| Epalzeorhynchos bicolor (Smith, 1931) | Cyprinidae | No | Allowed |
| Haplochromis latifasciatus Regan, 1929 | Cichlidae | No | Forbidden |
| Melanochromis chipokae Johnson, 1975 | Cichlidae | No | Allowed |
| Pseudotropheus cyaneorhabdos (Bowers & | | No | |
| Stauffer, 1997) | Cichlidae | | Forbidden |



Table 3(on next page)

Chi-square tests of socioeconomic characteristics from Brazilian aquarists to determine the relationship with the capture and release of ornamental fish in the wild (significance: * p < 0.05, ** p < 0.01, *** p < 0.001).



1 Table 3. Chi-square tests of socioeconomic characteristics from Brazilian aquarists to determine

2 the relationship with the capture and release of ornamental fish in the wild (significance: * p <

3 0.05, ** p < 0.01, *** p < 0.001).

| ndependent variables | Capture in the wild | | Release in the wild | | | |
|---|--|--|-------------------------------|--|--|-----------------------|
| • | Yes | No | X ² | Yes | No | X ² |
| | (%) | (%) | | (%) | (%) | |
| ender | | | 8.10* | | | 12.50* |
| Female | 4 | 96 | | 0 | 96 | |
| Male | 11 | 89 | | 11 | 85 | |
| Não declared | 50 | 50 | | 0 | 100 | |
| ge group | | | 6.20 | | | 19.70* |
| Less than 20 years | 18 | 82 | | 21 | 75 | |
| Between 20 and 30 years | 11 | 89 | | 11 | 84 | |
| Between 30 and 40 years | 10 | 90 | | 8 | 89 | |
| Between 40 and 50 years | 8 | 92 | | 4 | 90 | |
| More than 50 years | 11 | 89 | | 6 | 84 | |
| Ionthly income | | | 11.80* | | | 22.90* |
| Less than US\$ 266 | 18 | 82 | | 20 | 80 | |
| Between US\$ 266 - US\$ 530 | 16 | 84 | | 12 | 81 | |
| Between US\$ 530 - US\$ 800 | 10 | 90 | | 8 | 87 | |
| Between US\$ 800 - US\$ 1060 | 8 | 92 | | 8 | 88 | |
| Between US\$ 1060 - US\$ 2660 | 8 | 92 | | 8 | 90 | |
| More than US\$2660 | 25 | 75 | | 25 | 75 | |
| Not declared | 9 | 91 | | 13 | 76 | |
| ducation level | | | 33*** | | | 18.67 |
| No formal education | 38 | 62 | | 25 | 75 | |
| Elementary school | 21 | 79 | | 20 | 75 | |
| High school | 9 | 91 | | 9 | 86 | |
| Incomplete higher education | 11 | 89 | | 8 | 89 | |
| | 6 | 94 | | 9 | 85 | |
| Postgraduate studies | 10 | 90 | | 8 | 90 | |
| obby experience | | | 11.60* | | | 18 |
| | 7 | 93 | | 6 | 90 | |
| • | 8 | 92 | | 7 | 90 | |
| | 9 | 91 | | 10 | 86 | |
| | 8 | 92 | | 9 | 86 | |
| Since childhood | 15 | 85 | | 15 | 80 | |
| umber of fish | | | 26.10*** | | | 9.90 |
| Less than 10 fish | 7 | 93 | | 11 | 84 | |
| 10-20 fish | 8 | 92 | | 8 | 88 | |
| 20-50 fish | 13 | 87 | | | | |
| | | | | 7 | | |
| 100-500 fish | 8 | 92 | | 8 | 84 | |
| | 42 | 58 | | 26 | 69 | |
| | | | 19.40** | | | 8.41 |
| | 34 | 66 | | 33 | 67 | |
| | | | | 9 | | |
| | | | | | | |
| | | 74 | | | 84 | |
| Incomplete higher education Complete higher education Postgraduate studies Tobby experience Less than one year Between 1 and 5 years Between 5 and 10 years Over tem years Since childhood Tumber of fish Less than 10 fish 10-20 fish 20-50 fish 50-100 fish | 11 6 10 7 8 9 8 15 7 8 13 20 8 | 93 92 91 92 85 93 92 87 80 92 58 | 11.60* 26.10*** 19.40** | 8 9 8 6 7 10 9 15 11 8 9 7 8 26 | 89 85 90 90 90 86 86 80 84 88 88 86 84 69 | 9. |



PeerJ

| Between US\$200 - US\$ 400 | 14 | 86 | 14 8 | 36 |
|----------------------------|----|-----|------|----|
| More than US\$ 400 | 0 | 100 | 12 8 | 8 |

4



Figure 1

Socioeconomic characteristics of research participants (n = 906 aquarists) and their distribution in Brazilian states







Figure 2


Answers from aquarists interviewed to questions about their relationship with the hobby.




Do you have marine or freshwater fish?




How long have you been practicing fishkeeping?




What motivated you to choose fish as pets?



Where did you get experience in fishkeeping?



What do you value most when choosing a new fish?



Where do you get your fish?




Figure 3

Wordcloud elaborated from aquarists' responses who are against the practice of releasing ornamental fish in the wild (n = 780 responses). Larger words indicate higher frequencies of occurrence.

