

Table 4 Logistic regression model for non-coprophy abnormal behavior (ABN-XC) with predictor variables and constant.

	β (SE)	p	95% CI for odds ratio		
			Lower	Odds ratio	Upper
Constant	-0.45 (0.37)	0.22			
Rearing (non-mother)	1.16 (0.44)	0.01	1.37	3.18	7.65
Sex (male)	-0.09 (0.35)	0.80	0.46	0.92	1.81
Origin (lab)	1.50 (0.90)	0.09	0.89	4.50	34.5
Origin (private)	-0.52 (0.78)	0.50	0.13	0.60	2.76
Origin (zoo)	-0.05 (0.43)	0.91	0.41	0.95	2.26

Note:

Significant variables are bolded. $R^2 = 0.08$ (Hosmer-Lemeshow); 0.11 (Cox-Snell); 0.15 (Nagelkerke). Model $X^2(5) = 19.18$; $p < 0.01$.

Table 5 Logistic regression model for coprophagy (ABN-C) with predictor variables and constant.

	β (SE)	p	95% CI for odds ratio		
			Lower	Odds ratio	Upper
Constant	-0.30 (0.38)	0.38			
Sex (male)	-1.24 (0.37)	< 0.01	0.14	0.29	0.59
Origin (lab)	1.67 (0.76)	0.03	1.24	5.33	24.99
Origin (private)	1.17 (0.84)	0.16	0.61	3.21	16.84
Origin (zoo)	0.63 (0.45)	0.16	0.79	1.87	4.63
Rearing (non-mother)	-0.88 (0.46)	0.056	0.16	0.42	0.99

Notes:

Significant variables are bolded. $R^2 = 0.08$ (Hosmer-Lemeshow); 0.10 (Cox-Snell); 0.14 (Nagelkerke). Model $X^2(5) = 17.59$; $p < 0.01$.

were born in a laboratory were 5.33 times more likely to exhibit coprophagy than those born in the wild.

DISCUSSION

Our survey results revealed a lower prevalence of abnormal behavior in zoo-housed chimpanzees compared to the most recent published evaluation (*Birkett & Newton-Fisher, 2011*), which reported these behaviors as “endemic” and present in 100% of the zoo-housed subjects they sampled. Using similar categories of these behaviors in survey form, our data suggests that a lower prevalence of 64% of zoo-housed chimpanzees were observed to engage in some type of abnormal behavior over a two-year period. Although methodological differences may account for some of these differences, we assert that the current evaluation is a broader assessment of the prevalence of abnormal behavior in the zoo-housed chimpanzee population. The current study draws from a substantially larger sample of zoos (26 institutions compared to six) and subsequently surveys a broader range of individuals (165 subjects compared to 40). This is an important consideration given that, in this study and others, these behaviors are often linked to early rearing histories, which should be adequately represented in the study sample.

One clear similarity in the results of these two assessments is the prevalence of coprophagy as the most commonly reported abnormal behavior: 41% of the sample was reported to engage in this behavior. The link between this behavior and its utility as an indicator of wellbeing however, has recently been brought into question (*Nash et al., 1999; Hopper, Freeman & Ross, 2016*). There is growing evidence that coprophagy may be a socially-learned behavior and may not be as relevant an indicator of negative welfare as some other abnormal behaviors (*Nash et al., 1999; Hook et al., 2002; Freeman & Ross, 2014; Hopper, Freeman & Ross, 2016*). Though a socially-learned behavior could still be an indicator of negative welfare, it can likely be distinguished from those behaviors that are more directly tied to environmental or social inadequacies. Our analysis of the variables that predict the occurrence of coprophagy in this sample support this concept in a number of ways. First, we found a significant sex difference in the prevalence of coprophagy such that female chimpanzees were 3.57 times more likely than male chimpanzees to exhibit this behavior. This finding mirrors a past assessment (*Fritz et al., 1992*) and may be linked to sex differences in social learning. A study by *Lonsdorf (2005)* has directly demonstrated the biased proclivity of female offspring to be the recipients of socially-transmitted tool-using behavior and we argue that coprophagy may be learned similarly through cultural transmission (*Hopper, Freeman & Ross, 2016*).

Another finding that would support the idea that coprophagy is indeed a socially-transmitted behavior is a link to rearing history. Indeed we found that mother-reared chimpanzees were 2.38 times more likely than non-mother-reared chimpanzees to exhibit coprophagy, though this finding did not reach statistical significance. Mother-reared chimpanzees are likely to have more exposure to other chimpanzees who display coprophagy than those chimpanzees raised in a human setting (nursery or privately owned individuals typically live in smaller groups and their companions are less likely to show coprophagy), so the opportunity to learn this behavior socially may be heightened. In addition, mother-reared chimpanzees typically have more developed social skills than those raised in nurseries or by humans (*Spijkerman et al., 1997; Baker et al., 2000; Kalcher-Sommersguter et al., 2011*) which may allow them to better learn behaviors from their mothers and others in their social groups. For these two reasons we would expect these individuals to be more likely to learn a behavior like coprophagy. Also, given what we know about the negative welfare outcomes for non-mother-reared chimpanzees (*Fritz et al., 1992; Nash et al., 1999; Martin, 2002; Kalcher-Sommersguter et al., 2011*), if coprophagy was an indicator of negative welfare, we would expect to see these chimpanzees exhibit more of this behavior. Indeed the opposite trend is true in our sample, suggesting that coprophagy rates have relatively little to do with welfare. These results reinforce the established relationship between mother-rearing and elevated coprophagy (*Nash et al., 1999; Bloomsmith et al., 2006; Hopper, Freeman & Ross, 2016*) and the idea that the link between welfare and this behavior should be further evaluated.

Laboratory origin was also a significant predictor of coprophagy; chimpanzees born in research laboratory settings were 5.33 times more likely to exhibit coprophagy than

chimpanzees born in the wild. It is unclear why this relationship exists; further work is needed to compare the effects of different physical and management environments on the behavior of captive chimpanzees.

For some abnormal behaviors in primates we have empirical evidence to link the behaviors to suboptimal environments such as social isolation and non-mother-rearing (rocking: *Fritz et al., 1992*; self-injurious behavior: *Harlow & Harlow, 1965*; *Kraemer & Clarke, 1990*). These behaviors were reported less in this chimpanzee sample; rocking and self-injurious behavior were reported in fewer than 10% of chimpanzees. Overall, when we remove the occurrences of coprophagy, the prevalence of abnormal behaviors in the sample decreases to about half of the sample (48%). The most prevalent behavior after coprophagy was hair plucking (32%) which has been recognized as a relatively common abnormal behavior in many primate species (*Nash et al., 1999*; *Lutz, Well & Novak, 2003*; *Less, Kuhar & Lukas, 2013*; *Brand & Marchant, 2015*). However, the relationship between this behavior and psychological wellbeing is still unclear, as heredity and social learning may influence the expression of hair plucking (*Nash et al., 1999*; *Hook et al., 2002*; *Less, Kuhar & Lukas, 2013*). When examining the factors that influence the expression of these abnormal behaviors, we find some substantive differences from those factors influencing the expression of coprophagy.

As past studies have shown, rearing is associated with the occurrence of abnormal behaviors, although these studies have generally been correlational (*Harlow & Harlow, 1965*; *Rogers & Davenport, 1969*; *Fritz et al., 1992*; *Nash et al., 1999*; *Martin, 2002*). Our model supported this idea, demonstrating that chimpanzees who were not mother-reared were 3.18 times more likely to exhibit abnormal behavior (excluding coprophagy) than mother-reared chimpanzees. This rearing result is in the opposite direction as the trend revealed by our coprophagy-only model, again demonstrating differences in the ontogeny of these behaviors. We found no effect of sex, suggesting that in contrast to coprophagy, these behaviors are unlikely to be the result of social transmission and therefore may be more reliable indicators of individual welfare. The strong effect of rearing also emphasizes that welfare evaluation must consider the contribution of historical variables to present behavior, rather than solely focusing on proximate factors as the cause of all abnormal behavior.

Although this survey-based approach allows for a larger statistical sample, there are several potential methodological weaknesses which should be considered. One limitation of a survey method is that our results only show the prevalence of these behaviors without any information about their frequency or duration. As such, individuals who perform these abnormal behaviors on a daily basis cannot be distinguished from those who engage much more rarely, perhaps only once over a two-year period. Furthermore, we are also unable to determine the potential effect of other factors such as shifts in management protocols and social dynamics that may have influenced the expression of abnormal behaviors over that time period. Though more intensive observational studies could potentially address this weakness, they take considerably more time and resources to conduct adequately.

Another possible weakness is that these findings are based on reports from animal management staff working with the chimpanzees and may be vulnerable to subjective interpretation or even diminished opportunity to observe these behaviors. Although these are valid perspectives, we assert that even direct observations result in a relatively minute fraction of a chimpanzee's daily activities and that more generalized observations taken over the course of several years may be as likely to produce accurate prevalence estimates (*Whitham & Wielebnowski, 2009; Less et al., 2012*). Furthermore, the survey methods used here are ultimately a conservative measure, as abnormal behaviors need only be observed once in a two-year period, and are therefore likely to be *overestimating* the prevalence of these behaviors.

We assert that these survey data represent a useful evaluation of the prevalence of abnormal behaviors in zoo-housed chimpanzees. This study provides a broad characterization of the occurrence of abnormal behavior in zoo-housed chimpanzees and elucidates some of the variables in the life histories of chimpanzees that contribute to these behaviors. When considering our results and the effects of rearing, sex, and origin on the occurrence of coprophagy compared to the other abnormal behaviors, it is apparent that coprophagy, despite its prevalence, is associated differently with these factors. This supports previous proposals for coprophagy to be classified separately when assessing abnormal behavior and welfare of chimpanzees (*Hopper, Freeman & Ross, 2016*). Overall, this study calls into question *Birkett & Newton-Fisher's (2011)* assertion that abnormal behavior is pervasive in zoo-housed chimpanzees, but we join those authors in their support for work to assess and ultimately improve captive environments for chimpanzees. We acknowledge that we were unable to assess all of the many factors potentially associated with abnormal behaviors, and as a result, we encourage future research to include information on factors such as genetic relatedness, age, social exposure and more detailed early historical variables in order to refine our knowledge of these behaviors. Understanding not only the prevalence of abnormal behaviors but also focusing efforts on determining the causes of those behaviors most likely to inform us about chimpanzees' psychological states, should be a priority for managers and welfare scientists.

ACKNOWLEDGEMENTS

We would like to thank all the zoo staff that completed surveys as part of this study. We would also like to thank the staff of the Fisher Center for their assistance in data analysis and manuscript preparation.

ADDITIONAL INFORMATION AND DECLARATIONS

Funding

This study was funded by the Leo S. Guthman Fund. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests

The authors declare that they have no competing interests.

Author Contributions

- Sarah L. Jacobson analyzed the data, contributed reagents/materials/analysis tools, wrote the paper, prepared figures and/or tables, reviewed drafts of the paper.
- Stephen R. Ross conceived and designed the experiments, performed the experiments, contributed reagents/materials/analysis tools, wrote the paper, reviewed drafts of the paper.
- Mollie A. Bloomsmith conceived and designed the experiments, wrote the paper, reviewed drafts of the paper.

Data Deposition

The following information was supplied regarding data availability:

The raw data has been supplied as [Supplemental Dataset Files](#).

Supplemental Information

Supplemental information for this article can be found online at <http://dx.doi.org/10.7717/peerj.2225#supplemental-information>.

REFERENCES

- AZA Ape TAG. 2010.** *Chimpanzee (Pan Troglodytes) Care Manual*. Silver Spring: Association of Zoos and Aquariums.
- Baker KC, Seres M, Aureli F, de Waal FBM. 2000.** Injury risks among chimpanzees in three housing conditions. *American Journal of Primatology* **51**(3):161–1751
DOI 10.1002/1098-2345(200007)51:3<161::AID-AJPI>3.0.CO;2-5.
- Baker KC, Easley SP. 1996.** An analysis of regurgitation and reingestion in captive chimpanzees. *Applied Animal Behaviour Science* **49**(4):403–415 DOI 10.1016/0168-1591(96)01061-1.
- Bayne K, Novak M. 1998.** Behavioural disorders. In: Bennett B, Abee C, Henrickson R, eds. *Nonhuman Primates in Biomedical Research: Diseases*. New York: Academic Press, 485–500.
- Berkson G, Mason WA, Saxon SV. 1963.** Situation and stimulus effects on stereotyped behaviors of chimpanzees. *Journal of Comparative and Physiological Psychology* **56**(4):786–792
DOI 10.1037/h0044086.
- Birkett LP, Newton-Fisher NE. 2011.** How abnormal is the behaviour of captive, zoo-living chimpanzees? *PLoS ONE* **6**(6):e20101 DOI 10.1371/journal.pone.0020101.
- Bloomsmith MA, Baker KC, Ross SR, Lambeth SP. 2006.** Early rearing conditions and captive chimpanzee behavior: some surprising findings. In: Sackett GP, Ruppenthal G, Elias K, eds. *Nursery Rearing of Nonhuman Primates in the 21st Century*. New York: Kluwer Academic Publishers, 289–312.
- Brand CM, Marchant LF. 2015.** Hair plucking in captive bonobos (*Pan paniscus*). *Applied Animal Behaviour Science* **171**:192–196 DOI 10.1016/j.applanim.2015.08.002.
- Brent L, Lee D, Eichberg J. 1989.** The effects of single caging on chimpanzee behaviour. *Laboratory Animal Science* **39**(4):345–346.
- Erwin J, Deni R. 1979.** Strangers in a strange land: abnormal behaviors or abnormal environment? In: Erwin J, Maple TL, Mitchell G, eds. *Captivity and Behavior, Primates in Breeding Colonies, Laboratories, and Zoos*. New York: Van Nostrand Reinhold, 1–28.
- Freeman HD, Ross SR. 2014.** The impact of atypical early histories on pet or performer chimpanzees. *PeerJ* **2**:e579 DOI 10.7717/peerj.579.
- Feng X, Wang L, Yang S, Qin D, Wang J, Li C, Longbao L, Yuanye M, Hu X. 2012.** Maternal separation produces lasting changes in cortisol and behavior in rhesus monkeys. *Proceedings of*

- the National Academy of Sciences of the United States of America* **108(34)**:14312–14317
DOI [10.1073/pnas.1010943108](https://doi.org/10.1073/pnas.1010943108).
- Fritz J, Nash LT, Alford PL, Bowen JA. 1992.** Abnormal behaviors, with a special focus on rocking, and reproductive competence in a large sample of captive chimpanzees (*Pan troglodytes*). *American Journal of Primatology* **27(3)**:161–176 DOI [10.1002/ajp.1350270302](https://doi.org/10.1002/ajp.1350270302).
- Garner JP. 2005.** Stereotypies and other abnormal repetitive behaviors: potential impact on validity, reliability, and replicability of scientific outcomes. *ILAR Journal* **46(2)**:106–117 DOI [10.1093/ilar.46.2.106](https://doi.org/10.1093/ilar.46.2.106).
- Gottlieb DH, Capitanio JP, McCowan B. 2013.** Risk factors for stereotypic behavior and self-biting in rhesus macaques (*Macaca mulatta*): animal's history, current environment, and personality. *American Journal of Primatology* **75(10)**:995–1008 DOI [10.1002/ajp.22161](https://doi.org/10.1002/ajp.22161).
- Harlow HF, Harlow MK. 1965.** The effect of rearing conditions on behavior. *International Journal of Psychiatry* **1**:43–51.
- Hook MA, Lambeth SP, Perlman JE, Stavisky R, Bloomsmith MA, Schapiro SJ. 2002.** Inter-group variation in abnormal behavior in chimpanzees (*Pan troglodytes*) and rhesus macaques (*Macaca mulatta*). *Applied Animal Behaviour Science* **76(3)**:165–176 DOI [10.1016/S0168-1591\(02\)00005-9](https://doi.org/10.1016/S0168-1591(02)00005-9).
- Hopper LM, Freeman HD, Ross SR. 2016.** Reconsidering coprophagy as an indicator of negative welfare for captive chimpanzees. *Applied Animal Behaviour Science* **176**:112–119 DOI [10.1016/j.applanim.2016.01.002](https://doi.org/10.1016/j.applanim.2016.01.002).
- Hosey GR, Skyner LJ. 2007.** Self-injurious behavior in zoo primates. *International Journal of Primatology* **28(6)**:1431–1437 DOI [10.1007/s10764-007-9203-z](https://doi.org/10.1007/s10764-007-9203-z).
- Kalcher E, Franz C, Crailsheim K, Preuschoft S. 2008.** Differential onset of infantile deprivation produces distinctive long-term effects in adult ex-laboratory chimpanzees (*Pan troglodytes*). *Developmental Psychobiology* **50(8)**:777–788 DOI [10.1002/dev.20330](https://doi.org/10.1002/dev.20330).
- Kalcher-Sommersguter E, Preuschoft S, Crailsheim K, Franz C. 2011.** Social competence of adult chimpanzees (*Pan troglodytes*) with severe deprivation history: I. an individual approach. *Developmental Psychology* **47(1)**:77–90 DOI [10.1037/a0020783](https://doi.org/10.1037/a0020783).
- Kraemer GW, Clarke AS. 1990.** The behavioral neurobiology of self-injurious behavior in rhesus monkeys. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* **14**:S141–S168 DOI [10.1016/0278-5846\(90\)90092-U](https://doi.org/10.1016/0278-5846(90)90092-U).
- Less EH, Kuhar CW, Lukas KE. 2013.** Assessing the prevalence and characteristics of hair-plucking behaviour in captive western lowland gorillas (*Gorilla gorilla gorilla*). *Animal Welfare* **22(2)**:175–183 DOI [10.7120/09627286.22.2.175](https://doi.org/10.7120/09627286.22.2.175).
- Less EH, Kuhar CW, Dennis PM, Lukas KE. 2012.** Assessing inactivity in zoo gorillas using keeper ratings and behavioral data. *Applied Animal Behaviour Science* **137(1–2)**:74–79 DOI [10.1016/j.applanim.2012.01.001](https://doi.org/10.1016/j.applanim.2012.01.001).
- Lonsdorf EV. 2005.** Sex differences in the development of termite-fishing skills in the wild chimpanzees, *Pan troglodytes schweinfurthii*, of Gombe National Park, Tanzania. *Animal Behaviour* **70(3)**:673–683 DOI [10.1016/j.anbehav.2004.12.014](https://doi.org/10.1016/j.anbehav.2004.12.014).
- Lutz C, Well A, Novak M. 2003.** Stereotypic and self-injurious behavior in rhesus macaques: a survey and retrospective analysis of environment and early experience. *American Journal of Primatology* **60(1)**:1–15 DOI [10.1002/ajp.10075](https://doi.org/10.1002/ajp.10075).
- Martin JE. 2002.** Early life experiences: activity levels and abnormal behaviours in resocialised chimpanzees. *Animal Welfare* **11(4)**:419–436.
- Mason GJ, Latham NR. 2004.** Can't stop, won't stop: is stereotypy a reliable animal welfare indicator? *Animal Welfare* **13(Suppl. 1)**:57–69.

- Mason GJ. 1991.** Stereotypes: a critical review. *Animal Behaviour* **41**(6):1015–1037
DOI [10.1016/S0003-3472\(05\)80640-2](https://doi.org/10.1016/S0003-3472(05)80640-2).
- Nash LT, Fritz J, Alford PA, Brent L. 1999.** Variables influencing the origins of diverse abnormal behaviors in a large sample of captive chimpanzees (*Pan troglodytes*). *American Journal of Primatology* **48**(1):15–291 DOI [10.1002/\(SICI\)1098-2345\(1999\)48:1<15::AID-AJP2>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1098-2345(1999)48:1<15::AID-AJP2>3.0.CO;2-R).
- Novak MA, Kinsey JH, Jorgensen MJ, Hazen TJ. 1998.** Effects of puzzle feeders on pathological behaviour in individually housed rhesus monkeys. *American Journal of Primatology* **46**(3):213–227 DOI [10.1002/\(SICI\)1098-2345\(1998\)46:3<213::AID-AJP3>3.0.CO;2-L](https://doi.org/10.1002/(SICI)1098-2345(1998)46:3<213::AID-AJP3>3.0.CO;2-L).
- Novak MA, Meyer JS, Lutz C, Tiefenbacher S. 2006.** Deprived environments: developmental insights from primatology. In: Mason G, Rushen J, eds. *Stereotypic Animal Behavior: Fundamentals and Applications to Welfare*. Wallingford: CABI, 153–189.
- Pfeiffer AJ, Koebner LJ. 1978.** The resocialization of single-caged chimpanzees and the establishment of an island colony. *Journal of Medical Primatology* **7**(2):70–81.
- PMCTrack. 2016.** Population Management Center. Chicago: Lincoln Park Zoo.
Available at <https://www.pmctrack.org/>.
- R Core Team. 2015.** *R: A Language and Environment for Statistical Computing*. Vienna: R Foundation for Statistical Computing. Available at <http://www.R-project.org/>.
- Rogers CM, Davenport RK. 1969.** Effects of restricted rearing on sexual behavior of chimpanzees. *Developmental Psychology* **1**(3):200–204 DOI [10.1037/h0027319](https://doi.org/10.1037/h0027319).
- Ross SR. 2015.** *North American regional chimpanzee studbook (Pan troglodytes)*. Chicago: Lincoln Park Zoo.
- Ross SR, Bloomsmith MA. 2011.** A comment on Birkett & Newton-Fisher (2011). *PLoS ONE* **6**(6):e20101. Reader comments. Available at <http://journals.plos.org/plosone/article/comment?id=info%3Adoi%2F10.1371%2Fannotation%2Fa1d8feb2-979b-4563-a321-31a11108a204>.
- Ross SR, Wagner KE, Schapiro SJ, Hau J, Lukas KE. 2011.** Transfer and acclimatization effects on the behavior of two species of African great ape (*Pan troglodytes* and *Gorilla gorilla gorilla*) moved to a novel and naturalistic zoo environment. *International Journal of Primatology* **32**(1):99–117 DOI [10.1007/s10764-010-9441-3](https://doi.org/10.1007/s10764-010-9441-3).
- Schapiro SJ, Bloomsmith MA. 1994.** Behavioural effects of enrichment on singly-housed yearling rhesus monkeys. *American Journal of Primatology* **32**(3):89–101
DOI [10.1002/ajp.1350320302](https://doi.org/10.1002/ajp.1350320302).
- Spijkerman RP, van Hooff JARAM, Dieneske H, Jens W. 1997.** Differences in subadult behaviors of chimpanzees living in peer groups and in a family group. *International Journal of Primatology* **18**(3):439–454 DOI [10.1023/A:1026342602018](https://doi.org/10.1023/A:1026342602018).
- Symonds MRE, Moussalli A. 2011.** A brief guide to model selection, multimodel inference and model averaging in behavioural ecology using Akaike's information criterion. *Behavioral Ecology and Sociobiology* **65**(1):13–21 DOI [10.1007/s00265-010-1037-6](https://doi.org/10.1007/s00265-010-1037-6).
- Vandeleest JJ, McCowan B, Capitanio JP. 2011.** Early rearing interacts with temperament and housing to influence the risk for motor stereotypy in rhesus monkeys (*Macaca mulatta*). *Applied Animal Behavior Science* **132**(1–2):81–89 DOI [10.1016/j.applanim.2011.02.010](https://doi.org/10.1016/j.applanim.2011.02.010).
- Walsh S, Bramblett CA, Alford PL. 1982.** A vocabulary of abnormal behaviors in restrictively reared chimpanzees. *American Journal of Primatology* **3**(1–4):315–319
DOI [10.1002/ajp.1350030131](https://doi.org/10.1002/ajp.1350030131).
- Whitham JC, Wielebnowski N. 2009.** Animal-based welfare monitoring: using keeper ratings as an assessment tool. *Zoo Biology* **28**(6):545–560 DOI [10.1002/zoo.20281](https://doi.org/10.1002/zoo.20281).