Found in transition: Applying milestones to three unique discharge curricula

Lauren Meade, Christine Y Todd, Meghan M Walsh

Introduction: A safe and effective transition from hospital to post acute care is a complex and important physician competency. Milestones and Entrustable Professional Activities (EPA) form the new educational rubric in Graduate Medical Education Training. 'A safe and effective discharge from the hospital' is an EPA ripe for educational innovation.

Methods: The authors collaborated in a qualitative process called, mapping, to develop a Q-sort exercise to be distributed to participants at an Association for Program Directors in Internal Medicine (APDIM) workshop on milestones for transition of care. We analyzed the Q-sort results to rank the milestones in order of priority. We then applied this ranking to 3 innovative transitions of care curricula: Simulation (S), Discharge Clinic Feedback (DCF) and TRACER (T).

Results: We collected 55 game boards from faculty units at the APDIM workshop. We report the prioritized milestones by Q-sort from the APDIM workshop. From the total 22 milestones, the simulation innovation identified 5/22 milestones, discharge clinic 9/22 milestones and tracer 7/22 milestones related to the EPA. Milestones identified in each innovation related back to one of the top eight prioritized milestones 75% of the time; thus more frequently than the milestones with lower priority.

Discussion: We demonstrated that three unique innovations in transitions of care map to the top prioritized Q-sort milestones related to that EPA. Milestones for competency based assessment can be used to guide the development of innovative curricula in transition of care medicine.

2   Found in transition: Applying milestones to three unique discharge curricula

3   Lauren B Meade, Christine Y Todd and Meghan M Walsh

4   Corresponding Author:
5   Lauren B Meade MD FACP
6   Director of Faculty Development for Medicine
7   Associate Program Director
8   Baystate Tufts Medical Center
9   759 Chestnut Street
10   Springfield MA 01199
11   T 413.794.4143
12   F 413.794.8075
13   Email: Lauren.meade@bhs.org
14   Admin Assistant email: Amanda.Duda@baystatehealth.org

15   Lauren B Meade

16   Christine Y Todd MD
17   Chairman, Department of Medical Humanities
18   Southern Illinois University
19   701 North 1st Street
20   Springfield, IL 62781
21   217.545.0000
22   Email: ctodd@siumed.edu

23   Meghan M Walsh MD
24   Chief Medical Education Officer
25   Program Director, Transitional Residency Program
26   Hennepin County Medical Center
27   701 Park Avenue
28   Minneapolis, MN 55415
29   Email: meghan.walsh@hcmed.org

30   Found in transition: Applying milestones to three unique discharge training curricula

31   ***Introduction:***

32   The ability to safely and effectively manage transitions of care represents a critical new

33   competency for today's internist. Brought to light by the increasingly prevalent separation

34   between inpatient and outpatient services, the medical literature continues to demonstrate that

35   poorly managed transitions of care result in significant medical errors, decreased patient

36   satisfaction and poor patient outcomes (Jenchks 2009; van Wlraven 2002; Kripalani 2007;

37   Forster 2003). Coleman et al describe the fragmentation of care in a landmark paper with the

38   ominous title "Lost in Transition" (Coleman, 2004).

39   While practicing internists attempt to master their own transfer of care skills, the academic

40   medical community is challenged by the need to identify and incorporate these skills into an

41   effective transition of care curriculum for trainees. Discharging patients from the hospital, a

42   major transition of care event, is a daily occurrence in the lives of Internal Medicine house-staff,

43   yet medical literature guiding the training, supervision and evaluation of this critical event is

44   limited. Several studies have highlighted innovative curriculum surrounding transitions of care.

45   Self-audits of resident discharge summaries (Dinescu 2011; Talwalkar 2012) and feedback about

46   the discharge summary (Myers 2006; Legault 2012) improved discharge summary targets. A

47   discharge 'time out' (Coit 2010) and reduced house-staff workload also improved discharge

48   summaries (Mohta 2012). A web-based module utilizing a well-designed teaching case

49   emphasized the importance of communication in the transition (Eskildsen 2010). A qualitative

50   study of the resident perspective on the interdisciplinary nature of teamwork revealed "learning

51   by doing" as the foremost theme in 2 residency programs (Greysen 2012). A medical student

52   curriculum using experiential learning that follows a patient through the transition improved

53   confidence (Lai 2008) and was found to be both feasible and effective (Bray-Hall 2010).

54   Beyond the challenge of developing a program for training physicians in a new patient care

55   venue, academic internists are facing increasingly rigorous standards for measureable training

56   outcomes. Milestones and Entrustable Professional Activities (EPAs) are an evolving framework

57   for defining the competence of medical trainees. Milestones are discrete observable behaviors

58   that demonstrate the competence (Green 2009). An EPA is an activity that constitutes the mass of

59   critical elements or knowledge, skills and attitudes (KSAs) that operationally define a profession

60   (Ten Cate 2007; Hauer, 2014). The theory of milestones and EPAs have been well described and

61   are beginning to be adopted as best practice goals for IM residency programs but there are few

62   examples in the medical literature illustrating how to effectively turn this educational theory into

63   practice (Nasca 2012; Schmacher 2013).

64   The KSAs needed to accomplish a high quality discharge are both complex and challenging thus

65   ripe for the application of this new paradigm of milestones and EPAs. The authors of this report

66   created three unique curricula in transitions of care training of medical resident in their separate

67   institutions prior to 2009, in other words, prior to the publication of the curricular milestones

68   (Green 2009). With a call for using milestones for standard setting, we embarked on a standard-

69   setting process for applying milestones to our three transitions of care curricula across

70   institutions.

71   In 2011, the authors presented an APDIM workshop on the transition of care (Meade 2011) both

72   to describe the individual transitions of care at our institution and to discuss and collect data on

73   workshop participants prioritization of milestones for transitions of care and specifically the

74   EPA, "A safe and effective discharge from the hospital." After analyzing the Q-sort data we

75   reflected back on our original curricula, using the prioritized milestones as a gold standard to

76   compare and contrast our transition of care program curriculum. This report describes three

77   curricula in the transition of care, the results of the group Q-sort and the application of the

78   prioritized milestones back to the curricula as a way to compare and contrast curriculum in for

79   training in an EPA.

80   ***Methods:***

81   Mapping milestones

82   The authors collaborated in a qualitative process called mapping, to develop a Q-sort exercise for

83   workshop participants related to the EPA, 'A safe and effective discharge from the hospital".

84   First, we individually choose 22 milestones of the 142 curricular milestones set that applied to the

85   EPA. Then, over three months, we discussed and deliberated our choices in the group process, in

86   three rounds, until there was agreement on the 22 curricular milestones most related to the EPA.

87   Using these 22 milestones we created a Q-sort exercise to distribute and collect at an APDIM

88   workshop. For the exercise we created cards with curricular milestone on the front and an

89   example of the milestones as it applies to the EPA on the back. In a similar iterative process we

90   also mapped curricular milestones to our individual curricula.

91   Prioritizing milestones

92   We distributed the Q-sort exercise for this EPA to participants at the APDIM workshop.

93   Participants were Internal Medicine program faculty who worked in groups of 2-3, called

94   participant units, to prioritize the milestones for the EPA.   Participants were given instructions

95   on how to rank the milestones by Q-sort methodology. Q-sort methodology enables researchers

96   with some limitation to study subjectivity using a combination of qualitative and quantitative

97   methods (Kampen, 2013). It prioritizes the opinions of an observer (Brown, 1996) and provides

98   an organized means of identifying priorities and areas of divergent opinions among a group

99   (Valenta, 1997).In a Q-sort, the observer rank-orders a set of statements from most important to

100 least important, using an inverted quasi-normal distribution (Brown, 1996; van Exel, 2005). The

101 sample of statements (the Q sample) may represent an existing framework, in this case the 22

102 milestones related to the EPA (Brown, 1996; van Exel, 2005). Thus, the statements are the unit of

103 analysis; the number of observers is less important than is their theoretical relevance to the topic

104 (Valenta, 2997). Once sorted, statements are analyzed by rank category with a standard deviation.

105 The Q-sort method uses a mathematical substructure to reveal priorities of subjective viewpoints

106 of the observers. The results of the Q-sort can be used to describe the sample of viewpoints, in

107 this case in terms of prioritization of milestones, rather than the sample of observers (van Exel,

108 2005).

109 We analyzed the Q-sort results by calculating the mean rank order of milestones by faculty units.

110 With this mean ranking we listed the milestones in order of priority. We identified the top 8

111 milestones because, by Q-sort methodology, the top 8 milestones confer those milestones more

112 than neutral status in the normal distribution. We calculated the proportion of milestones used of

113 the total 22 milestones in the curriculum for each program. With each innovation we calculated

114 the proportion of milestones that were in the top 8 compared to the total. We then considered the

115 milestones in common between curricula both in the total 22 milestones and in the top 8

116 milestones to look for trends.

117 ***Results***

118 First we will describe the milestones as they were mapped to each transitions of care program.

119 Then we will describe the Q-sort exercise results. Finally we will reflect on our individual

120 curricula using the prioritized milestones as a standard for curriculum.

121   ***Mapping Milestones***

122   In this section we will briefly describe the individual transitions of care curricula and the results

123   of mapping the milestones to each program.

124   Simulation

125   SIU is a small University program in Springfield Illinois with one academic ambulatory site and

126   two affiliate hospitals. During an Objective Structured Systems-Interaction Exam or simulation,

127   residents are observed discharging a patient from the hospital and evaluated on how well they

128   demonstrated the following observable behaviors: Use of the Situation, Background,

129   Assessment, Recommendation format to notify the Anti-Coagulation clinic of the patient's

130   Warfarin levels and dose, Use of Electronic Health Record to document medication changes,

131   Use of the Hospital's medication reconciliation form and Legibility and Accuracy of written

132   prescriptions. Five of the 22 curricular milestones are identified for the simulation curriculum:

133   PC C1, Synthesize all available data; IPC A5, Utilize patient-centered education strategies; IPC

134   F2, Ensure succinct, relevant, and patient-specific written communication; P A1, Document and

135   report clinical information truthfully; SBP B1, Appreciate roles of a variety of health care

136   providers.

137   Discharge clinic feedback

138   Hennepin County Medical Center is a moderate sized academic training program in

139   Minneapolis, Minnesota with one ambulatory clinic and one hospital affiliate. This innovation

140   targets the nine primary care track residents in the program. A discharge clinic feedback

141   provides patients with pharmacist assisted medication reconciliation, lab and radiology testing

142   follow-up and appointment confirmation.   The resident evaluates the quality of the discharge

143   and gives feedback to the ward team resident who discharged the patient. This evaluation

144   includes direct feedback from the patient regarding the discharge processes as well as structured

145   feedback on the written discharge summary. Nine of the 22 curricular milestones are identified

146   for the discharge clinic feedback curriculum: SBP A2, Manage and coordinate care and care

147   transitions across multiple delivery systems; IPC A5, Utilize patient-centered education

148   strategies; IPC F2, Ensure succinct, relevant, and patient-specific written communication; PC

149   F10, Customize care in the context of the patient's preferences and overall health; PC C3,

150   Modify differential diagnosis and care plan based upon clinical course and data as appropriate;

151   PC B2, Accurately track important changes in the physical examination; P D2, Carry out timely

152   interactions with colleagues, patients and their designated caregivers; PBLI F1, Respond

153   welcomingly and productively to feedback from all members of the health care team; PBLI A3,

154   Reflect on audit compared with local or national benchmarks.

155   Tracer

156   Baystate Medical Center, Springfield MA, is a moderate sized academic training program with

157   one academic ambulatory site and one large hospital affiliate. In a two-week experiential block

158   rotation, the TRAnsitions of Care Rotation (Tracer) follows the ward team patient into the Post-

159   Acute Care (PAC) settings including home, rehabilitation, and long-term care. Follow up

160   includes a visit to the patient in PAC and a formal assessment of the transition, using tools

161   modified from the transition of care literature. This data is communicated in aggregate to the

162   hospital PAC Performance Improvement team, to the ward team, at inter-professional attending

163   rounds, and at morning report. Seven curricular milestones are identified for the Tracer

164   curriculum: IPC C1, Effectively communicate with other caregivers during transitions of care;

165   SBP A2, Manage and coordinate care and care transitions across multiple delivery systems.; IPC

166   D3, Engage in collaborative communication with all members of the health care team; IPC A5,

167   Utilize patient-centered education strategies; IPC F2, Ensure succinct, relevant, and patient-

168   specific written communication; PC F10, Customize care in the context of the patient's

169   preferences and overall health; SBP B1, Appreciate roles of a variety of health care providers.

170   **Prioritizing and applying milestones**

171   We collected 55 game boards from faculty units at the APDIM workshop.   We report the

172   prioritized milestones by Q-sort from the APDIM workshop (Table 1) on transitions of care. The

173   priority range for the top eight prioritized milestones is 4.2 – 5.7 (SD 0.97 -1.84). From the total

174   22 milestones, the simulation innovation identified 5/22 milestones, discharge clinic 9/22

175   milestones and tracer 7/22 milestones related to the EPA. We considered two tiers of milestones.

176   We emphasize the top eight milestones in our analysis for reasons described in the methods.

177   Milestones identified in each innovation related back to one of the top eight prioritized

178   milestones 75% of the time; thus more frequently than the milestones with lower priority. Four

179   of the top eight milestones were shared by curricula. Two milestones are shared by all three

180   curricula: IPC A5, utilize patient-centered education and IPC F2, ensure succinct, relevant, and

181   patient-specific written communication. Two other milestones are shared by two curricula: SBP

182   A2, Manage and coordinate care and care transitions across multiple delivery systems and PC

183   F10, Customize care in the context of the patient's preferences and overall health. Alternatively,

184   few milestones are in the lower priority milestones set and there is only one milestone shared by

185   more than a single program in the lower priority milestones ie SBP B1, appreciate roles of a

186   variety of health care providers, including, but not limited to, consultants, therapists, nurses,

187   home care workers, pharmacists, and social workers. If you combine the three innovations

188   together, all of the top eight milestones are included.

189   ***Conclusion:***

190   In a learning community of innovative educators, we identified the transition of care curriculum

191   as important, largely lacking, and challenging to develop. Three curricula mapped their

192   individual program innovations to the new assessment framework of milestones related to the

193   EPA "A safe and effective discharge from the hospital." We found that the milestones in our

194   individual curricula had a strong correlation with milestones identified for our chosen EPA, using

195   a Q sort derived standard.

196   A limitation of this collaboration is its retrospective look at innovation in a new framework.   The

197   retrospective aspect is a historical phenomenon ie these curricula existed prior to the milestones

198   framework. Although non-traditional, this retrospective look allows for an inquisitive matching

199   of milestones across program innovation. Another limit is that the authors each rated the

200   milestones associated with their own program without a peer or participant checker or a group

201   vetting process. Nonetheless, there is no other literature in comparing innovative curricula in a

202   specific EPA in the context of the milestones. This work is useful for future prospective work on

203   educational assessment of the Transition of Care.

204   The transition of care remains a challenge to the patient, the health care system and to training

205   programs. Tools related to the assessment of "a safe and effective discharge from the hospital"

206   help narrow the current training gap. Programs may apply one or all of the transitions of care

207   curricula described.   Alternatively, programs may consider applying the top 8 milestones defined

208   by the prioritization method, Q-sort, to an already existing program in transition of care; thereby,

209   assessing the relevance of their curriculum to a benchmark. Establishing a list of milestones for

210   an EPA can occur siloed at each individual program or in collaborative groups. The Q-sort

211   method may have a role the process as we develop standards for EPA in medical education.

212   Milestones are a new training rubric for measurable outcomes and competency based promotion.

213   We need innovative ways to apply milestones and EPA's to curriculum (Hauer 2013). The

214   milestones give us a context to share individual innovations and compare and contrast using a

215   standardized frame.

216   ***Perspective viewpoints:***

217   ▪   The Entrustable Professional Activity (EPA), a safe and effective discharge from the hospital,
218   is ripe for educational innovation and collaboration.
219   ▪   Using Q-sort methodology to prioritize curricular milestones for this discharge EPA, we
220   compare and contrast three unique discharge curricula: simulation, discharge clinic and tracer.
221   ▪   We demonstrate that the three unique discharge curricula in aggregate capture all of the
222   highest prioritized milestones for this discharge EPA.

223   ***Reference:***

224   Jencks SF, Williams MV, Coleman EA. Rehospitalizations among patients in the

225   Medicare fee-for-service program. N Engl J Med. 2009 Apr 2;360(14):1418-28.

226   Erratum in: N Engl J Med. 2011 Apr 21;364(16):1582.

227   van Walraven C, Seth R, Austin PC, Laupacis A. Effect of discharge summary

228   availability during post-discharge visits on hospital readmission. J Gen Intern Med. 2002

229   Mar;17(3):186-92.

230   Kripalani S, LeFevre F, Phillips CO, Williams MV, Basaviah P, Baker DW.

231   Deficits in communication and information transfer between hospital-based and

232   primary care physicians: implications for patient safety and continuity of care. JAMA. 2007 Feb

233   28;297(8):831-41.

234   Forster AJ, Murff HJ, Peterson JF, Gandhi TK, Bates DW. The incidence and

235   severity of adverse events affecting patients after discharge from the hospital. Ann Intern Med.

236   2003 Feb 4;138(3):161-7.

237   Coleman EA, Berenson RA. Lost in transition: challenges and opportunities for

238   improving the quality of transitional care. Ann Intern Med. 2004 Oct

239   5;141(7):533-6.

240   Dinescu A, Fernandez H, Ross JS, Karani R. Audit and feedback: an intervention

241   to improve discharge summary completion. J Hosp Med. 2011 Jan;6(1):28-32.

242   Talwalkar JS, Ouellette JR, Alston S, Buller GK, Cottrell D, Genese T, Vaezy

243   A. A structured workshop to improve the quality of resident discharge summaries. J Grad Med

244   Educ. 2012 Mar;4(1):87-91.

245   Myers JS, Jaipaul CK, Kogan JR, Krekun S, Bellini LM, Shea JA. Are discharge

246   summaries teachable? The effects of a discharge summary curriculum on the quality

247   of discharge summaries in an internal medicine residency program. Acad Med. 2006

248   Oct;81(10 Suppl):S5-8.

249   Legault K, Ostro J, Khalid Z, Wasi P, You JJ. Quality of discharge summaries

250   prepared by first year internal medicine residents. BMC Med Educ. 2012 Aug

251   15;12:77.

252   Coit MH, Katz JT, McMahon GT. The effect of workload reduction on the quality

253   of residents' discharge summaries. J Gen Intern Med. 2011 Jan;26(1):28-32.

254   Mohta N, Vaishnava P, Liang C, Ye K, Vitale M, Dalal A, Schnipper J. The

255   effects of a 'discharge time-out' on the quality of hospital discharge summaries.

256   BMJ Qual Saf. 2012 Oct;21(10):885-90.

257   Eskildsen MA. Review of Web-Based Module to Train and Assess Competency in

258   Systems-Based Practice. J Am Geriatr Soc. 2010 Dec;58(12):2412-3.

259   Greysen SR, Schiliro D, Curry L, Bradley EH, Horwitz LI. "Learning by

260   doing"--resident perspectives on developing competency in high-quality discharge care. J Gen

261   Intern Med. 2012 Sep;27(9):1188-94.

262   Lai CJ, Nye HE, Bookwalter T, Kwan A, Hauer KE. Postdischarge follow-up visits

263   for medical and pharmacy students on an inpatient medicine clerkship. J Hosp Med.

264   2008 Jan;3(1):20-7.

265   Bray-Hall S, Schmidt K, Aagaard E. Toward safe hospital discharge: a

266   transitions in care curriculum for medical students. J Gen Intern Med. 2010

267   Aug;25(8):878-81.

268   Green ML, Aagaard EM, Caverzagie KJ, Chick, DA, Holmboe E, Kane G, et al. Charting the

269   Road to Competence: Developmental Milestones for Internal Medicine Residency Training. J

270   Grad Med Educ. 2009; 1:5-20.

271   ten Cate O, Scheele F. Competency-Based Postgraduate Training: Can We Bridge the   Gap

272   between Theory and Clinical Practice? Acad Med. 2007; 82:542-547.

273   Hauer KE, Ten Cate O, Boscardin C, Irby DM, Iobst W, O'Sullivan PS.

274   Understanding trust as an essential element of trainee supervision and learning in the workplace.

275   Adv Health Sci Educ Theory Pract. 2014 Aug;19(3):435-56.

276   Nasca TJ, Philibert I, Brigham T, Flynn TC. The next GME accreditation

277   system--rationale and benefits. N Engl J Med. 2012 Mar 15;366(11):1051-6.

278   Schumacher DJ, Englander R, Carraccio C. Developing the master learner:

279   applying learning theory to the learner, the teacher, and the learningenvironment. Acad Med.

280   2013 Nov;88(11):1635-45.

281   Meade LB, Caverzagie KJ, Swing SR, Jones RR, O'Malley CW, Yamazaki K, Zaas AK. Playing

282   with curricular milestones in the educational sandbox: Q-sort results from an internal medicine

283   educational collaborative. Acad Med. 2013 Aug;88(8):1142-8.

284   Meade LB, Walsh MM, and Todd CY. Workshop: "Lost or Found in Transition: Educational

285   Innovation for Transitions of Care" 16. APDIM Spring Meeting, Las Vegas. April 12-13, 2011.

286   Kampen, J; Tamas, P. "Overly ambitious: contributions and current status of Q methodology".

287   Quality and Quantity. November 2013

288   Brown SR. Q Methodology and Qualitative Research. Qual Health Res. 1996; 6:561-567.

289   Valenta AL, Wigger U. Q-methodology: definition and application in health care informatics. J

290   Am Med Inform Assoc. Nov-Dec 1997;4(6):501-510.

291   van Exel J, deGraaf G. Q methodology: a sneak preview. 2005; http://www.qmethodology.net/.

292   Accessed March 29, 2011.

293   Hauer KE, Kohlwes J, Cornett P, Hollander H, Ten Cate O, Ranji SR, Soni K, Iobst W, O'Sullivan

294   P. Identifying entrustable professional activities in internal medicine training. J Grad Med Educ.

295   2013 Mar;5(1):54-9.

Table 1: Milestones for the EPA "A safe and effective discharge"

	Priority	SD	Milesotnes Abbreviated	Example	Top 8 Q-sort		S	DCF	T
IPC C1	5.78	0.97	Effectively communicate with other caregivers during transitions of care-	Communicates with the PCP or nursing home at discharge.	X				X
SBP A2	5.52	1.16	Manage and coordinate care and care transitions across multiple delivery systems.	Works with the case manager to make appropriate decisions about where a patient should go after discharge ie home with nursing services or to a nursing home.	X			X	X
PC C1	4.89	1.25	Synthesize all available data	Able to synthesize a complicated hospital course.	X		X		
IPC D3	4.74	1.35	Engage in collaborative communication with all members of the health care team	Seeks out the nurse and case manager about the plan for discharge.	X				X
IPC A5	4.56	1.63	Utilize patient-centered education strategies	Explains the primary diagnosis to the patient at discharge and uses teach back to check for understanding.	X		X	X	X
IPC F2	4.48	1.31	Ensure succinct, relevant, and patient-specific written communication	A succinct discharge summary with key components.	X		X	X	X
P A1	4.48	1.85	Document and report clinical information truthfully	Really did call the pharmacy to confirm the medication list if they say they have.	X		X		
PC F10	4.26	1.20	Customize care in the context of the patient's preferences and overall health	Offers home care or nursing home care depending on patient preferences.	X			X	X
PC C3	4.15	1.17	Modify differential diagnosis and care plan based upon clinical course and data as appropriate	If the patient is admitted with presumed pnemonia but the clinical course is consistent with CHF then this resident identifies CHF as the final diagnosis and is able to explain why it is not pneumonia.				X	
P i1	4.15	1.29	Treat patients with dignity, civility and respect, regardless of race, culture, gender, ethnicity, age or socioeconomic status	Makes special accommodations for a homeless patient such as having social work assist with clothing, food and/or shelter.					
PC B2	3.96	1.22	Accurately track important changes in the physical examination	Documents the mental status physical exam upon discharge for a patient admitted with altered mental status.				X	

296   Table 1: Milestones for the EPA "A safe and effective discharge" (continued)

	Priority	SD	Milestones Abbreviated	Example	Top 8 Q-sort		S	DCF	T
PC A2	3.93	1.17	Seek and obtain appropriate, verified, and prioritized data from secondary sources	Verifies the medication list with the pharmacy or PCP.					
P D2	3.74	1.16	Carry out timely interactions with colleagues, patients and their designated caregivers	Completes the discharge summary within 24 hours of discharge.				X	
MK A9	3.70	1.14	Demonstrate sufficient knowledge of socio-behavioral sciences	Has the knowledge that a patient without health insurance may have many barriers to transition of care such as cost of medications, access to PCP, and poor health literacy.					
IPC A4	3.70	1.27	Engage patients/advocates in shared decision-making for uncomplicated diagnostic and therapeutic scenarios	Checks with the patient about the convenience of the follow up appointment.					
SBP B1	3.58	1.30	Appreciate roles of a variety of health care providers	Uses the home nurse for to assist with education of the primary diagnosis and medication reconciliation after discharge.			X		X
PBLI F1	3.50	1.17	Respond welcomingly and productively to feedback from all members of the health care team	Responds to nursing concerns about readiness for discharge.				X	
IPC E3	3.50	1.21	Communicate consultative recommendations to the referring team in an effective manner	Includes the name and recommendations of a consultant in the discharge summary.					
SBP E3	3.41	1.47	Demonstrate the incorporation of cost-awareness principles	Uses the antibiotic that is most appropriate but also affordable to the outpatient at discharge.					
P J1	3.11	1.45	Maintain patient confidentiality	Knows to get permission from the patient or their health care proxy to disclose any medical information.					
P F7	2.54	1.27	Recognize the need to assist colleagues in the provision of duties	A supervising resident who does a discharge for an intern because it is too complex for that intern.					
PBLI A3	2.41	1.12	Reflect on audit compared with local or national benchmarks	Is aware of the high risk concerns for re-admission.				X	

297   Abbreviations: Interpersonal communication (IPC), Systems based practice (SBP) , Patient care (PC),

298   Professionalism (P) , Medical knowledge (MK), Problem based learning and improvement (PBLI),

299   Simulation (S) , Discharge clinic feedback (DCF), Tracer (T)