

A peer-reviewed version of this preprint was published in PeerJ on 16 October 2017.

[View the peer-reviewed version](https://peerj.com/articles/cs-135) (peerj.com/articles/cs-135), which is the preferred citable publication unless you specifically need to cite this preprint.

Ramadani J, Wagner S. 2017. Are suggestions from coupled file changes useful for perfective maintenance tasks? PeerJ Computer Science 3:e135 <https://doi.org/10.7717/peerj-cs.135>

1 Are Coupled File Changes Suggestions Useful?

2 Jasmin Ramadani* and Stefan Wagner

3 Institute of Software Technology, University of Stuttgart, Germany

4 Abstract

5 **Background.** Software maintenance is an important activity in the
6 process of software engineering where over time maintenance team mem-
7 bers leave and new members join. The identification of files being changes
8 together frequently has been proposed several times. Yet, existing studies
9 about these file changes ignore the feedback from developers as well as
10 the impact on the performance of maintenance and rely on the analysis
11 findings and expert evaluation.

12 **Methods.** We conducted an experiment with the goal to investigate
13 the usefulness of coupled file changes during maintenance tasks when de-
14 velopers are inexperienced in programming or when they are new on the
15 project. Using data mining on software repositories we can identify files
16 that changed most frequently together in the past. We extract coupled
17 file changes from the Git repository of a Java software system and join
18 them with corresponding attributes from the versioning and issue tracking
19 system and the project documentation. We present a controlled experi-
20 ment involving 36 student participants where we investigate if coupled file
21 change suggestions influence the correctness of the task solutions and the
22 time to complete them.

23 **Results.** The results show that coupled file change suggestions sig-
24 nificantly increase the correctness of the solutions. However, there is only
25 a small effect on the time to complete the tasks. We also derived a set of
26 the most useful attributes based on the developers feedback.

27 **Discussion.** Coupled file changes and a limited number of the pro-
28 posed attributes are useful for inexperienced developers working on main-
29 tenance tasks whereby although the developers using these suggestions
30 solved more tasks, they still need time to organize and understand and
31 implement this information.

*Corr. author: Jasmin Ramadani, Universitätsstr. 38, 70569 Stuttgart, Germany, phone
+49 711 685 884306, jasmin.ramadani@informatik.uni-stuttgart.de

32 1 Introduction

33 Software maintenance represents a very important part in software product
34 development (Abran & Nguyenkim, 1991). Maintenance is often performed by
35 maintenance programmers. Over time teams change when members leave and
36 others join (Hutton & Welland, 2007). The members cannot be immediately
37 productively included to solve maintenance tasks, so they need some support to
38 successfully perform their tasks.

39 Software development produces large amounts of data which is stored in
40 software repositories. These repositories contain the artifacts developed during
41 software evolution. After some time, this data becomes a valuable information
42 source for solving maintenance tasks.

43 One of the most used techniques for analyzing software repositories is data
44 mining. The term *mining software repositories (MSR)* describes investigations
45 of software repositories using data mining (Kagdi et al., 2007).

46 Couplings have been defined as “the measure of the strength of association
47 established by a connection from one module to another” (Stevens et al., 1974).
48 Change couplings are also described as files having the same commit time, au-
49 thor and modification description (Gall et al., 2003). Knowing, which files were
50 frequently changed together can support developers in dealing with the large
51 amount of information about the software product, especially if the developer
52 is new on the project, the project started a long time ago or if the developer
53 does not have significant experience in software development.

54 1.1 Problem Statement

55 Several researchers have proposed approaches to identify coupled file changes
56 to give recommendations to developers (Bavota et al., 2013; Kagdi et al., 2006;
57 Ying et al., 2004; Zimmermann et al., 2004). Existing studies, however, focus on
58 the presentation of the mining results and expert investigations, and neglect the
59 feedback of developers on the findings as well as the impact on the performance
60 on maintenance tasks.

61 1.2 Research Objectives

62 The overall aim of our research is to investigate the usefulness of coupled file
63 change suggestions in supporting developers working which are inexperienced,
64 new on the projects or work on unfamiliar parts of the project. We provide
65 suggestions for likely changes so that we can explore how useful the suggestions
66 are for the developers.

67 We identify frequent couplings between file changes based on the informa-
68 tion gathered from the software project repository. We use the version control
69 system, the issue tracking system and the project documentation archives as
70 data sources for additional attributes. We join these additional information to
71 the coupled changes we discover.

72 The usefulness of coupled file changes is defined by analyzing their influence
73 on the correctness of the solutions and the effort for solving maintenance tasks.

74 **1.3 Contribution**

75 We present a controlled experiment on the usefulness of coupled change sug-
76 gestions where each of the 36 participants try to solve 4 different maintenance
77 tasks and report their feedback on the usefulness of the repository attributes.

78 **2 Related Work**

79 Many studies have been dedicated to investigate software repositories to find
80 logically coupled changes, e.g. Bieman et al. (2003); Fluri et al. (2005); Gall
81 et al. (2003). We identify two granularity levels, the first one investigates the
82 couplings based on the file level (Kagdi et al., 2006; Ying et al., 2004) and the
83 second one is a finer granularity level where the coupled changes are identified
84 between parts of files like classes, methods or modules (Fluri et al., 2005; Kagdi
85 et al., 2007; Zimmermann et al., 2006, 2004). In our study, we use coupled file
86 change on a file level.

87 Most studies dealing with identifying coupled changes use some kind of data
88 mining for this purpose (German, 2004; Hattori et al., 2008; Kagdi et al., 2006;
89 Shirabad et al., 2003; van Rysselberghe & Demeyer, 2004; Ying et al., 2004;
90 Zimmermann et al., 2004). Especially the association rules technique is often
91 used to identify frequent changes (Kagdi et al., 2006; Ying et al., 2004; Zim-
92 mermann et al., 2004). This data mining technique uses various algorithms to
93 determine the frequency of these changes. Most of the studies employ the Apri-
94 ori algorithm (Kagdi et al., 2006; Zimmermann et al., 2004), however, other
95 algorithms like the FP-Tree algorithm are also in use (Ying et al., 2004). We
96 generate the coupled file changes using the frequent item sets analysis with a
97 FP-growth algorithm.

98 Most of the studies use a single data source where a kind of version control
99 system is investigated, typically CVS or Subversion. There are few studies
100 which investigate a Git version control system (Bird et al., 2009; Carlsson, 2013;
101 Hassan & Holt, 2004). Other studies combine more than one data source to be
102 investigated, like a version control system and an issue tracking system (Canfora
103 & Cerulo, 2005; D'Ambros et al., 2009; Fischer et al., 2003; Wu et al., 2011)
104 where the data extracted from these two sources is analyzed and the link between
105 the changed files and issues is determined. We use three different sources for
106 the additional attributes: Git versioning system, JIRA issue tracking system
107 and the software documentation.

108 To the best of our knowledge, there are few studies investigating how cou-
109 plings align with developers' opinions or feedbacks. Coupling metrics on the
110 structural and the semantic level are investigated in Revelle et al. (2011). The
111 developers were asked if they find these metrics to be useful. They show that
112 feature couplings on a higher level of abstraction than classes are useful. The

113 developers' perceptions of software couplings are investigated in Bavota et al.
114 (2013). Here the authors examine how class couplings captured by different
115 coupling measures like semantic, logical and others align with the developers
116 perception of couplings.

117 The interestingness of coupled changes is also studied in Ying et al. (2004).
118 This study defines categorization of coupled changes interestingness according
119 to the source code changes. In Ramadani & Wagner (2016), the feedback on
120 the interestingness of coupled file changes and the attributes from the software
121 repository have been investigated. In our experiment we extend the findings of
122 this case study and investigate the usefulness of coupled file changes and the
123 corresponding attributes.

124 Various experiments involving maintenance tasks have been described in the
125 literature. Nguyen et al. (2011) deal with assessing and estimating of software
126 maintenance tasks. De Lucia et al. (2002) investigate the effort estimation for
127 corrective software maintenance. Ricca et al. (2012) perform an experiment on
128 maintenance in the context of model driven development. Chan (2008), inves-
129 tigate the impact of programming and application specific knowledge on main-
130 tenance effort. In our experiment, we investigate how the coupled file changes
131 suggestions influence the correctness of performing maintenance tasks and the
132 time effort needed to solve the tasks.

133 **3 Background**

134 **3.1 Software Maintenance**

135 Software maintenance includes program or documentation changes to make the
136 software system perform correctly or more efficiently (Shelly et al., 1998). Soft-
137 ware maintenance has been defined in the IEEE 1219 Standard for Software
138 Maintenance (IEEE, 1998) to be a software product modification after deliv-
139 ery to remove faults, improve performance or adapt the environment. In the
140 ISO/IEC 12207 Life Cycle Processes Standard (ISO/IEC, 1995), the mainte-
141 nance is described as the process where the software code and documentation
142 modification is performed due to some problem or improvement.

143 **3.1.1 Maintenance Categories**

144 Swanson (1976) defined three different categories of maintenance: corrective,
145 adaptive and perfective. The ISO/IEC 14764 International Standard for Soft-
146 ware Maintenance (ISO/IEC, 2000) updates this list with a fourth category, the
147 preventive maintenance so we have the following maintenance categories (Pigoski,
148 1996):

- 149 • **Corrective Maintenance:** This type of maintenance tasks includes cor-
150 rection of errors in systems. Here, software product modifications are
151 performed after delivery to correct the discovered problems. It corrects

152 design, source code and implementation errors.

153

154 • Adaptive Maintenance: It satisfies the changes in the environment and
155 includes adding of new features or functions to the system. Software
156 product modification are performed to ensure software product usability
157 in changed environment.

158

159 • Perfective Maintenance: It involves changes in the system which influence
160 its efficiency. Also it includes an software product modification after de-
161 livery to improve maintainability or performance.

162

163 • Preventive Maintenance: Here, the changes in the system have been per-
164 form to reduce the possibility of system failures in the future. It includes
165 software product modification after delivery to detect and remove failures
166 before they become effective.

167 3.2 Data Mining

168 3.2.1 Coupled File Changes

169 To be able to discover coupled file changes using data mining, we introduce the
170 data technique that we employ in our study. One of the most popular data
171 mining techniques is the discovery of frequent item sets. To identify sets of
172 items which occur together frequently in a given database is one of the most
173 basic tasks in data mining (Han, 2005). Coupled changes describe a situation
174 where someone changes a particular file and also changes another file afterwards.
175 Let us say that the developer changes file f_1 and then also frequently changes
176 file f_3 . By investigating the transactions of changed files in the version control
177 system commits we identify a set of files that changed together. Let us have
178 the following three transactions: $T_1 = \{f_1, f_2, f_3, f_7\}$, $T_2 = \{f_1, f_3, f_5, f_6\}$,
179 $T_3 = \{f_1, f_2, f_3, f_8\}$. From these three transactions, we isolate the rule that
180 files f_1 and f_3 are found together: f_1 and f_3 are coupled. This means that
181 when the developers changed file f_1 , they also changed file f_3 . If these files
182 are found together frequently, it can help other persons by suggesting that if
183 they change f_1 , they should also change f_3 . Let $F = \{f_1, f_2, \dots, f_d\}$ be the set
184 of all items (files) f in a transaction and $T = \{t_1, t_2, \dots, t_n\}$ be the set of all
185 transactions t . As transactions, we define the commits consisting of different
186 files. Each transaction contains a subset of chosen items from F called item
187 set. An important property of an item set is the support count δ which is the
188 number of transactions containing an item. We call the item sets frequent if
189 they have a support threshold min_{sup} greater than a minimum specified by the
190 user with

$$0 \leq min_{sup} \leq |F| \quad (1)$$

191 3.2.2 Data Mining Algorithm

192 Various algorithms for mining frequent item sets and association rules have been
193 proposed in literature (Agrawal & Srikant, 1994; Györödi & Györödi, 2004; Han
194 et al., 2004). We use the FP-Tree-Growth algorithm to find the frequent change
195 patterns. As opposed to the Apriori algorithm (Agrawal & Srikant, 1994) which
196 uses a bottom up generation of frequent item set combinations, the FP-Tree-
197 Growth algorithm uses partition and divide-and-conquer methods (Györödi &
198 Györödi, 2004). This algorithm is faster and more memory efficient than the
199 Apriori algorithm used in other studies. This algorithm allows frequent item
200 set discovery without candidate item set generation.

201 3.2.3 Change Grouping Heuristic

202 There are different heuristics proposed for grouping file changes (Kagdi et al.,
203 2006). We use a heuristic considering the file changes done by a single committer
204 are related. We group the transactions of files committed only by a particular
205 author. We do not relate the changes done by other committers.

206 4 Experimental Design

207 In this section we define the research questions, hypotheses and metrics used in
208 our analysis.

209 4.1 Study Goal

210 We use the GQM approach (Basili et al., 1994) and its MEDEA extension
211 (Briand et al., 2002) to define the study goal. The *goal* of the study is analyzing
212 the usefulness of coupled file change suggestions. The *objective* is to compare the
213 correctness of the solution and the time needed for a set of maintenance tasks
214 between the group using coupled change suggestions and the group which does
215 not use this kind of help. The *purpose* is to evaluate how effective are coupled
216 file change suggestions regarding the correctness of the modified source code
217 and the time required to perform the maintenance tasks. The *viewpoint* is from
218 a software developers and the targeted environment is open source systems.

219 4.2 Research Questions

220 We investigate the usefulness of coupled file change suggestions and the joined
221 attributed from the software repository. For that purpose we define the follow-
222 ing research questions:

223
224 **RQ1: How useful are coupled file change suggestions in solving
225 maintenance tasks?**

226 This research question needs to be answered to define the usefulness of the cou-
227 pled file changes concept. We investigate if the coupled file change suggestions

228 influence the correctness of the maintenance tasks and how fast these tasks have
229 been accomplished.

230

231 **RQ2: How useful are the attributes from the software repository**
232 **in solving maintenance tasks?**

233 The second research question deals with the attributes from the versioning sys-
234 tem, the issue tracking system and the documentation. We investigate the per-
235 ceived usefulness of each attribute in the proposed attribute set to understand
236 which attributes are good candidates to be provided to the developers.

237 4.3 Hypotheses

238 We formulate the following hypotheses to answer the research questions in our
239 study. For **RQ1** we define the following hypotheses:

240

241 **H_{0.1.1}**: There is no significant difference in the correctness of maintenance tasks
242 solutions between the developers which used coupled file change suggestions and
243 the developers not using these suggestions.

244 **H_{A.1.1}**: There is a significant difference in the correctness of maintenance tasks
245 between the developers which used coupled file change suggestions and the one
246 not using these suggestions.

247 **H_{0.1.2}**: There is no significant difference in the time to solve maintenance tasks
248 between the developers which used coupled file change suggestions and the de-
249 velopers not using these suggestions.

250 **H_{A.1.2}**: There is a significant difference in the time to solve maintenance tasks
251 between the developers which used coupled file change suggestions and the one
252 not using these suggestions.

253

254 To answer **RQ2** we formulate the following hypotheses:

255

256 **H_{0.2}**: There is no significant difference in the perceived usefulness among the
257 attributes from the software repository in the current set of attributes.

258 **H_{A.2}**: There is a significant difference in the perceived usefulness among the
259 attributes from the software repository in the current set of attributes.

260

261 4.4 Experiment Variables

262 We have defined the following dependent variables: the correctness of solution
263 after the execution of the maintenance task, the time spent to perform the
264 maintenance task and the usefulness of the repository attributes. For the first
265 variable, the correctness of the task solution, we assign scores to each developer
266 solution of the maintenance tasks.

267 Our approach is similar to the one presented by Ricca et al. (2012) where
268 the correctness of the solution for the maintenance task is manually assessed by
269 defining scores from totally incorrect to completely correct task solution. We

270 define three scores: 0, if the developers did not execute or did not solve the
 271 task at all, 1 if the task was partially solved and 2 if the developer performed a
 272 complete solution of the maintenance task. The solutions are tested using unit
 273 tests to ensure the correctness of the edited source code.

274 The second variable, the time for executing the maintenance tasks is mea-
 275 sured by examining the screen recordings. We mark the start time and the
 276 end time for every task. We calculate the difference to compute the total time
 277 needed to solve each task.

278 For the third variable, the usefulness of the repository attributes, we use an
 279 ordinal scale to identify the feedback of the developers. The participants can
 280 choose between the following options for each attribute: very useful, somehow
 281 useful, neutral, not particularly useful and not useful. We code the usefulness
 feedback using the scoring presented in Table 1.

Table 1: Usefulness score

very useful	somehow useful	neutral	not particularly useful	not useful
5	4	3	2	1

282

283 4.5 Experiment Design

284 We distinguish two cases for the maintenance tasks: the first one includes tasks
 285 executed on Java Code in the Eclipse IDE without any suggestions and the
 286 second one includes tasks executed with additional coupled files suggestions
 287 and corresponding attributes from the repositories. We use a similar approach
 288 to the one presented by Ricca et al. (2012) and define two values: – for Eclipse
 289 only and + for the coupled file suggestions.

290 We use a counterbalanced experiment design as described in Table 2. This
 291 ensures that all subjects work with both treatments: without and with coupled
 292 change suggestions. We split the subjects randomly in two groups working in
 293 two lab sessions of two hours each. In each session, the participants work on two
 294 tasks only with the task description and on two tasks where they receive the
 295 coupled file changes suggestions and the related attributes. The participants in
 296 the second lab have swapped the order of the tasks used during the first lab.

Table 2: Experiment Design

Lab	Tasks	
Lab 1	Tasks 1-2 (-)	Tasks 3-4 (+)
Lab 2	Tasks 1-2 (+)	Tasks 3-4 (-)

297 4.6 Objects

298 The object of the study is an open source Java software called ASTPA. The
299 source code and the repository were downloaded from SourceForge.¹ The system
300 is built mainly in Java by 12 developers at the University of Stuttgart during
301 a software project between year 2013 and 2014. It represents an Eclipse based
302 tool for hazard analysis.

303 4.7 Subjects

304 The experiment participants are 36 students from the Software Engineering
305 course in their second semester at the University of Stuttgart (Germany). The
306 students have basic Java programming and Eclipse knowledge and have not been
307 related in any way with the software system investigated in the experiment.

308 4.8 Material, Procedure and Environment

309 All subjects received the following materials which can be found in the supple-
310 mental material of this paper.

- 311 • Tools and code: The participants received the Eclipse IDE to work with,
312 the screen capturing tool and the source code they need to edit.
313
- 314 • Questionnaires: The first questionnaire is performed at the start of the
315 experiment and it is related to their programming background. The sec-
316 ond questionnaire performed at the end of the experiment is about their
317 feedback on the usefulness of coupled changes and the additional set of
318 repository attributes.
319
- 320 • Software documentation: We have provided the technical documentation
321 for the software system including the data model and package descriptions.
322
- 323 • Setup instructions: The participants received the instruction steps how to
324 prepare the environment, where to find the IDE, the source code and and
325 how to perform the experiment.
326
- 327 • Maintenance tasks and description: Every participant received spread-
328 sheets with four maintenance tasks and their free-text description.
329
- 330 • Coupled file changes: The files changed together frequently used to solve
331 a similar tasks have been provided to the group which uses coupled file
332 changes. These sets of file suggestions do not represent the solutions for a

¹<https://sourceforge.net/projects/astpa/>

333 particular task in the experiment and can contain more or less files than
334 needed to solve the particular task.

335

- 336 • Repository Attributes: The attribute set from the versioning system, the
337 issue tracking system and the documentation about similar tasks per-
338 formed in the system.

339 The environment for the experiment tasks was Eclipse IDE on a Windows
340 PC in both treatments. For each lab, we prepared an Eclipse project containing
341 the Java source code of the ASTPA system. The project materials were made
342 available to the subjects on a flash drive. The participants had a maximum of
343 two hours to fill the questionnaires and perform the maintenance tasks.

344 4.9 Maintenance Tasks

345 The maintenance tasks represent quick program fixes that should be performed
346 by the participants according to the maintenance requests (Basili, 1990). All
347 four maintenance tasks are perfective and have been assigned to the participant
348 groups in both groups. The tasks require the participants to add various en-
349 hancements to the system whereby the changes do not influence the structure
350 or the functionalities of the application. The tasks are related to simple changes
351 of the user interface of the system.

352 4.10 Maintenance Activities

353 After receiving the task description, the participants investigate the source code
354 of the application, identify the files where the change is needed and perform the
355 change according to the requirement. The scenario for solving the provided
356 maintenance tasks includes the following activities (Nguyen et al., 2011):

- 357 • Task understanding: First of all, the participants need to read the task
358 description and the instructions and prepare for the changes. They can
359 ask if they need some clarification around the settings and the instructions.
360
- 361 • Change specification: During this step, the participants locate the source
362 code they need to change, try to understand and specify the code change.
363
- 364 • Change design: This step includes the performing of the already specified
365 source code changes and debugging the affected source code.
366
- 367 • Change test: To specify the successfulness of the performed code changes,
368 a unit test needs to be performed. This step is performed by the experi-
369 ment organizers after the lab sessions.

370 4.11 Data Collection Procedure

371 We collect data from several sources: the software repository of the system, the
372 questionnaires, the provided task solutions and the screen capturing recordings.

373 4.11.1 Software Repositories

374 • Version Control System: The first data source we use is the log data
375 from the version control system. The investigated project uses Git as a
376 control management tool. It is an distributed versioning system allow-
377 ing the developers to maintain their local versions of source code. The
378 version control systems preserve the possibility to group changes into a
379 single change set or a so-called *atomic commit*. It represents an atomic
380 change set regardless of the number of directories, files or lines of code that
381 change. A commit snapshot represents the total set of modified files and
382 directories (Loeliger, 2009). We organize the data in a transaction form
383 where every transaction represents the files which changed together in a
384 single commit. From this data source we extract the coupled file changes
and the commit related attributes.

Table 3: Repository Attributes Description

Attribute Name	Attribute Description
Commit ID	Unique ID of Git commit
Commit Message	Free-text comment of the commit in Git
Commit Time	Time-stamp of committed change in Git
Commit Author	Person which executed the commit
Issue Description	Free-text comment of issue to be solved
Issue Type	Type of the issue: bug, feature
Issue Author	Person who created the issue to be solved
Package Description	Free-text description of the package: layer, feature

385

386 • Issue Tracking System: In issue tracking systems, important information
387 is stored about the software changes or problems. In our case, the devel-
388 opers used JIRA as issue tracking systems. The issue tracking systems
389 data source is used to extract the issue related attributes.

390

391 • Project Documentation: The software documentation gathered during the
392 development process represents a rich source of data. The documentation
393 contains the data model and code descriptions. From these documents,
394 we discover the project structure. For example in the investigated project,
395 the package containing the files described by the following path:
396 `astpa/controlstructure/figure/`, contains the Java classes responsible
397 for the control diagram figures of this software. We use the documentation
398 to identify the package description.

399 The complete set of attributes we extract from the software repository are pre-
400 sented in Table 3.

401 **4.11.2 Questionnaire**

402 The developers answer a number of multiple-choice questions. Using the first
403 questionnaire, we investigate the developers' programming background. We
404 use a second questionnaire after the tasks being solved in order to gather the
405 feedback on the usefulness of coupled changes and the additional attributes².

406 **4.11.3 Tasks completion**

407 Similarly to other studies (Chan, 2008; Nguyen et al., 2011; Ricca et al., 2012),
408 we define two factors which represent the completion of the maintenance tasks:

- 409 • **Correctness of solution:** We determine the correctness of the solution by
410 examining the changed source code if the solution satisfies the change re-
411 quirements. We use the scoring presented previously where we summarize
412 the points each developer gathers for every of the four tasks. The score
413 is added next to each of the participant for both treatments, with and
414 without using coupled file changes.
415
- 416 • **Time of task completion:** It represents the total time in minutes spent
417 solving the maintenance tasks. We use a screen capturing device to record
418 the time for each participant that spend solving each of the four tasks.
419 We record the time needed for each tasks in both treatments.

420 **4.12 Data Analysis Procedure**

421 To be able to test our hypotheses, we need to analyze the usefulness of the cou-
422 pled file changes and the usefulness of the attributes from the software reposi-
423 tory. We perform the analysis using SPSS statistical software.

424 **4.12.1 Usefulness of Coupled File Changes**

425 The main part of the analysis is the investigation of the usefulness of the coupled
426 changes. For this purpose we compare the scores of each task solution and the
427 amount of time needed for solving the tasks in both groups: without using
428 coupled file suggestions and with using of coupled file suggestions. For the time
429 needed for the solution, we use only the values for the accomplished tasks only.
430 This way we assure that the values for the unsolved tasks do not corrupt the
431 overall values for the time needed to successfully solve the tasks.

432 To achieve this, we test the overall difference in the correctness of solving the
433 tasks using the two-tailed Mann-Whitney U test. It is used to test hypotheses
434 where two samples from same population have the same medians or that one of

²The questionnaires are available in the supplemental material of this paper

435 them have larger values so we test the statistical significance of difference be-
436 tween two value sets. Determining an appropriate significance threshold defines
437 if the null hypothesis must be rejected or not (Nachar, 2008). If the p-value
438 is small, the null hypothesis can be rejected meaning that the value sets are
439 different. If the p-value is large, the values do not differ. Usually a 0.05 level
440 of significance is used as threshold. The p-value is not enough to determine the
441 strength of the relationship between variables. For that purpose we report the
442 effect size estimate (Tomczak & Tomczak, 2014).

443 We use an conservative approach where we test the difference in the cor-
444 rectness of our tasks. Without differentiating the tasks, we compare all the
445 solutions of the tasks using coupled file changes and the tasks performed with-
446 out any suggestion. We repeat the same approach to test the overall difference
447 between the time needed to solve the tasks using coupled change suggestions
448 against the tasks solved without the help of coupled file changes.

449 We use the SPSS statistical software and its typical output for the Mann-
450 Whitney U Test whereby the p-value of the statistical significance in the differ-
451 ence between the two groups is reported. The mean ranking determines how
452 each group scored in the test. To support statistical difference between the sam-
453 ples, we calculate the r-value of the effect size proposed by (Cohen, 1977) using
454 the z value from the SPSS output (Fritz et al., 2012). A value of 0.5 determines
455 a large effect, 0.3 medium and 0.1 small effect (Coolican & Taylor, 2013).

456 4.12.2 Usefulness of Attributes

457 We analyze the feedback from the questionnaire investigating which attributes
458 are useful. We investigate every attribute in the set extracted from the ver-
459 sioning system, the issue tracking system and the documentation as previously
460 presented. For that purpose we use the Kruskal-Wallis H test, an extension of
461 the Mann-Whitney U test. Using this test, we determine if there are statis-
462 tically significant differences between the medians of more than two indepen-
463 dent groups. We test the statistical significance between more than two value
464 sets. The significance level determines if we can reject the null hypothesis. p-
465 values bellow 0.05 it means that there is a significant difference between the
466 groups (Pohlert, 2014). The effect size for the Kruskal-Wallis H test, we cal-
467 culate the effect sizes for the pairwise Mann Whitney U test for each of the
468 attributes using the z statistic. We individually calculate the effect size value r
469 for each pair comparison. The r value is calculated using the following formula:

$$r = \frac{z}{\sqrt{N}} \quad (2)$$

470 Our approach tests the differences in the feedback about the usefulness be-
471 tween all the attributes for all 36 participants. This way we identify which
472 attributes we should offer to the participants when solving their tasks together
473 with the coupled file changes suggestions.

474 Using SPSS, we provide the statistical significance values of the difference
475 between all eight attributes. The ranking of the means for the feedback on the

476 usefulness values determine the most useful attributes.

477 4.13 Execution Procedure

478 • Log Extraction: We extract the information from the Git log containing
479 the committed file changes and the attributes. The log data is exported
480 as text file and the output is managed using proper log commands.

481

482 • Data preprocessing: After the text files with the log data have been gen-
483 erated, we continue with the preparation of the data for data mining.
484 Various data mining frameworks use their own format, so the input for
485 the data mining algorithm and framework needs to be adjusted.

486

487 • Support threshold: To be able to begin the investigation, we need to ex-
488 tract coupled file changes from the software repository. We extract the
489 coupled changes by defining the threshold value of the support for the fre-
490 quent item set algorithm. We use the thresholds that give us a frequent yet
491 still manageable number of couplings. This threshold is normally defined
492 by the user. We use the technique presented in (Fournier-Viger, 2013) to
493 identify the support level. These values vary from developer to developer,
494 so we test the highest possible value that delivers frequent item sets. If for
495 a particular developer, the support value does not bring any useful results,
496 we continue dropping the value of the threshold. We did not consider item
497 sets with a support below 0.2 meaning the coupled changes should have
498 been found in 20 percent of the commits.

499

500 • Mining Framework: There is a variety of commercial and open-source
501 products offering data mining techniques and algorithms. For the analy-
502 sis, we use an open-source framework specialized on mining frequent item
503 sets and association rules called the *SPMF-Framework*.³ It consists of a
504 large collection of algorithms supported by appropriate documentation.

505

506 • Experiment preparation: We prepare the environment by setting up the
507 source code and the Eclipse where the participants will work on the tasks.
508 We define the maintenance tasks and provide the free text description.
509 We prepare the coupled file changes and the attributes from the software
510 repository to be presented to the participants in the experiment.

511

512 • Solving tasks: The participants in both groups worked for two hours in
513 two labs and provide solution for the maintenance tasks. The solution and
514 the screen recording have been saved for further analysis.

515

³<http://www.philippe-fournier-viger.com/spmf>

- 516 • Material gathering: We gather the questionnaires, the edited source codes
 517 and the video files of the participants screens for further analysis.
 518
- 519 • Solution analysis: We analyze the scores for the correctness of the mainte-
 520 nance tasks, calculate the time needed for solving the tasks and determine
 521 the influence of the coupled file changes on the tasks solution.

522 5 Results and Discussion

523 The complete list of the maintenance tasks, the coupled file changes, the software
 524 repository attributes, the questionnaires and the analysis results can be found
 525 in the supplemental material of this paper.

Table 4: Descriptive Statistics (Attributes Usefulness)

Attribute	Median	MAD
Package Description	4	1
Issue Description	4	1
Commit Message	4	1
Issue Type	3	1
Commit ID	3	1
Commit Author	3	1
Issue Author	3	1
Commit Time	3	1

Table 5: Statistical Significance (Coupled changes)

Depend. Variable	p-value	r-value
Correctness	0.000	0.448
Time Effort	0.041	0.259

526 5.1 Usefulness of Coupled File Changes

527 As we already explained, we operationalize the usefulness of coupled file changes
 528 by their influence on the correctness of the solutions and the time needed to solve
 529 the tasks.

530 5.1.1 Correctness

531 We summarize the distribution of the correctness distribution using box-plots
 532 as presented in Figure 1. On the y-axis we have the correctness score for the
 533 successful solving of the tasks. Here the observations are grouped based on the
 534 presence of coupled changes suggestions during the maintenance tasks solution.




Figure 1: Correctness Boxplots

535 From this box-plot we see that the participants achieved better scores when
536 solving the maintenance tasks using the coupled file changes suggestions we
537 have provided.

538 We investigate the correctness difference of both groups by testing the first
539 null hypothesis of the first research question claiming that there is no significant
540 differences in the correctness of the task solutions.

541 Applying the Mann-Whitney U Test results in a p-value of 0.000 as presented
542 in Table 5. This result has to be lower than the threshold of 0.05, so this null
543 hypothesis can be rejected. This means that there is a statistically significant
544 difference in the correctness of the solution for the provided tasks when using
545 coupled file changes suggestions against the correctness of the solutions only
546 using the provided task description. The r-value of the effect size for the cor-
547 rectness is 0.448 which describes a strong statistical difference in the correctness
548 of the maintenance tasks solutions between the groups with and without using
549 coupled change suggestions.

550 In Table 6 we represent the descriptive statistics for the correctness of the
551 tasks solutions. The participants which used the suggestions solved 63.8% of
552 the tasks completely, whereby the participants not using suggestions solved only
553 22% of the tasks. This shows an significantly higher score for the group using
554 coupled changes suggestions.

555 The median absolute deviation (MAD) value for the group using coupled
556 changes is 0, whereby the value for the group not using coupled changes is 1.
557 These values show that the correctness score is spread very close to the me-
558 dian for the score of the first group. The statistical results provide an evidence

Table 6: Descriptive statistics for the correctness of the tasks

Without Suggestions (-)			With suggestions (+)		
Completely solved tasks	Median	MAD	Completely solved tasks	Median	MAD
22 %	1	1	63.8 %	2	0

559 that the coupled file changes significantly influence the correctness of the main-
 560 tenance tasks in the experiment. Inexperienced developers solves more tasks
 561 when using our suggestions which means they uses the benefit of hints related
 562 to similar tasks. The coupled change suggestions allow the developer to follow
 563 a set of files and remind him/her that similar tasks include changes in various
 564 locations in the source code.

565 The improvement in the number of solved tasks for the group using the
 566 coupled change suggestions shows that developers have used the benefits of
 567 additional help in locating the features and the files to be modified to solve
 568 their tasks successfully. The group which did not use this kind of help did has
 569 not succeeded to solve the same or higher number of tasks which points to the
 570 usefulness of our approach.

571 The use of coupled file changes has been especially noticed in cases where the
 572 developer needs to perform a similar changes in several locations, like editing
 573 different views of the application GUI. Here, the developers not using coupled
 574 change suggestions missed to implement the change in all the files where the
 575 change should be performed. Coupled file suggestions help the developers not
 576 to miss other source code locations they need for their task.

577 5.1.2 Time

578 We have analyzed the influence of the coupled file change suggestions on the
 579 time needed to successfully perform the tasks when using coupled versus not
 580 using the coupled file change suggestions. The distribution of the values for both
 581 groups is presented in Figure 2. We see that the distributions are similar with
 582 a slight tendency to more time without suggestions. We test the second null
 583 hypothesis which claims that there is no influence of the coupled file changes on
 584 the time needed to solve the tasks.

585 The p-value for the two tailed test is 0.041. This value is slightly below
 586 the threshold of 0.05 for the significance of the difference in the time needed
 587 to solve the tasks using coupled file changes versus the group without using
 588 the coupled file changes. Therefore, we have to reject the null hypothesis. The
 589 r-value for the time needed to solve the maintenance tasks is 0.259 which shows
 590 a relatively small statistical difference between the group which used coupled
 591 change suggestions and the group without suggestions compared to the r-value
 592 for the correctness of the solution.

593 The descriptive statistic values in Table 7 for the time variable report a
 594 decrease of the means for the time needed to solve the tasks by 26% for the group




Figure 2: Time Boxplots

595 not using coupled change suggestion. The means ranking reports slightly better
 596 results for the group using coupled file changes, meaning the the participants of
 597 this group solved their tasks faster. The standard deviation for the group using
 598 coupled changes is twice lower than for the group not using coupled changes
 which shows a higher spread-out for the first group. These results show an

Table 7: Descriptive statistics for the time needed in minutes

Without Suggestions (-)			With suggestions (+)		
Median	Mean	Stand. Dev.	Median	Mean	Stand. Dev.
12	14.060	8.925	9	9.230	4.158

599 improvement with a statistical significance. This still provides some benefit
 600 by the coupled file changes approach for faster solving of maintenance tasks.
 601 The time effort drops because developers using the coupled change suggestions
 602 needed less time to find the files to change instead to search for the features and
 603 files in the source code they need to edit.
 604

605 The improvement in the time needed to solve the tasks for the group using
 606 the coupled file changes is not that strong as the improvement in the correctness
 607 of the task solution which leads us to the point that although our approach
 608 helps the developers to locate the files needed to be changed. However, it does
 609 not eliminate the time they need to understand the features and the changes
 610 they need to perform in the source code. They still need time to organize
 611 this information and use it. Furthermore, they need to read and understand

612 the suggestions. This means that the change suggestions do not provide an
613 automatic solution for solving their tasks.

614 5.2 Usefulness of software repository attributes

615 The distribution of each attribute usefulness is presented in Figure 3 where the
616 usefulness distribution for each of the repository attributes is presented based
617 on the feedback of all participants in the experiment.

618 We test the third null hypothesis which claims that there is no difference in
619 the usefulness between the attributes using the p-value of the Kruskal-Wallis H
620 Test. In our case, the p-value for this test is 0.000 which is lower than the 0.05
621 threshold. This result leads us to rejecting the null hypothesis.




Figure 3: Time Boxplots

622 We reported a set of various software attributes from the software repository.
623 The participants reported their feedback on their usefulness at the end of the
624 experiment lab after the tasks has been performed. We calculated the r-value
625 of the size effect for the repository attributes by creating pairs of each of the
626 attributes where we determined the z-value of the Mann-Whitney test 8 for each
627 pair. We have 28 pairs of attributes.

628 The greatest difference in the usefulness is between the commit time and the
629 issue description where the r-value is 0.566, followed by the difference between
630 the commit time and the package description with an r-value of 0.557. This indi-
631 cates a high statistical significance between these pairs of attributes. The lowest
632 difference is between the commit id and the commit author, here the r-value is
633 0.004, followed by the difference between the commit id and the issue author

Table 8: Statistical Significance (Coupled changes)

p-value	r-value	Repository	Attribute pairs
0.180	0.279	Commit ID	Commit Message
0.972	0.004	Commit ID	Commit Author
0.249	0.136	Commit ID	Commit Time
0.000	0.467	Commit ID	Issue Description
0.108	0.190	Commit ID	Issue Type
0.624	0.058	Commit ID	Issue Author
0.000	0.465	Commit ID	Package Description
0.022	0.270	Commit Message	Commit Author
0.001	0.400	Commit Message	Commit Time
0.048	0.233	Commit Message	Issue Description
0.582	0.065	Commit Message	Issue Type
0.004	0.336	Commit Message	Issue Author
0.220	0.269	Commit Message	Package Description
0.228	0.142	Commit Author	Commit Time
0.000	0.459	Commit Author	Issue Description
0.122	0.182	Commit Author	Issue Type
0.599	0.062	Commit Author	Issue Author
0.000	0.464	Commit Author	Package Description
0.000	0.566	Commit Time	Issue Description
0.008	0.311	Commit Time	Issue Type
0.476	0.084	Commit Time	Issue Author
0.000	0.557	Commit Time	Package Description
0.118	0.279	Issue Description	Issue Type
0.000	0.526	Issue Description	Issue Author
0.530	0.074	Issue Description	Package Description
0.039	0.244	Issue Type	Issue Author
0.009	0.308	Issue Type	Package Description
0.000	0.515	Issue Author	Package Description

634 with an r-value of 0.9058. This shows that there are significant differences be-
 635 tween the attributes usefulness. We have also gathered the descriptive statistics
 636 for the participants feedback on the usefulness of each attributes presented in
 637 Table 4. The median values vary from 3 for the commit id, the commit author,
 638 the commit time, the issue author and the issue time, and 4 for the commit
 639 message and the package description. This places the cutoff between “neutral”
 640 and “somehow interesting” for most of the attributes. The MAD value for all
 641 attributes is 1, which shows a low spread out of the usefulness values around
 642 the median.

643 We determined that the attributes have different usefulness according to the
 644 feedback of the participants. The median ranking defines which of the attributes
 645 are most useful. As most useful attribute we identify the package description
 646 followed by the issue description and the commit message. This leads us to the

647 conclusion that the inexperienced developers seek for help about the features of
648 the source code they need to edit and the task they have to complete.

649 The issue type and the commit time are in the middle of the list. The most
650 useless attribute is the commit author followed by the issue author and the
651 commit id. Here, we suppose that the developers are not interesting about the
652 information who performed the changes because they do not know this person.
653 This could change if the developers were included in the project for a longer
654 time.

655 Although we enlisted a list of typical repository attributes, the participants
656 have identified a smaller set of attributes to be useful for them than we pro-
657 vided in this experiment. This means that we don't have to not present all
658 the attributes for the reason that different developers can happen to find some
659 attributes as obsolete to be included in the coupled file change suggestions. The
660 individual choice of useful attributes will avoid a confusion of developers. Re-
661 porting an individual set of attributes can increase the acceptance of coupled
662 file change suggestions concept.

663 5.3 Threats to Validity

664 • **Internal Validity:** Possible internal validity threats can rise from the ex-
665 periment design. To limit this possibility and the learning effect, we use a
666 counterbalanced design where every developer solves four different tasks
667 whereby each of them solves two tasks without and two tasks using coupled
668 change suggestions. This way the results are not directly influenced by the
669 task supported with the coupled file suggestions. The judgment of cor-
670 rectness of the task solutions represents another internal threat whereby
671 we test the solutions to determine the level of correctness.

672
673 • **Construct Validity:** The greatest construction threat for the study are the
674 coupled file changes we have extracted. The coupled files we extracted
675 using a relatively high threshold which limits the possibility to provide
676 suggestions for coupled changes that happened by chance. Also the met-
677 rics we have used to measure to determine the usefulness can represent a
678 threat. The subjective usefulness usefulness rating represents another con-
679 struct validity whereby we evaluate the provided tasks solutions pairwise
680 to minimize the errors in conducting the score distribution. For the time
681 needed to solve the tasks we play the captured screens of the participants
682 to calculate the time effort needed for the tasks.

683
684 • **External Validity:** The external validity threat concerns the generalization
685 of the experiment. The main threat here arises from the type of mainte-
686 nance tasks, the participants and the system we investigate. We use four
687 different perfective tasks which are supported by a free text description
688 without any other adaptation or external help. This way we limit the pos-
689 sibility to create artificial conditions specially tailored for our participants.

690 The system we have used for the experiment is an open source Java project
691 with a clear project structure. We have used data mining technique that
692 can be easily performed on other Git repositories to extract coupled file
693 changes.

694 **6 Conclusion and Future Work**

695 From the provided results and hypotheses tests we can summarize that the
696 coupled changes approach was successfully tested in the performed experiment.
697 The participants working with coupled change suggestions provided significantly
698 more correct solutions than the participants without these suggestions.

699 The participants which used coupled file changes suggestions finished their
700 tasks slightly faster compared to the participants group which was working only
701 using the issue description.

702 We can conclude that the coupled file change suggestions can be positively
703 judged to be useful for inexperienced developers working on maintenance tasks.
704 The influence is particularly positive on the correctness level of the tasks solu-
705 tions, meaning that it helps them to solve more tasks.

706 The influence of the coupled change suggestions on the time effort for solving
707 the tasks is lower than on the correctness of the solutions.

708 We have extended the findings of Ramadani & Wagner (2016) where the par-
709 ticipants in their feedback reported the coupled file changes and the attributes
710 as neutral to use in maintenance tasks. Our experiments outcomes are more posi-
711 tive compared to the results of Ramadani & Wagner (2016). Working on real
712 maintenance tasks using the tasks of the working software product increases the
713 acceptance of coupled change suggestions by the developers. Also we rounded
714 up the set of useful attributes based on the set of attributes presented in this
715 study.

716 The next steps would be to transform the results and the findings in a tool
717 implementation to support the developers working on maintenance tasks using
718 visual presentation of suggestions which set of files they should also change. The
719 final set of attributes presented in the tool should be adjustable for the reason
720 not to flood the developer with information which can cause a negative effect
721 on their usefulness.

722 **7 Acknowledgments**

723 We would like to thank Asim Abdulkhaleq for his help in the tasks scoring and
724 the analysis of the questionnaires.

725 **References**

726 Abran, A., & Nguyenkim, H. (1991). Analysis of maintenance work categories
727 through measurement. In *Software Maintenance, 1991., Proceedings. Confer-*

- 728 *ence on*, (pp. 104–113).
- 729 Agrawal, R., & Srikant, R. (1994). Fast algorithms for mining association rules
730 in large databases. In *Proceedings of the 20th International Conference on*
731 *Very Large Data Bases, VLDB '94*, (pp. 487–499). San Francisco, CA, USA:
732 Morgan Kaufmann Publishers Inc.
- 733 Basili, V. R. (1990). Viewing maintenance as reuse-oriented software develop-
734 ment. *IEEE Softw.*, 7(1), 19–25.
- 735 Basili, V. R., Caldiera, G., & Rombach, H. D. (1994). *The Goal Question Metric*
736 *Approach*. Wiley.
- 737 Bavota, G., Dit, B., Oliveto, R., Di Penta, M., Poshyvanyk, D., & De Lucia, A.
738 (2013). An empirical study on the developers perception of software coupling.
739 In *Proceedings of the 2013 International Conference on Software Engineering,*
740 ICSE '13, (pp. 692–701). Piscataway, NJ, USA: IEEE Press.
- 741 Bieman, J., Andrews, A., & Yang, H. (2003). Understanding change-proneness
742 in oo software through visualization. In *Program Comprehension, 2003. 11th*
743 *IEEE International Workshop on*, (pp. 44–53).
- 744 Bird, C., Rigby, P. C., Barr, E. T., Hamilton, D. J., Germán, D. M., & Devanbu,
745 P. T. (2009). The promises and perils of mining git. In *MSR*, (pp. 1–10).
- 746 Briand, L., Morasca, S., & Basili, V. (2002). An operational process for goal-
747 driven definition of measures. *IEEE Transactions on Software Engineering,*
748 28, 1106–1125.
- 749 Canfora, G., & Cerulo, L. (2005). Impact analysis by mining software and
750 change request repositories. In *Software Metrics, 2005. 11th IEEE Interna-*
751 *tional Symposium*, (pp. 9 pp.–29).
- 752 Carlsson, E. (2013). Mining git repositories : An introduction to repository
753 mining.
- 754 Chan, T. (2008). Impact of programming and application-specific knowledge
755 on maintenance effort:a hazard rate model. In *Software Maintenance, 2008.*
756 *ICSM 2008. IEEE International Conference on*, (pp. 47–56).
- 757 Cohen, J. (1977). In *Statistical Power Analysis for the Behavioral Sciences,*
758 (pp. 469 – 474). Academic Press, revised edition ed.
- 759 Coolican, H., & Taylor, F. (2013). *Research methods and statistics in psychology.*
760 Routledge.
- 761 D'Ambros, M., Lanza, M., & Robbes, R. (2009). On the relationship between
762 change coupling and software defects. In *WCRE*, (pp. 135–144).

- 763 De Lucia, A., Pompella, E., & Stefanucci, S. (2002). Effort estimation for
764 corrective software maintenance. In *Proceedings of the 14th International*
765 *Conference on Software Engineering and Knowledge Engineering, SEKE '02*,
766 (pp. 409–416). New York, NY, USA: ACM.
- 767 Fischer, M., Pinzger, M., & Gall, H. (2003). Populating a release history
768 database from version control and bug tracking systems. In *Proceedings of*
769 *the International Conference on Software Maintenance, ICSM '03*, (pp. 23–).
770 Washington, DC, USA: IEEE Computer Society.
- 771 Fluri, B., Gall, H., & Pinzger, M. (2005). Fine-grained analysis of change
772 couplings. In *Source Code Analysis and Manipulation, 2005. Fifth IEEE*
773 *International Workshop on*, (pp. 66–74).
- 774 Fournier-Viger, P. (2013). How to auto-adjust the minimum sup-
775 port threshold according to the data size. [http://data-mining.](http://data-mining.philippe-fournier-viger.com/)
776 [philippe-fournier-viger.com/](http://data-mining.philippe-fournier-viger.com/).
- 777 Fritz, C. O., Morris, P. E., & Richler, J. J. (2012). Effect size estimates: Current
778 use, calculations, and interpretation. *Journal of Experimental Psychology :*
779 *General*, 141(1), 2–18.
- 780 Gall, H., Jazayeri, M., & Krajewski, J. (2003). Cvs release history data for
781 detecting logical couplings. In *Software Evolution, 2003. Proceedings. Sixth*
782 *International Workshop on Principles of*, (pp. 13–23).
- 783 German, D. M. (2004). Mining cvs repositories, the softchange experience. In
784 *1st International Workshop on Mining Software Repositories*, (pp. 17–21).
- 785 Györödi, C., & Györödi, R. (2004). A comparative study of association rules
786 mining algorithms.
- 787 Han, J. (2005). *Data Mining: Concepts and Techniques*. San Francisco, CA,
788 USA: Morgan Kaufmann Publishers Inc.
- 789 Han, J., Pei, J., Yin, Y., & Mao, R. (2004). Mining frequent patterns without
790 candidate generation: A frequent-pattern tree approach. *Data Min. Knowl.*
791 *Discov.*, 8(1), 53–87.
- 792 Hassan, A. E., & Holt, R. C. (2004). Predicting change propagation in software
793 systems. In *Proceedings of the 20th IEEE International Conference on Soft-*
794 *ware Maintenance, ICSM '04*, (pp. 284–293). Washington, DC, USA: IEEE
795 Computer Society.
- 796 Hattori, L., dos Santos Jr, G., Cardoso, F., & Sampaio, M. (2008). Min-
797 ing software repositories for software change impact analysis: A case study.
798 In *Proceedings of the 23rd Brazilian Symposium on Databases, SBBD '08*,
799 (pp. 210–223). Porto Alegre, Brazil, Brazil: Sociedade Brasileira de Com-
800 putação.

- 801 Hutton, A., & Welland, R. (2007). An experiment measuring the effects of
802 maintenance tasks on program knowledge. In *Proceedings of the 11th Inter-*
803 *national Conference on Evaluation and Assessment in Software Engineering,*
804 *EASE'07*, (pp. 43–52). Swinton, UK, UK: British Computer Society.
- 805 IEEE (1998). *STD 1219: Standard for Software Maintenance*.
- 806 ISO/IEC (1995). 12207: Information technology-software life cycle processes.
- 807 ISO/IEC (2000). 14764: Software engineering-software maintenance.
- 808 Kagdi, H., Collard, M. L., & Maletic, J. I. (2007). A survey and taxonomy of ap-
809 proaches for mining software repositories in the context of software evolution.
810 *J. Softw. Maint. Evol.*, 19(2), 77–131.
- 811 Kagdi, H., Yusuf, S., & Maletic, J. I. (2006). Mining sequences of changed-files
812 from version histories. In *Proceedings of the 2006 International Workshop on*
813 *Mining Software Repositories, MSR '06*, (pp. 47–53). New York, NY, USA:
814 ACM.
- 815 Loeliger, J. (2009). *Version Control with Git - Powerful techniques for central-*
816 *ized and distributed project management..* O'Reilly.
- 817 Nachar, N. (2008). The mann-whitney u: A test for assessing whether two inde-
818 pendent samples come from the same distribution. *Tutorials in Quantitative*
819 *Methods for Psychology*, 4(1), 13–20.
- 820 Nguyen, V., Boehm, B., & Danphitsanuphan, P. (2011). A controlled exper-
821 iment in assessing and estimating software maintenance tasks. *Inf. Softw.*
822 *Technol.*, 53(6), 682–691.
- 823 Pigoski, T. M. (1996). *Practical Software Maintenance: Best Practices for Man-*
824 *aging Your Software Investment*. Wiley Publishing, 1st ed.
- 825 Pohlert, T. (2014). *The Pairwise Multiple Comparison of Mean Ranks Package*
826 *(PMCMR)*. R package.
- 827 Ramadani, J., & Wagner, S. (2016). Are suggestions of coupled file changes in-
828 teresting? In *Proceedings of the 11th International Conference on Evaluation*
829 *of Novel Software Approaches to Software Engineering*, (pp. 15–26).
- 830 Revelle, M., Gethers, M., & Poshyvanyk, D. (2011). Using structural and textual
831 information to capture feature coupling in object-oriented software. *Empirical*
832 *Softw. Engg.*, 16(6), 773–811.
- 833 Ricca, F., Leotta, M., Reggio, G., Tiso, A., Guerrini, G., & Torchiano, M.
834 (2012). Using unimod for maintenance tasks: an experimental assessment in
835 the context of model driven development. In *Proceedings of the 4th Interna-*
836 *tional Workshop on Modeling in Software Engineering, MiSE 2012, Zurich,*
837 *Switzerland, June 2-3, 2012*, (pp. 77–83).

- 838 Shelly, G. B., Cashman, T. J., & Rosenblatt, H. J. (1998). Systems analysis
839 and design.
- 840 Shirabad, J., Lethbridge, T., & Matwin, S. (2003). Mining the maintenance
841 history of a legacy software system. In *Software Maintenance, 2003. ICSM*
842 *2003. Proceedings. International Conference on*, (pp. 95–104).
- 843 Stevens, W. P., Myers, G. J., & Constantine, L. L. (1974). Structured design.
844 *IBM Syst. J.*, *13*(2), 115–139.
- 845 Swanson, E. B. (1976). The dimensions of maintenance. In *Proceedings of*
846 *the 2Nd International Conference on Software Engineering, ICSE '76*, (pp.
847 492–497). Los Alamitos, CA, USA: IEEE Computer Society Press.
- 848 Tomczak, M., & Tomczak, E. (2014). The need to report effect size estimates
849 revisited. an overview of some recommended measures of effect size. *The need*
850 *to report effect size estimates revisited. An overview of some recommended*
851 *measures of effect size, TRENDS in Sport Sciences*, 19–25.
- 852 van Rysselberghe, F., & Demeyer, S. (2004). Mining Version Control Systems
853 for FACs (frequently Applied changes). In *the International Workshop on*
854 *Mining Repositories*. Edinburgh, Scotland, UK.
- 855 Wu, R., Zhang, H., Kim, S., & Cheung, S.-C. (2011). Relink: Recovering
856 links between bugs and changes. In *Proceedings of the 19th ACM SIGSOFT*
857 *Symposium and the 13th European Conference on Foundations of Software*
858 *Engineering, ESEC/FSE '11*, (pp. 15–25). New York, NY, USA: ACM.
- 859 Ying, A. T. T., Murphy, G. C., Ng, R. T., & Chu-Carroll, M. (2004). Predicting
860 source code changes by mining change history. *IEEE Transactions on Software*
861 *Engineering*, *30*(9), 574–586.
- 862 Zimmermann, T., Kim, S., Zeller, A., & Whitehead, E. J., Jr. (2006). Mining
863 version archives for co-changed lines. In *Proceedings of the 2006 International*
864 *Workshop on Mining Software Repositories, MSR '06*, (pp. 72–75). New York,
865 NY, USA: ACM.
- 866 Zimmermann, T., Weisgerber, P., Diehl, S., & Zeller, A. (2004). Mining version
867 histories to guide software changes. In *Proceedings of the 26th International*
868 *Conference on Software Engineering, ICSE '04*, (pp. 563–572). Washington,
869 DC, USA: IEEE Computer Society.