

A peer-reviewed version of this preprint was published in PeerJ on 6 December 2018.

[View the peer-reviewed version](https://doi.org/10.7717/peerj.6069) (peerj.com/articles/6069), which is the preferred citable publication unless you specifically need to cite this preprint.

Ni Q, Wang Y, Weldon A, Xie M, Xu H, Yao Y, Zhang M, Li Y, Li Y, Zeng B, Nekaris KAI. 2018. Conservation implications of primate trade in China over 18 years based on web news reports of confiscations. PeerJ 6:e6069 <https://doi.org/10.7717/peerj.6069>

Conservation implications of primate trade in China over 18 years based on web news reports of confiscations

Qingyong Ni^{Corresp., 1, 2}, Yu Wang¹, Ariana Weldon², Meng Xie³, Huailiang Xu³, Yongfang Yao³, Mingwang Zhang¹, Ying Li¹, Yan Li¹, Bo Zeng¹, K.A.I. Nekaris²

¹ College of Animal Sciences and Technology, Sichuan Agricultural University, Chengdu, Sichuan, China

² Nocturnal Primate Research Group, Oxford Brookes University, Oxford, United Kingdom

³ College of Life Sciences, Sichuan Agricultural University, Yaan, Sichuan, China

Corresponding Author: Qingyong Ni

Email address: niqingyong@hotmail.com

Primate species have been increasingly threatened by legal and illegal trade in China, mainly for biomedical research or as pets and traditional medicine, yet most reports on trade from China regard international trade. To assess a proxy for amount of national primate trades, we quantified the number of reports of native primate species featuring in unique web news reports from 2000 to 2017, including accuracy of their identification, location where they were confiscated or rescued, and their condition upon rescue. To measure temporal trends across these categories, the time span was divided into three sections: 2000-2005, 2006-2011 and 2012-2017. A total of 735 individuals of 14 species were reported in 372 news reports, mostly rhesus macaques (n=165, 22.5%, *Macaca mulatta*) and two species of slow lorises (n=487, 66.3%, *Nycticebus* spp.). During the same period, live individuals of rhesus macaques were recorded 206 times (70,949 individuals) in the CITES Trade Database, whereas slow lorises were only recorded four times (9 individuals), indicating that the species originated illegally from China or were illegally imported into China. Due to their rescued locations in residential areas (n=211, 56.7%), most primates appeared to be housed privately as pets. A higher proportion of 'market' rescues during 2006-2011 ($\chi^2=8.485$, $df=2$, $p=0.014$), could be partly attributed to an intensive management on wildlife markets since the outbreak of SARS in 2003. More than half (68.3%, 502 individuals) of the primate individuals were unhealthy, injured or dead when rescued. Thus, identification and welfare training and capacity-building should be provided to husbandry and veterinary professionals, as well as education to the public through awareness initiatives. The increase in presence of some species, especially slow lorises, with a declining population in restricted areas, also suggests the urgent need for public awareness about the illegal nature of keeping these taxa as pets.

Conservation implications of primate trade in China over 18 years based on web news reports of confiscations

Qingyong Ni^{1,2*}, Yu Wang^{1*}, Ariana Weldon², Meng Xie³, Huailiang Xu³, Yongfang Yao³,
Mingwang Zhang¹, Ying Li¹, Yan Li¹, Bo Zeng¹ & K.A.I. Nekaris²

Short title: Primate trade in China

1 College of Animal Sciences and Technology, Sichuan Agricultural University, Chengdu, China

2 Nocturnal Primate Research Group, Oxford Brookes University, Oxford, United Kingdom

3 College of Life Sciences, Sichuan Agricultural University, Ya'an, China

* Qingyong Ni and Yu Wang contribute equally to this work

Corresponding author: Qingyong Ni

E-mail: niqingyong@hotmail.com

Phone number: +86 028-86291010

Abstract

Primate species have been increasingly threatened by legal and illegal trade in China, mainly for biomedical research or as pets and traditional medicine, yet most reports on trade from China regard international trade. To assess a proxy for amount of national primate trades, we quantified the number of reports of native primate species featuring in unique web news reports from 2000 to 2017, including accuracy of their identification, location where they were confiscated or rescued, and their condition upon rescue. To measure temporal trends across these categories, the time span was divided into three sections: 2000-2005, 2006-2011 and 2012-2017. A total of 735 individuals of 14 species were reported in 372 news reports, mostly rhesus macaques (n=165, 22.5%, *Macaca mulatta*) and two species of slow lorises (n=487, 66.3%, *Nycticebus* spp.). During the same period, live individuals of rhesus macaques were recorded 206 times (70,949 individuals) in the CITES Trade Database, whereas slow lorises were only recorded four times (9 individuals), indicating that the species originated illegally from China or were illegally imported into China. Due to their rescued locations in residential areas (n=211, 56.7%), most primates appeared to be housed privately as pets. A higher proportion of ‘market’ rescues during 2006-2011 ($\chi^2=8.485$, df=2, p=0.014), could be partly attributed to an intensive management on wildlife markets since the outbreak of SARS in 2003. More than half (68.3%, 502 individuals) of the primate individuals were unhealthy, injured or dead when rescued. Thus, identification and welfare training and capacity-building should be provided to husbandry and veterinary professionals, as well as education to the public through awareness initiatives. The increase in presence of some species, especially slow lorises, with a declining population in restricted areas, also suggests the urgent

need for public awareness about the illegal nature of keeping these taxa as pets.

Introduction

Hundreds of wild animal species are traded both legally and illegally to satisfy the market for exotic pets (Bush, Baker & Macdonald, 2014). Many of these species are native to tropical areas where catching them in the wild is economically more viable than captive breeding (Rosen & Smith, 2010). Although international trade is becoming widely documented (Da Silva et al., 2016; Reuter & Schaefer, 2016; Nijman et al., 2017), many exotic species are captured for the national pet trade, remaining in their countries of origin. The incidence of this trade is much more poorly documented as official recording mechanisms, such as CITES (Convention on International Trade in Endangered Species of Wild Fauna and Flora) Trade Database (UNEP World Conservation. Monitoring Centre, Cambridge, UK), are lacking, and often enforcement is limited. Illegal trade undermines the efforts of developing nations to manage their natural resources (Rosen & Smith, 2010). Unsustainable harvest of wild animals for the pet trade has already led to population decline and collapse of many species (Da Silva et al., 2016; Svensson et al., 2016). In addition, individuals in the illegal market are often handled and transported under appalling conditions, creating an animal welfare concern (Reuter & Schaefer, 2016; Fuller et al., 2017).

Wildlife trade is a growing concern for primates, a group of long-lived and slow-reproducing species. They are traded for consumption; biomedical research; for zoos, wildlife collections and the entertainment industry (Kavanagh, 1983; Nijman, 2005); as pets; for the

sale of body parts (bodies, skins, hair, and skulls) used in traditional medicine; as talismans and trophies; and for magical purposes (Alves, Souto & Barboza, 2010; Nijman et al., 2011). The CITES Trade Database from 2005–2014 reported a global primate trade of some 450,000 live individuals plus an additional 11,000 individuals in the form of body parts. More than 430,000 individuals (93%) in this trade are Asian species (Estrada et al., 2017), and thus Southeast Asia is considered as a primate trade hotspot (Nijman, 2010; Rosen & Smith 2010).

China is the second-most primate diverse country in Asia and nine species are considered endemic (Roos et al., 2014). In recent years, people's demand for wild animal products has grown substantially with the development of a consumer economy, and thus, China has become one of the world's largest consumers of wildlife products (Zhang, Hua & Sun, 2008). Primate trade of 537,480 live individuals was reported in China from 1975 to 2017 based on the CITES Trade Database. Eleven native primate species, including four macaques (*Macaca* spp.), two colobus (*Trachypithecus* spp.), two slow lorises (*Nycticebus* spp.) and three gibbons (*Hylobates* spp., *Hoolock* spp. and *Nomascus* spp.), were reported as having been illegally trafficked in China (Li et al., 2010; Hu et al., 2011; Gao, Ma & Wang, 2012; Yin, Yu & Peng, 2016).

China became CITES contracting party in 1981, requiring all internationally traded CITES-listed species to be accompanied by valid permits or certificates. The Law of Wild Animals Protection of the People's Republic of China, 1 March 1989 (LWAP) forbids the hunting, killing, trade, import or export of wild animals classified as rare or endangered unless under special circumstances (Li & Wang, 1999). Primates, except for newly described

species, are included in the Red List of China's Vertebrates Designated for Legal Protection (Table 1).

Mass media is one of the principal arenas within which issues come to the attention of decision makers, interest groups and the public (Barua, 2010). Media attention promotes conservation of primates, along with the Internet gaining importance in global wildlife trade and changing perceptions towards threatened species (Nekaris & Campbell, 2012; Roberge, 2014). Public knowledge concerning wildlife conservation can be quantified by analyzing comments and associated data posted online. Here, we aimed to measure the number of species of traded primates in news reports found by or surrendered to authorities in China, and examine trends over time and differences among regions. Furthermore, we examined public statements in the reports to evaluate how well the public could identify species in comparison with official identification in these same reports; if members of the public knew whether or not species were threatened; and also evaluated health and welfare status of the rescued or confiscated animals. These data are critical to recognize the magnitude and diversity of illegally traded primates in China, and generate suggestions for management strategies and law enforcements.

Methods

To reveal temporal variations in trade of native primate species in China, we used purposive sampling (Newing et al., 2011) to collect rescue or confiscation related news online. We considered rescuing or confiscating to be descriptions of primates surrendered to or confiscated by the authorities, hereafter referred to as rescue events. We conducted the searches in February 2018

and limited the period from January 1st 2000 to December 31st 2017, in three popular Chinese Web 2.0 search engines: Baidu, 360 and Bing. Baidu, especially, is by far the largest search engine in China, fulfilling a similar function to Google. Based on the Chinese name of each species, we entered manually the simplified Chinese key terms into each search engine (Table 1). We used ‘新闻’(news) category to select news articles and filtered the articles related to rescue events using keywords ‘救护’ (rescue) or ‘查获’ (seize) or ‘没收’ (confiscate). Given the effects of search engine algorithms and previous search history on the results, we expected the potential bias could be reduced by cross validation of the three search engines. We combined all the news reports and excluded repetitive news based on date, site and media source.

Each report included various identification of the species included in the rescue event. These identifications were made by the public (public recognition), or an official who carried out the rescuing event, which was considered the official identification (Fig. 1). We categorized the public recognition as unrecognized; primate (but not to species); or species level identification (Table 2). Based on information provided in the news reports, especially photographs, we assessed the taxonomic status to compare with the official identification. Frequency in different categories of public recognition and accuracy of official identification were used as proxies for public knowledge. We followed the primate taxonomy as listed in *The Handbook of the Mammals of the World*, Volume 3 (Primates), and original accounts for two taxa not included in that resource (*Macaca leucogenys* - Li, Zhao & Fan, 2015; *Hoolock tianxing* - Fan et al., 2017).

We collected information in each news report on date of rescue or confiscation, number of individuals, location of rescue (e.g. field, market, residential area or transporting vehicles),

physical condition of rescued individuals (e.g. healthy, unhealthy, injured or dead), and whereabouts of the individuals after being rescued (e.g. zoo, wildlife rescue centre, released into wild, or unreported) (Table 2; Fig. 1). China's primates are naturally distributed in 21 of 34 provincial-level administrative units (PLAUs), with four provinces in west and southwest China (Yunnan = 15 species, Guangxi = 8 species, Tibet = 8 species, Guizhou = 6 species), containing the highest diversity (Fig. 2(A)). We also recorded provinces where news was/had been reported to determine distribution of rescuing (Fig. 1).

For an overview of international trade, we examined data from the CITES Trade Database, which provided all records of import, export and re-export of CITES-listed species. The data were downloaded in May 2018 and 'year range' were limited from 2000 to 2016 with 2016 being the last year for which data were available. We searched live (LIV) animals in Order Primates traded with all sources and purposes, and focused on 27 indigenous primate species in China (Table 1). The data implicating China as importer and exporter were combined to obtain number of individuals traded per year for each species.

We divided the time span from 2000 to 2017 into three sections: 2000-2005, 2006-2011 and 2012-2017, and used Kruskal-Wallis non-parametric test to examine variations over periods in rescuing frequency. To measure temporal trends of public knowledge about primate conservation, Kruskal-Wallis test was also used to compare the proportion of each description category in three time sections towards those species which were reported in more than six years. We calculated the Shannon-Wiener Index ($H = -\sum_i^S p_i \ln p_i$) and Pielou Index ($E = H/\ln S$) for each year to evaluate diversity and evenness of primates reported, where S = total number of species recorded

in a given year, p_i = the proportion of individuals belonging to i th species. Spearman's Rank Correlation Coefficient was used to analyze annual variations of diversity and evenness. All the tests were two-tailed and a threshold for significance was $p < 0.05$.

Results

Temporal variations of primate rescuing frequency in China

We filtered 372 valid news reports based on the topics of rescuing and confiscation, including 735 individuals of 14 primate species (Table 1; Fig. 3). The Bengal slow loris (*Nycticebus bengalensis*) was the most reported species with 329 (44.8%) individuals, followed by the rhesus macaque (*Macaca mulatta*, 165 individuals, 22.5%) and the pygmy slow loris (*N. pygmaeus*, 158, 21.5%), while 13 of 27 primate species distributed in China were never reported (Fig. 3). We recorded rescue events of Bengal and pygmy slow lorises every year during the 2000-2017 period. Rhesus macaque rescue events were reported in 10 years (2005, 2007, 2010-2017) and the Tibetan macaque (*M. thibetana*) in recent seven years (2011-2017). The rescue news related to other species, however, was individually reported in no more than six years. The diversity index increased significantly over time (Spearman's rank Correlation Coefficient, $\rho=0.862$, $p<0.001$, $N=18$), as well as evenness ($\rho=0.488$, $p=0.040$, $N=18$). Primate rescue frequency tended to increase during the last six years from 2012 to 2017 (Fig. 4(A)) while number of news reports specifically on slow lorises fluctuated between years (Fig. 4(B)).

Comparatively, an average of 4219 ± 1618 live individuals of native primate species per year, including ten species in total, were recorded in CITES Trade Database from 2000 to 2016 (Fig. 4(C)). The rhesus macaque contributed most of these internationally traded individuals (70,949,

98.6%, 206 records), followed by the stump-tailed macaque (*M. arctoides*, 726, 1.0%, 3 records). Nine individuals (4 records) of slow lorises and none of Tibetan macaques and were reported in CITES Trade Database over the studied period.

Location and provincial distribution of rescuing news reports

Among 372 rescue events recorded, 211 (56.7%) reports were located in residential areas, followed by 70 (18.8%) in wild areas, 54 (14.5%) during transporting and 37 (9.9%) in the market. The proportion of market rescues was significantly higher in 2006-2011 than the other time sections but fewer individuals were rescued from markets in 2000-2005 based on the reports ($\chi^2=8.485$, $df=2$, $p=0.014$), especially for Bengal slow lorises ($\chi^2=11.832$, $df=2$, $p=0.003$) and rhesus macaques ($\chi^2=9.544$, $df=2$, $p=0.008$).

Primate rescuing news covered more than 190 counties in 29 PLAUs throughout China (Fig. 2(B)), with a considerable proportion of rescuing events (130, 36.9%) taking place in Yunnan province, followed by Guangdong (33, 9.4%) and Guangxi (26, 7.4%). The rescuing news related to slow lorises occurred in 26 PLAUs (Fig. 2(C)), while rhesus macaques rescues was reported in 21 PLAUs, and other species were not individually reported in more than seven PLAUs. It is noteworthy that data from Taiwan (4), Hong Kong (1) and Macau (0) were limited due to unpopular use of simplified Chinese.

Physical conditions and whereabouts of individuals rescued

We found that more than half (68.3%, 502 individuals) of the primate individuals were unhealthy, injured or dead when rescued. Of 105 individuals whose injuries were specified, most

(40, 38.1%) were suffering from leg wounds. The proportion of healthy individuals rescued was significantly lower in 2006-2011 than the other two time periods ($\chi^2=6.140$, $df=2$, $p=0.046$).

The percentage of healthy individuals varied significantly over time in Bengal slow lorises ($\chi^2=6.579$, $df=2$, $p=0.037$) and Tibetan macaques ($\chi^2=9.563$, $df=2$, $p=0.008$), as well as the percentage of injured individuals in pygmy slow lorises ($\chi^2=8.503$, $df=2$, $p=0.014$), rhesus macaques ($\chi^2=8.812$, $df=2$, $p=0.012$) and Tibetan macaques ($\chi^2=9.563$, $df=2$, $p=0.008$). The whereabouts of the individuals after being rescued were often unreported (116, 31.2%), followed by 'wildlife rescue centre' (91, 24.5%), field (86, 23.1%), and zoo (79, 21.2%).

Species recognition

The individuals in nearly half of rescuing events (158, 42.5%) were recognized as primates by the public, and the individuals in 112 events (30.1%) were recognized as a specific species (Table 3). The public could not recognize the animals or referred to primates in 102 events (27.4%). The public recognitions of the Bengal slow loris was consistent with the pygmy slow loris over the three time periods. The proportion of rescuing events in which the individuals could be recognized to a species level by the public varied over time for the rhesus macaque ($\chi^2=6.733$, $df=2$, $p=0.035$) and the recognition percentage of individuals identified as 'primates' varied significantly for the Tibetan macaque ($\chi^2=9.389$, $df=2$, $p=0.009$).

The official recognition was reported to species level in all of the news reports, but species in 14.5% (32/220) of news including photos were incorrectly identified (Table 3). The pygmy slow loris, which was usually recognised as the Bengal slow loris, contributed most (26/32, 81.3%) to these wrong identifications. All the other incorrect identifications (6) were related to species of

207 Genus *Macaca* (Table 3), especially for rhesus macaques (3) and Tibetan macaques (2).

208

209 Discussion

210 Public knowledge towards illegal primate trade in China

211 For certain native primate species in China, few individuals were traded internationally based
212 on the CITES Trade Database, whilst rescuing or confiscating news reports revealed that they were
213 frequently traded in domestic areas. In addition, the lower frequency of rescuing or confiscating
214 and a focus on web news mean that the number of individuals traded might be underreported.
215 Thus, it could be argued that a large amount of illegal trade at national level, especially for Bengal
216 and pygmy slow lorises, appeared to be underrepresented by official data. Rhesus macaques
217 composed a large proportion of rescuing reports, which was consistent with the fact that it is the
218 most abundant primate species in China, and widely traded or housed for biomedical purpose
219 (Bontrop, 2001; Fan & Song, 2003). Given the extensive captive breeding throughout China (Fan
220 & Song, 2003), a large number of animals of rhesus and Tibetan macaques rescued may be
221 originally from captive populations. Without any breeding centre in China, not to mention
222 internationally, probably all slow lorises were wild-captured and trafficked illicitly.

223 More than half of the primates in the rescuing news were located in residential areas,
224 indicating that they had probably escaped from households where they were kept as pets.
225 Furthermore, in 65% of reports only a single individual was rescued or confiscated, underlining
226 that the animals were the end-point of trade chain, and had presumably been trafficked several
227 times before being housed (Duarte-Quiroga & Estrada, 2003). The Chinese government has

markedly strengthened management of wildlife markets since outbreak of SARS in 2003, which was considered to originate from small wild animals (Zhong, 2004), likely explaining the significant increase of primates rescued from markets during 2006-2011. Illegal trade related to wildlife markets has declined during recent years, and large specialized traditional open markets tend to be replaced by underground trade networks, in particular, the booming online trade on social media (Xiao, Guan & Xu, 2017). Eight online transactions of slow lorises, were detected and penalized based on web news from 2011 to 2017, but only two reports before 2010s.

Spatial variation in rescuing frequency associated with wildlife trade

Frequency of rescuing news on primate species varied remarkably between PLAUs, which indicates a significantly heterogeneous illegal trade distribution across China. A bulk of rescuing events took place in southwestern PLAUs, including Yunnan, Guangxi, Guizhou, Tibet and Sichuan. This is consistent with the highest primate diversity in this area, where more than 92% of the total species in China are distributed and 78% are endemic. In addition, these areas are situated near Southeast Asia, which is a hotspot for global biodiversity (Myers et al., 2000; Sodhi et al., 2010) and wildlife trade (Nijman, 2010). Yunnan and Guangxi, in particular, share long borders with Vietnam, Myanmar and Laos, and are considered as one of the major entrances for wildlife trafficking from neighboring nations (Li & Li, 1998; Shepherd & Nijman, 2007; Zhang, Hua & Sun, 2008).

Guangdong province is one of the main destinations for smuggling and the largest wildlife markets (Zhang, Hua & Sun, 2008; Chow, Cheung & Yip, 2014), making it another possible hotspot of primate trade. Along with Guangdong, Beijing, Shandong and Zhejiang are among the

most developed PLAUs in China and contributed a lot to the illegal wildlife trade (Li & Lu, 2014; Yu et al., 2017). Zhang and Yin (2014) found that consumers with higher income background were having higher wildlife consumption rate, suggesting that financial strength increases people's propensity to consume wild animals. To support this point, few primate rescues were reported in northwestern PLAUs, the less developed regions in China. The lower primate trade rate observed in northwest and northeast may also result from a long distance from source areas. With the expansion of online trade in recent years, the trafficking sites have become increasingly extensive and scattered, and the distance between sources and the point of retail tend to be greater (Zhang, Hua & Sun, 2008).

Challenges of welfare and captive management in primate rescuing

Primate individuals were mostly sent to zoos, rescue centres or released into the wild after being rescued. For a considerable number of animals (116, 31.2%), we were unable to extrapolate their final destinations from the news reports. Given the scattered sites, it was not surprising that all the individuals were rescued by local forestry staff, who might encounter difficulties during rescuing, such as species identification. Lack of discrimination in the trade, especially in morphology, combined with unresolved taxonomic issues, impedes assessing each taxon's potential vulnerability to trade (Vonk & Wüester, 2006; Nekaris & Jaffe, 2007; Nekaris & Nijman, 2007). Genetic, vocalisation and behavioural analyses are essential for rescue and release programmes, yet may be beyond the capabilities for some facilities (Mootnick, 2006). As a consequence, the pygmy slow loris was usually confused with the Bengal slow loris, and the two species were thus housed and released indiscriminately. Limited understanding of slow lorises

taxonomy throughout their distribution ranges confounded attempts to reintroduce these animals, or hold and breed them in captive facilities (Nekaris & Starr, 2015).

Primates have specific physiological, physical, social and nutritional requirements, and it is unlikely that the welfare of pet animals can be adequately addressed in normal households (Soulsbury et al., 2009). Captive primates, including those in zoos and rescue centres, have been commonly observed to suffer from incorrect diet, wounds or disease, unnatural environment, and fear or distress (Duarte-Quiroga & Estrada, 2003; Hevesi, 2005; Nekaris et al., 2010). Specialist needs of primate species also mean that they might experience elevated mortality and perish quickly in captivity (Fitch-Snyder, Schulze & Larsson, 2000). More than one third of individuals of slow lorises, died within the first six months in rescue centres in southern Yunnan (Ni, person. com.). Hence, for many rescue institutions, immediate re-release is often considered as preferable (Nekaris & Jaffe, 2007). The problem of rehabilitating captive animals without regard to genetic and ecological assessments, geographic distribution, and monitoring has become another difficult issue that remains to be resolved (Duarte-Quiroga & Estrada, 2003; Nekaris & Starr, 2015). The individuals in all the 41 news reports related to release were reintroduced into wild directly during 18-year periods, by the local authorities without preparation and training involved, indicating that hard release has been rampant in primate rescuing throughout China. This might lead to high mortality of animals released (Moore & Nekaris, 2014) or endanger wild populations and other animals with disease transmission (Wallis & Lee, 1999), thus, becoming a useless conservation plan.

Implications for primate conservation in China

Accurate measures of wildlife trade are essential to devising sound conservation decisions, yet collection and quality control of such data are challenging (Thomas et al., 2006). The database generated by CITES offers an unparalleled opportunity to analyse international trade in species of conservation concern (Foster, Wiswedel & Vincent, 2016). However, the present official statistics have limited capabilities in representing species illegally harvested and traded (Phelps & Webb, 2015), especially for those trafficked at national or regional level. Therefore, taking these data at face value can sometimes distort the perceived risk of wildlife exploitation and lead to misallocation of resources and ineffective conservation efforts (Thomas et al., 2006; Robinson & Sinovas, 2018). As a case study, the discrepancy between few CITES trade records and massive rescuing news reports of slow lorises in China emphasize a need of more reliable and comprehensive understanding of some species, and calls for a harmonized mechanism in estimating national and regional wildlife trade.

The success of wildlife conservation largely depends on public perspective, as well as assessment of causes that influence their outlook (Wilson & Tisdell, 2007; Lindemann-Matthies & Bose, 2008). Media reports indicate that public knowledge towards primates in China varied between species. Macaques, along with leaf monkeys and snub-nosed monkeys, represented the typical image of ‘monkeys’ (i.e. primates), in a broad sense, and were well known for the general public in China. The famous Monkey King, Sun Wukong, for instance, was considered to be originated from these species (Qin, 2010). Similarly, though mysterious in deep forests, gibbons historically occurred in many poems and paintings and were rich in symbolic meanings (Geissmann, 2008; Zhang, 2015), whereas slow lorises played a minimal role in Chinese culture.

Few relevant publications, combined with limited distribution areas in the southwest, has resulted in them being the least known primates within the country. Chinese people usually judge animals by ethical standards and emphasize the creature's usefulness to humans, but ignore the physical characteristics of the animals (Zhang, 2015), leading to a series of misunderstanding on slow lorises. One of slow lorises' perceived uses to treat epilepsy—called 'mad sheep disease' by local communities—in traditional Chinese medicine, as a result, was mostly attributed to confusing Chinese common names with similar pronunciation (feng) among '疯' (mad)-, '风' (wind)- and '蜂' (bee)-猴 (monkey).

Given the clandestine illegal trade of primates based on web news reports, it can be concluded that monitoring systems of wildlife trade within China are insufficient, and there is an urgent need for initiatives to make regulatory mechanisms more effective (Zhang, Hua & Sun, 2008; Nijman, 2010). A common problem in the enforcement of legislation to protect animals from illegal trade is the inability to identify species due to inadequate funding, education and staffing. Recommendations to address these areas should include identification-training initiatives and capacity-building work (Li & Wang, 1999). In addition, it is highly recommended that an approach concerning awareness initiatives and education programs should be developed towards the public to make them more conscious about the illegal wildlife trade, with the final intention of discouraging the consumers to buy wildlife products.

By 2008, 40 primate-breeding centres in China contained over 40,000 individuals, mostly rhesus macaques, and the number has been steadily increasing in recent years (Jiang et al., 2015; Cyranoski, 2016). It is necessary to strengthen captive management and improve animal welfare,

which was still inconsistent and rudimentary, since the concept has been introduced into mainland China only in the last few decades (Lu, Bayne & Wang, 2013). The authorities should accelerate the legislative process and provide animal welfare education to the public, as well as training to husbandry and veterinary professionals.

The demand for pet primates, together with habitat loss and fragmentation, exerts a significant pressure on wild populations. In particular, slow lorises are perceived as suitable pets by both buyers and sellers due to their ‘cute and cuddly’ appeal, and have been one of the most popular primate taxa in wildlife markets (Nekaris, 2014). The widespread illegal trade in China seems to be incompatible to their restricted distributions, high threat category, and poor public knowledge. Taking into account their small and declining wild population, it is urgent to take actions for conservation of this neglected and threatened primate taxon.

Conclusion

We have presented a novel data on primate trade within China based on web news reports regarding rescuing or confiscating. The results indicate that some native primate species, particularly Bengal and pygmy slow lorises, are threatened by domestic illegal trade, which appears to be ‘unrecognized’ in official channels, and lack of public knowledge impedes efforts to conserve these species effectively. In spite of potential bias in search results caused by search engine algorithms and manual filtering, and lack of the firsthand data from authorities, zoos or wildlife rescue centres, we expect this study could facilitate the initial steps to raise public awareness on primate trade in China, especially for slow lorises.

Acknowledgements

We are grateful to Vincent Nijman, Marika Roma, Kathleen Reinhardt, Cristy Jasso, Miguel Guinea and Eleonora Favilli for their comments on the manuscript.

References

Alves RRN, Souto WMS, Barboza RRD. 2010. Primates in traditional folk medicine: a world overview. *Mammal Review* 40:155-180.

Barua M. 2010. Whose issue? Representations of human-elephant conflict in Indian and international media. *Science Communication* 32:55-75.

Bontrop RE. 2001. Non-human primates: essential partners in biomedical research. *Immunological Reviews* 183:5-9.

Bush ER, Baker SE, Macdonald DW. 2014. Global trade in exotic pets 2006-2012. *Conservation Biology* 28:663-676.

Chow AT, Cheung S, Yip PK. 2014. Wildlife markets in South China. *Human-Wildlife Interactions* 8:108

Cyranoski D. 2016. Monkey kingdom: China is positioning itself as a world leader in primate research. *Nature* 532:300-302.

Da Silva FA, Canale GR, Kierulff MCM, Duarte GT, Paglia AP, Bernardo CS. 2016. Hunting, pet trade, and forest size effects on population viability of a critically endangered Neotropical primate, *Sapajus xanthosternos* (Wied-Neuwied, 1826). *American Journal of Primatology* 78:950-960.

Duarte-Quiroga A, Estrada A. 2003. Primates as pets in Mexico City: an assessment of the species involved, source of origin, and general aspects of treatment. *American Journal of Primatology*

- 375 61:53-60.
- 376 Estrada A, Garber PA, Rylands AB, Roos C, Fernandezduque E, Fiore A D, Nekaris KAI, Nijman
377 V, Heymann EW, Lambert JE, Rovero F, Barelli C, Setchell JM, Gillespie TR, Mittermeier
378 RA, Arregoitia LV, Guinea M, Gouveia S, Dobrovolski R, Shanee S, Shanee N, Boyle SA,
379 Fuentes A, MacKinnon KC, Amato KR, Meyer ALS, Wich S, Sussman RW, Pan R, Kone I,
380 Li BG. 2017. Impending extinction crisis of the world's primates: why primates matter.
381 *Science Advances* 3, e1600946.
- 382 Fan PF, He K, Chen X, Ortiz A, Zhang B, Zhao C, Li YQ, Zhang HB, Kimock C, Wang WZ,
383 Groves C, Turvey ST, Roos C, Helgen KM, Jiang XL. 2017. Description of a new species of
384 hoolock gibbon (Primates: Hylobatidae) based on integrative taxonomy. *American Journal*
385 *of Primatology* 79, e22631.
- 386 Fan ZY, Song YL. 2003. Chinese primate status and primate captive breeding for biomedical
387 research in China. In: National Research Council of the National Academies International
388 Perspectives: The Future of Nonhuman Primate Resources, Proceedings of the Workshop
389 Washington DC: The National Academies Press, p36-45.
- 390 Fitch-Snyder H, Schulze H, Larsson L. 2000. Husbandry manual for Asian lorises (*Nycticebus*
391 and *Loris* spp.). San Diego, CA: Zoological Society of San Diego.
- 392 Foster S, Wiswedel S, Vincent A. 2016. Opportunities and challenges for analysis of wildlife trade
393 using CITES data—seahorses as a case study. *Conservation: Marine and Freshwater*
394 *Ecosystems* 26:154-172.
- 395 Fuller G, Eggen WF, Wirdateti W, Nekaris KAI. 2017. Welfare impacts of the illegal wildlife trade

- 396 in a cohort of confiscated greater slow lorises, *Nycticebus coucang*. *Journal of Applied*
397 *Animal Welfare Science* 21:224-238.
- 398 Gao S, Ma JZ, Wang KL. 2012. Investigation on wild animal resources involved in the border area
399 of Western Yunnan. *Chinese Journal of Wildlife* 33:158-162.
- 400 Geissmann T. 2008. Gibbon paintings in China, Japan, and Korea: historical distribution,
401 production rate and context. *Gibbon Journal* 4:1-38.
- 402 Hevesi R. 2005. Welfare and health implications for primates kept as pets. In: Born to be wild:
403 primates are not pets. International Fund for Animal Welfare, London, p18-29.
- 404 Hu SJ, Peng JJ, Yu DM, Wang LL. 2011. Analysis on illegal trade of wild mammals in Southern
405 China. *Sichuan Journal of Zoology* 30: 293.
- 406 Jiang ZG, Ma Y, Wu Y, Wang YX, Zhou KY, Liu SY, Feng ZJ. 2015. China's mammal diversity
407 and geographic distribution. Beijing: Science Press, p142.
- 408 Kavanagh M. 1983. A complete guide to monkeys, apes, and other primates. London: Jonathan
409 Cape.
- 410 Li C, Zhao C, Fan PF. 2015. White-cheeked macaque. (*Macaca leucogenys*): a new macaque
411 species from Modog, southeastern Tibet. *American Journal of Primatology* 77:753-766.
- 412 Li J, Lu Z. 2014. Snow leopard poaching and trade in China 2000–2013. *Biological conservation*
413 176:207-211.
- 414 Li W, Wang H. 1999. Wildlife trade in Yunnan Province, China, at the border with Vietnam.
415 *TRAFFIC Bulletin* 18:21-30.
- 416 Li YB, Wei ZY, Zou Y, Fan DY, Xie JF. 2010. Survey of Illegal Smuggles of Wildlife in Guangxi.

- 417 *Chinese Journal of Wildlife* 31:280-284.
- 418 Li YM, Li DM. 1998. The dynamics of trade in live wildlife across the Guangxi border between
419 China and Vietnam during 1993–1996 and its control strategies. *Biodiversity and*
420 *Conservation* 7:895-914.
- 421 Lindemann-Matthies P, Bose E. 2008. How many species are there? Public understanding and
422 awareness of biodiversity in Switzerland. *Human Ecology* 36:731-742.
- 423 Lu J, Bayne K, Wang J. 2013. Current status of animal welfare and animal rights in china. *ATLA*
424 41:351-357.
- 425 Moore R, Nekaris KAI. 2014. Compassionate conservation, rehabilitation and translocation of
426 Indonesian slow lorises. *Endangered Species Research* 26:93-102.
- 427 Mootnick AR. 2006. Gibbon (Hylobatidae) species identification recommended for rescue or
428 breeding centres. *Primate Conservation* 21:103-138.
- 429 Myers N, Mittermeier RA, Mittermeier CG, Da Fonseca GA, Kent J. 2000. Biodiversity hotspots
430 for conservation priorities. *Nature* 403:853.
- 431 Nekaris KAI, Campbell N. 2012. Media attention promotes conservation of threatened Asian slow
432 lorises. *Oryx* 46:169-170.
- 433 Nekaris KAI, Jaffe S. 2007. Unexpected diversity of slow lorises (*Nycticebus* spp.) within the
434 Javan pet trade: implications for slow loris taxonomy. *Contributions to Zoology* 76:187-196.
- 435 Nekaris KAI, Nijman V. 2007. CITES proposal highlights rarity of Asian nocturnal primates
436 (Lorisidae: *Nycticebus*). *Folia Primatologica* 78:211-214.
- 437 Nekaris KAI, Shepherd CR, Starr CR, Nijman V. 2010. Exploring cultural drivers for wildlife

- trade via an ethnoprimateological approach: a case study of slender and slow lorises (*Loris* and
Nycticebus) in South and Southeast Asia. *American Journal of Primatology* 72:877-886.
- Nekaris KAI, Starr CR. 2015. Conservation and ecology of the neglected slow loris: priorities and
prospects. *Endangered Species Research* 28:87-95.
- Nekaris KAI. 2014. Extreme primates: Ecology and evolution of Asian lorises. *Evolutionary
Anthropology: Issues, News, and Reviews* 23:177-187.
- Newing H, Eagle C, Puri R, Watson CW. 2011. Conducting Research in Conservation: A Social
Science Perspective. Routledge.
- Nijman V, Nekaris KAI, Donati G, Bruford M, Fa J. 2011. Primate conservation: measuring and
mitigating trade in primates. *Endangered Species Research* 13:159-161.
- Nijman V, Spaan D, Rode-Margono EJ, Nekaris K. 2017. Changes in the primate trade in
Indonesian wildlife markets over a 25-year period: Fewer apes and langurs, more macaques,
and slow lorises. *American Journal of Primatology* 79:e22517.
- Nijman V. 2005. In full swing: an assessment of trade in orangutans and gibbons on Java and Bali,
Indonesia. Petaling Jaya, Selangor, Malaysia: TRAFFIC Southeast Asia.
- Nijman V. 2010. An overview of international wildlife trade from Southeast Asia. *Biodiversity
and Conservation* 19:1101-1114.
- Phelps J, Webb EL. 2015. “Invisible” wildlife trades: Southeast Asia’s undocumented illegal trade
in wild ornamental plants. *Biological Conservation* 186:296-305.
- Qin R. 2010. Exploratory research of images of Chinese apes and monkeys. Straits Literature and
Art Press, Fuzhou.

- 459 Reuter KE, Schaefer MS. 2016. Captive conditions of pet lemurs in Madagascar. *Folia*
460 *Primatologica* 87:48-63.
- 461 Roberge JM. 2014. Using data from online social networks in conservation science: which species
462 engage people the most on Twitter? *Biodiversity and Conservation* 23:715-726.
- 463 Robinson JE, Sinovas P. 2018. Challenges of analyzing the global trade in CITES - listed wildlife.
464 *Conservation Biology* doi.org/10.1111/cobi.13095.
- 465 Roos C, Boonratana R, Supriatna J, Fellowes JR, Groves CP, Nash SD, Rylands AB, Mittermeier
466 RA. 2014. An updated taxonomy and conservation status review of Asian primates. *Asian*
467 *Primates Journal* 4:2-38.
- 468 Rosen GE, Smith KF. 2010. Summarizing the evidence on the international trade in illegal wildlife.
469 *EcoHealth* 7:24-32.
- 470 Shepherd C, Nijman V. 2007. An assessment of wildlife trade at Mong La market on the Myanmar-
471 China border. *Traffic Bulletin* 21:85-88.
- 472 Sodhi NS, Posa MRC, Lee TM, Bickford D, Lian PK, Brook BW. 2010. The state and conservation
473 of Southeast Asian biodiversity. *Biodiversity and Conservation* 19:317-328.
- 474 Soulsbury CD, Lossa G, Kennell S, Harris S. 2009. The welfare and suitability of primates kept as
475 pets. *Journal of Applied Animal Welfare Sciences* 12:1-20.
- 476 Svensson MS, Shanee S, Shanee N, Bannister FB, Cervera L, Donati G, Huck M, Jerusalinsky L,
477 Juarez CP, Maldonado AM, Mollinedo JM. 2016. Disappearing in the night: An overview on
478 trade and legislation of night monkeys in South and Central America. *Folia Primatologica*
479 87:332-348.

- 480 Thomas PO, Albert MR, Blundell AG, Mascia MB. 2006. Data on wildlife trade. *Conservation*
481 *Biology* 20:597-599.
- 482 Vonk FJ, Wüster W. 2006. Roles of CITES in protecting new species. *Science* 313:915-916.
- 483 Wallis J, Lee DR. 1999. Primate conservation: the prevention of disease transmission.
484 *International Journal of Primatology* 20:803-826.
- 485 Wilson C, Tisdell C. 2007. How knowledge affects payment to conserve an endangered bird.
486 *Contemporary Economic Policy* 25:226-237.
- 487 Xiao Y, Guan J, Xu L. 2017. Traffic wildlife cybercrime in China: E-commerce and social media
488 monitoring in 2016. Traffic Briefing Paper.
- 489 Yin X, Yu JY, Peng J. 2016. The list of wild mammals of illegal trade in china. *Agricultural*
490 *Science & Technology* 17:149-151.
- 491 Yu Y, Wetzler A, Yang X, Tang R, Zhang L. 2017. Significant and timely ivory trade restrictions
492 in both China and the United States are critical to save elephants. *Conservation Letters*
493 10:596-601.
- 494 Zhang L, Hua N, Sun S. 2008. Wildlife trade, consumption and conservation awareness in
495 southwest China. *Biodiversity and Conservation* 17:1493-1516.
- 496 Zhang L, Yin F. 2014. Wildlife consumption and conservation awareness in China: a long way to
497 go. *Biodiversity and Conservation* 23:2371-2381.
- 498 Zhang P. 2015. Good gibbons and evil macaques: a historical review on cognitive features of non-
499 human primates in Chinese traditional culture. *Primates* 56:215-225.
- 500 Zhong NS. 2004. Management and prevention of SARS in China. *Philosophical Transactions of*

501 *the Royal Society of London B: Biological Sciences* 359:1115-6.

Table 1(on next page)

Number of rescuing events and rescued individuals of native primates in China during three periods based on web news search

1

| Species | Chinese name | Key items for searching | Conservation status ^b | | | No. of rescuing events (individuals) | | |
|------------------------------------|--------------|-------------------------|----------------------------------|-------|------|--------------------------------------|-----------|-----------|
| | | | IUCN | CITES | NPWA | 2000-2005 | 2006-2011 | 2012-2017 |
| <i>Nycticebus bengalensis</i> | 蜂猴 | ‘懒猴’ or ‘蜂猴’ | VU | I | I | 19(30) | 68(139) | 91(160) |
| <i>N. pygmaeus</i> | 倭蜂猴 | ‘懒猴’ or ‘蜂猴’ | VU | I | I | 11(46) | 29(51) | 40(61) |
| <i>M. mulatta</i> | 猕猴 | ‘猕猴’ | LC | II | II | 1(1) | 6(20) | 50(144) |
| <i>M. cyclopis</i> | 台湾猕猴 | ‘猕猴’ | LC | II | I | 0 | 0 | 5(7) |
| <i>M. leucogenys</i> | 白颊猕猴 | ‘猕猴’ | VU | - | - | 0 | 0 | 0 |
| <i>Macaca leonina</i> | 北豚尾猴 | ‘豚尾猴’ or ‘平顶猴’ | VU | II | I | 0 | 0 | 2(6) |
| <i>M. munzala</i> | 达旺猴 | ‘达旺猴’ | EN | II | - | 0 | 0 | 0 |
| <i>M. assamensis</i> | 熊猴 | ‘熊猴’ | NT | II | I | 0 | 1(1) | 7(7) |
| <i>M. thibetana</i> | 藏酋猴 | ‘藏酋猴’ or ‘藏猕猴’ | NT | II | II | 0 | 1(1) | 13(15) |
| <i>M. arctoides</i> | 短尾猴 | ‘短尾猴’ or ‘红面猴’ | VU | II | I | 0 | 2(2) | 10(11) |
| <i>Rhinopithecus roxellana</i> | 川金丝猴 | ‘金丝猴’ or ‘仰鼻猴’ | EN | II | I | 1(1) | 2(2) | 4(6) |
| <i>R. bieti</i> | 滇金丝猴 | ‘金丝猴’ or ‘仰鼻猴’ | EN | II | I | 1(1) | 0 | 1(1) |
| <i>R. brelichi</i> | 黔金丝猴 | ‘金丝猴’ or ‘仰鼻猴’ | EN | II | I | 0 | 0 | 0 |
| <i>R. strykeri</i> | 缅甸金丝猴 | ‘金丝猴’ or ‘仰鼻猴’ | CR | - | - | 0 | 0 | 0 |
| <i>Semnopithecus schistaceus</i> | 长尾叶猴 | ‘长尾叶猴’ | LC | I | I | 0 | 0 | 1(2) |
| <i>Trachypithecus shortridgei</i> | 萧氏叶猴 | ‘叶猴’ | EN | I | I | 0 | 0 | 0 |
| <i>T. pileatus</i> | 带帽叶猴 | ‘叶猴’ | VU | I | I | 0 | 0 | 0 |
| <i>T. phayrei</i> ^a | 菲氏叶猴 | ‘叶猴’ | EN | II | I | 0 | 0 | 0 |
| <i>T. crepusculus</i> ^a | 印支灰叶猴 | ‘叶猴’ | EN | II | I | 0 | 0 | 0 |
| <i>T. poliocephalus</i> | 白头叶猴 | ‘叶猴’ | CR | II | I | 0 | 0 | 0 |
| <i>T. francoisi</i> | 黑叶猴 | ‘叶猴’ | EN | II | I | 1(1) | 2(2) | 1(14) |
| <i>Hoolock tianxing</i> | 高黎贡白眉长臂猿 | ‘长臂猿’ | CR | - | - | 0 | 0 | 1(1) |
| <i>Hylobates lar</i> | 白掌长臂猿 | ‘长臂猿’ | EW | I | I | 0 | 0 | 1(2) |
| <i>Nomascus leucogenys</i> | 北白颊长臂猿 | ‘长臂猿’ | EW | I | I | 0 | 0 | 0 |

| | | | | | | | | |
|--------------------|--------|-------|----|---|---|---|---|---|
| <i>N. nasutus</i> | 东黑冠长臂猿 | ‘长臂猿’ | CR | I | I | 0 | 0 | 0 |
| <i>N. concolor</i> | 西黑冠长臂猿 | ‘长臂猿’ | CR | I | I | 0 | 0 | 0 |
| <i>N. hainanus</i> | 海南长臂猿 | ‘长臂猿’ | CR | I | I | 0 | 0 | 0 |

2 a The two species shared the same data since they were separated recently. b Conservation status, IUCN red list category: CR, Critically Endangered, EN, Engangered, VU,

3 Vulnerable, NT, Near Threatened, LC, Least Concern, EW, Extinct in the Wild; CITES Appendix I and II; NPWAs, National Protected Wild Animals Category I and II.

Table 2 (on next page)

Categories into which we placed contents, example descriptions in the news reports for each type

1

| Type | Category | Descriptions in the reports |
|---------------------|------------------------|---|
| Physical conditions | Healthy | “Lively”, “ healthy”, “ normal physical”, “ have a good mental condition”, “ No injuries and normal eating” |
| | Unhealthy | “Hair loss”, “dermatopathya” , “unmoved, shivering, or full of fear” , “weak” , “ undernourished” |
| | Injured | Visible wounds on the body |
| | Dead | Died during rescuing; corpse |
| Public recognition | Species | Mention its Chinese name |
| | Primate | “Like a monkey” |
| | Unrecognized | “Animal”“can’t recognize” |
| Whereabouts | Zoo | Be sent to a zoo or park |
| | Wildlife Rescue Center | Be sent to a wildlife rescue center |
| | Wild | Release to a nature reserve, forest area or suitable habitat area |
| | Unreported | No related statements |
| Location | Field | On the tree or ground near the forest |
| | Residential area | In the building or on the road of residential area |
| | Transporting | In the process of transportation, such as vehicles |
| | Market | Bird and flower market, agricultural markets, or pet shops |

2

3

Table 3(on next page)

Frequency in different categories of public recognition (n=372) and accuracy of official recognition based on taxonomic assessments of photographs provided by the news reports (n=220)

1

| Species | Public recognition | | | Official recognition | |
|----------------------------------|--------------------|----------|--------------|----------------------|-----------|
| | Species | Primates | Unrecognized | Correct | Incorrect |
| <i>Nycticebus bengalensis</i> | 68 | 42 | 68 | 85 | 0 |
| <i>Nycticebus pygmaeus</i> | 30 | 20 | 30 | 26 | 26 |
| <i>Macaca leonina</i> | | 2 | | 1 | 1 |
| <i>Macaca mulatta</i> | 9 | 46 | 2 | 41 | 3 |
| <i>Macaca assamensis</i> | 1 | 7 | | 6 | 0 |
| <i>Macaca cyclopis</i> | | 5 | | 4 | 0 |
| <i>Macaca thibetana</i> | | 12 | 2 | 6 | 2 |
| <i>Macaca arctoides</i> | | 12 | | 9 | 0 |
| <i>Rhinopithecus roxellana</i> | 1 | 6 | | 4 | 0 |
| <i>Rhinopithecus bieti</i> | 1 | 1 | | 1 | 0 |
| <i>Semnopithecus schistaceus</i> | | 1 | | 0 | 0 |
| <i>Trachypithecus francoisi</i> | | 4 | | 3 | 0 |
| <i>Hylobates lar</i> | 1 | | | 1 | 0 |
| <i>Hoolock tianxing</i> | 1 | | | 1 | 0 |

Figure 1

A typical example of data collection from a Chinese online news report of a rescue event (http://yn.xinhuanet.com/2016hot/20160623/3225860_m.html)

D: Description in the news report; T: Type of the news description; C: Category of the description type. We identified the rescued animal in this news report as the pygmy slow loris based on the photograph, and thus the official recognition (the Bengal slow loris) was considered to be incorrect. The copyright of this news report belongs to Yunnanxinxibao

D: 23rd June, 2016
T: Date of the news report

D: Xundian
T: Distribution of rescue events
C: Yunnan Province

D: wetland park
T: Location
C: Residential area

D: Yunnan wildlife rescue centre
T: Whereabout
C: Rescue centre

惊！湿地公园捡到的小家伙竟是一只蜂猴

2016-06-23 10:15:54 来源 云南信息报

摘要
寻甸湿地公园发现一只可爱的小动物，市民觉得萌想带回家养，却发现小家伙野性难训。



寻甸湿地公园发现一只可爱的小动物，市民觉得萌想带回家养，却发现小家伙野性难训，对着市民又抓又咬，市民无奈只得求助森林公安局民警，原来可爱的小家伙是国家一级保护动物蜂猴。

6月17日，在寻甸县官井路，市民王先生路过湿地公园时，发现树下有一只疑似猴子的动物，长得十分可爱。王先生捡到这只小动物后准备带回家饲养，但是小家伙好像受到了惊吓，对人又抓又咬，可把王先生吓得不敢轻，只得请寻甸县森林公安局民警进行救助。

民警接到报警后立即前往该地点查看，经初步确认疑似猴子的动物为国家一级保护动物蜂猴。民警已于昨日将小家伙送往云南省野生动物拯救中心。

记者 魏文青

D: YNXXB
T: Media source

D: like a monkey
T: Public recognition
C: Primates


D: looks frightened
T: Physical condition
C: Subhealthy

D: the Bengal slow loris
T: Official recognition


Figure 2

Distribution of native primate species (A), and rescuing reports of primates (B) and slow lorises (C) across provinces in China

(A)



(B)



(C)




Figure 3(on next page)

Percentage of the total number of individuals per each indigenous primate species reported in CITES Trade Database during 2000-2016 and Chinese web news during 2000-2017 in China




Figure 4(on next page)

Annual trends in traded or rescued primate individuals reported by CITES and web news

(A) Annual number of events and individuals reported in Chines web news. (B) Annual number of individuals of slow lorises reported in Chinese web news. (C) Annual number of individuals of indigenous primates reported in CITES trade database

