

A peer-reviewed version of this preprint was published in PeerJ on 29 July 2019.

[View the peer-reviewed version](https://doi.org/10.7717/peerj-cs.207) (peerj.com/articles/cs-207), which is the preferred citable publication unless you specifically need to cite this preprint.

Semeniuta O, Falkman P. 2019. Event-driven industrial robot control architecture for the Adept V+ platform. PeerJ Computer Science 5:e207 <https://doi.org/10.7717/peerj-cs.207>

Event-driven industrial robot control architecture for the Adept V+ platform

Oleksandr Semeniuta^{Corresp., 1}, Petter Falkman²

¹ Department of Manufacturing and Civil Engineering, NTNU Norwegian University of Science and Technology, Gjøvik, Norway

² Department of Electrical Engineering, Chalmers University of Technology, Gothenburg, Sweden

Corresponding Author: Oleksandr Semeniuta
Email address: oleksandr.semeniuta@ntnu.no

Modern industrial robotic systems are highly interconnected. They operate in a distributed environment and communicate with sensors, computer vision systems, mechatronic devices, and computational components. On the fundamental level, communication and coordination between all parties in such distributed system are characterized by discrete event behavior. The latter is largely attributed to the specifics of communication over the network, which, in terms, facilitates asynchronous programming and explicit event handling. In addition, on the conceptual level, events are an important building block for realizing reactivity and coordination. Event-driven architecture has manifested its effectiveness for building loosely-coupled systems based on publish-subscribe middleware, either general-purpose or robotic-oriented. Despite all the advances in middleware, industrial robots remain difficult to program in context of distributed systems, to a large extent due to the limitation of the native robot platforms. This paper proposes an architecture for flexible event-based control of industrial robots based on the Adept V+ platform. The architecture is based on the robot controller providing a TCP/IP server and a collection of robot skills, and a high-level control module deployed to a dedicated computing device. The control module possesses bidirectional communication with the robot controller and publish/subscribe messaging with external systems. It is programmed in asynchronous style using pyadept, a Python library based on Python coroutines, AsyncIO event loop and ZeroMQ middleware. The proposed solution facilitates integration of Adept robots into distributed environments and building more flexible robotic solutions with event-based logic.

Event-driven industrial robot control architecture for the Adept V+ platform

Oleksandr Semeniuta¹ and Petter Falkman²

¹Department of Manufacturing and Civil Engineering, NTNU Norwegian University of Science and Technology, Gjøvik, Norway

²Department of Electrical Engineering, Chalmers University of Technology, Gothenburg, Sweden

Corresponding author:

Oleksandr Semeniuta¹

Email address: oleksandr.semeniuta@ntnu.no

ABSTRACT

Modern industrial robotic systems are highly interconnected. They operate in a distributed environment and communicate with sensors, computer vision systems, mechatronic devices, and computational components. On the fundamental level, communication and coordination between all parties in such distributed system are characterized by discrete event behavior. The latter is largely attributed to the specifics of communication over the network, which, in terms, facilitates asynchronous programming and explicit event handling. In addition, on the conceptual level, events are an important building block for realizing reactivity and coordination. Event-driven architecture has manifested its effectiveness for building loosely-coupled systems based on publish-subscribe middleware, either general-purpose or robotic-oriented. Despite all the advances in middleware, industrial robots remain difficult to program in context of distributed systems, to a large extent due to the limitation of the native robot platforms. This paper proposes an architecture for flexible event-based control of industrial robots based on the Adept V+ platform. The architecture is based on the robot controller providing a TCP/IP server and a collection of robot skills, and a high-level control module deployed to a dedicated computing device. The control module possesses bidirectional communication with the robot controller and publish/subscribe messaging with external systems. It is programmed in asynchronous style using pyadept, a Python library based on Python coroutines, AsyncIO event loop and ZeroMQ middleware. The proposed solution facilitates integration of Adept robots into distributed environments and building more flexible robotic solutions with event-based logic.

INTRODUCTION

Robots are always associated with high level of complexity, which is usually considered with respect to the task being performed. Because modern robotic systems operate in a networked environment, the additional complexity is caused by the nature of interaction and coordination with sensors, vision systems, various mechatronic equipment, and computational components, such as servers and cloud services. As Kortenkamp and Simmons (2008) note, "robot systems need to interact asynchronously, in real time, with an uncertain, often dynamic, environment. In addition, many robot systems need to respond at varying temporal scopes – from millisecond feedback control to minutes, or hours, for complex tasks". This is the reason why robotic architecture becomes increasingly important.

To tackle the challenges associated with communication and coordination complexity, a number of robotic middleware solutions has been developed. The Robot Operating System (ROS) is the most prominent example of such systems, although other solutions exist, e.g. YARP. Most of them support publish-subscribe messaging style, where messages are asynchronously delivered from publisher to subscriber nodes. In ROS this is realized with uniquely-named *topics*, which are internally resolved by the master roscore to pairs of TCP or UDP sockets between publishers and subscribers.

The primary use of topics is delivery of periodic sensor readings. The reason is that in many cases, especially in the research environment, robots are viewed as continuous systems, characterized by a set of continuous time-varying signals, sampled at a constant interval (Dantam et al., 2016). The idea of periodic sampling is central to the classical approach to digital system control, as it is rooted in the solid theory of periodic control (Åström, 2008). Since robotics shares its intellectual tradition with

control engineering, periodic sampling became a dominant strategy for real-time sensing in robotic systems. Although the periodic approach works well for traditional point-to-point control systems, in the distributed environment one faces such challenges as latency, jitter in packet delivery, and lost packets. In addition, with introduction of more resource-constrained devices, the cost of communication increases, and it becomes of critical interest to base the control system on reactivity only to *events* of particular importance (Miskowicz, 2015). In addition to events derived from continuous signals (e.g. based on a signal threshold), numerous classes of *sporadic* discrete events constitute an important abstraction for modeling behaviors in cyber-physical systems.

The discrete event behavior is apparent in situations when a system is convenient to model as possessing discrete state space (e.g. $\{IDLE, BUSY, DOWN\}$), when a system automates discrete parts manufacturing, when human iteration is involved (e.g. button press at arbitrary time), when unpredictable disturbance requires a system's component restart, and many others. For a number of automated components (e.g. robots, feeders etc) cooperating, events constitute an important abstraction that ensures synchronization of the components' operation. In addition to the inherent discrete event nature of many processes where industrial robots are involved, latency, attributed to any communication system, calls for event-driven and asynchronous design of computational components that involve networking.

From the engineering perspective, it is beneficial to be able to compose a robot control program from modular well-defined components, rather than coding up everything from scratch in a monolithic fashion (Onori and Oliveira, 2010). One approach is to specify sequences of operations to form serial, parallel, or arbitrary order sequences (Lennartson et al., 2010). This paper makes use of the *coroutine* abstraction to define composable communication-heavy tasks with event-based logic. The main idea is to treat the robot and external nodes (such as vision systems) as services, and coordinate communication with them from a high-level control node. The logic of the latter is composed from a set of Python AsyncIO coroutines based on domain-specific abstractions. The benefit of this approach is that one is able to realize much more complex coordination scenarios, where the burden of error-prone communication is lifted from the native yet restricted robot controller platform to a higher-level AsyncIO-driven application.

At the core of the proposed robot control architecture lies two-sided communication: (1) TCP/IP connection between the robot controller and the control node, and (2) publish-subscribe communication with the external nodes. The architecture facilitates specification of event-driven communication logic and internal asynchronous runtime. As a result, it becomes easier, more flexible, and less error-prone to program industrial robots and integrate them into distributed environments. The implementation of the system is done based on AsyncIO Python abstractions and ZeroMQ middleware. The architecture is validated by a proof-of-concept implementation of a robotic system with vision sensing, where a robot, a set of GigE Vision cameras, and a set of computing nodes are connected in a VLAN-based network configuration.

The paper is structured as follows. First, the background on approaches to robot programming, implementation and semantics of events in computational systems, and event-driven middleware is presented. Further, the principles and architecture of the proposed system are described. An application use case that validates the ideas of this paper is then introduced and analyzed. The proposed solutions are discussed and compared to similar systems. The paper concludes with outlining the further development directions.

BACKGROUND

Approaches to programming industrial robots

Industrial robots are supplied as end-products with carefully engineered hardware and software components. As robots are essentially programmable devices, an important part of the system is the robot controller with the associated computational capabilities and programming interface. Although this paper presents a custom solution for the Adept robot platform, it aims at establishing a common design paradigm for multitude of industrial robots.

An Adept robot controller runs V+, a real-time multi-tasking operating system. It controls robot motion, input/output, task management, and other necessary operations. V+ is also the name of a programming language for the Adept platform. Other robot platforms are based on similar operating systems, e.g. KUKA.SystemSoftware and ABB RobotWare.

When developing a robot control program, the most straightforward way to go is programming all the logic to be run by the robot controller. The availability of various I/O interfaces, such as digital signals, DeviceNet, Ethernet, and RS-232, allows to communicate with external systems when needed. In such an arrangement, the robot has the master role. To program an Adept robot controller, one requires a client programming environment (such as Adept ACE, Adept DeskTop), that runs on a Windows-based programming station. V+ codebase is comprised of subroutines called *programs* that are gathered in *modules*. An individual program can be associated with an operating system *task*, which in turn can be run concurrently with other tasks.

The configuration where the robot has the master role offers good timing properties, but makes the control logic rather rigid and monolithic. Specifically, it becomes difficult to operate such robot as a part of a system with a large number of distributed components. When more flexibility is required, an alternative solution is a client/server configuration, where the robot controller runs a TCP/IP server, and accepts commands from a client on a general-purpose platform (e.g. x86-64- or ARM-based computer running Linux). The client can be more flexibly programmed, and normally constitutes a part of a larger distributed architecture, for example, as a ROS node or other computational component. The defined set of commands, may include various motion tasks, as well as coarse-grained tasks, pre-defined as V+ programs in the robot controller. One of the challenges in this latter case is to define a suitable wire protocol and ensure that commands to the robot controller are read and processed correctly, given the stream nature of the TCP protocol.

Events in computational systems

One distinguishes between time-driven and event-driven systems. In the former case, everything is modeled with respect to a clock with given frequency. For example, a continuous signal is sampled at a constant time interval. Such systems are a subject of study in classical control. Conversely, event-driven paradigm presumes that a system is characterized by a discrete state space, and events can occur at any time instant. An *event* in this case constitutes any instantaneous occurrence that causes transition from one system state to another (Cassandras and Lafortune, 2008).

The behavior of industrial automation systems is to a large extent event-driven. It manifests itself in both the nature of the applications and in the inherent properties of digital communication systems, specifically the latency. To deal with the latter, the operating system provides the abstraction of I/O events. An I/O event is associated with a particular resource becoming ready, e.g. data has arrived from the network and is ready for non-blocking access. On *nix platforms with POSIX system call API, mechanisms for monitoring I/O events comprise I/O multiplexing (select/poll), signal-driven I/O, the Linux-specific epoll, and BSD-specific kqueue (Kerrisk, 2010). Windows features the IOCP threading model for concurrent handling of asynchronous I/O.

To tackle system design when waiting for a network operation to complete, the *event-driven programming* paradigm is employed, which directly harnesses I/O events. An event driven system component is comprised of (1) a continuous event loop, (2) a polling source, (3) a set of possible events on every loop iteration, and (4) data containers for accumulation of request and response data. The logic of a common event loop is presented as algorithm 1 (adapted from the event-driven server example by Rhodes and Goerzen (2010)). Here *p* constitutes a polling source, such as one of the I/O monitoring system calls with a set of monitored file descriptors.

Implementing such loops directly is error-prone. Therefore, a number of event-driven networking frameworks exist for different programming languages. They encapsulate the low-level system calls and provide object-oriented interface based on such design patterns as Reactor and Proactor (Buschmann et al., 2007). Such patterns realize the Inversion of Control (IoC) principle, where application-specific callbacks are registered, and later called by the framework on occurrence of the respective events. Examples of such frameworks are Boost Asio and ACE for C++, and AsyncIO and Twisted for Python.

AsyncIO is a part of Python standard library, introduced in Python 3.4, which provides a standardized way for implementing event loops with sets of concurrent non-blocking coroutines. A coroutine constitutes an executable object that represent particular application-specific task. An important feature of a coroutine is that it can pause its execution and yield control to the event loop. As a result, one achieves *cooperative multitasking*, where a set of coroutines get suspended and resumed as different events occur and conditions get satisfied. Such programming style gives the most evident advantage in realizing scalable event-driven servers. In addition, as further shown in this paper, several communication-heavy tasks can be composed together in a well-defined way when implemented as AsyncIO-based coroutines.

Algorithm 1 Event-driven component

```

1: function EVENTLOOP( $p$ )
2:   Initialize  $S$                                      ▷ Set of monitored connections
3:   Initialize  $D_{in}$                                    ▷ Dictionary of input bytes per connection
4:   Initialize  $D_{out}$                                    ▷ Dictionary of output bytes per connection
5:   while true do
6:     events  $\leftarrow$  poll( $p$ )
7:     for  $e \in$  events do
8:       if  $e$  = New connection  $c$  is available then
9:         Add  $c$  to  $S$ 
10:      else if  $e$  = Connection  $c$  got closed then
11:        Remove  $c$  from  $S$ 
12:        Remove  $D_{in}[c]$  and  $D_{out}[c]$ 
13:      else if  $e$  = Data available for reading at connection  $c$  then
14:        Read from  $c$  to  $D_{in}[c]$ 
15:        if  $D_{in}[c]$  contains a complete request then
16:           $D_{out}[c] \leftarrow$  Process bytes in  $D_{in}[c]$ 
17:        end if
18:      else if  $e$  = Connection  $c$  is available for writing then
19:        Write to  $c$  some bytes from  $D_{out}[c]$ 
20:         $D_{out}[c] \leftarrow$  Unsent bytes in  $D_{out}[c]$ 
21:      end if
22:    end for
23:  end while
24: end function

```

Another use case of explicit utilization of events is asynchronous programming. A function's call can be either synchronous, which blocks until the function completes, or asynchronous, which returns immediately. The results of an asynchronous function call shall be processed as a part of other operation *once they become ready*. A completion event in this case can be captured and processed in a way similar to algorithm 1. As a polling source, a blocking queue can be used, with one execution thread putting a event object in it, and the other thread (running the polling loop) getting an event object from the queue when one is ready. When using *future* objects, the polling source constitutes a set of futures, which are monitored in a way similar to polling file descriptors in algorithm 1. Although futures and queues are typically used to realize thread-based concurrency, their counterparts exist also in AsyncIO.

Similarly to synchronous vs asynchronous function calls, when dealing with networking, one can realize two communication styles: request/reply, which is logically synchronous, and publish/subscribe, which decouples operations of sending/publishing a message and its receiving on the subscriber's side. The publish-subscribe messaging in the backbone of event-driven middleware, which is presented in the following subsection.

Event-based middleware

As the contemporary robotic systems are necessarily distributed, an important component is robotic middleware, which provides a unified set of communication and input/output capabilities.

The transport layer functionality (TCP and UDP protocols) on POSIX-based operation systems can be implemented via the C-based socket API, as well as by utilizing various object-oriented network frameworks (Komu et al., 2012). The "native" *connection-oriented communication* (using a pair of TCP/IP sockets) is a straightforward and low-overhead means of exchanging data between two networked nodes. It, however, presumes temporal dependency, i.e. requirement for the components to be available at the same time, along with address knowledge and agreement on data representation. In contrast, *messaging middleware* allows to decouple the communicating components by introducing message queuing, built-in address resolution (e.g. via handling logical addresses such as topic names), and usage of a common data serialization format (Magnoni, 2015). An important feature of middleware is the provision of the publish/subscribe and other messaging patterns, which allows to design a distributed

system in event-driven fashion.

The defining components of a particular middleware solution are the communication protocol (transport-level TCP and UDP, wire-level AMQP, ZeroMQ/ZMTP, MQTT), the communication styles (request/reply, publish/subscribe), and the data serialization method (typically realized with an interface definition language like Protobuf or Apache Thrift). Many middleware solutions are based on a central broker, e.g. ActiveMQ and RabbitMQ. The additional hop through the broker adds a constant value to the communication latency (Dworak et al., 2012), which is not desirable for time-sensitive applications such as robotics. ZeroMQ is an example of broker-less middleware, in which the message queuing logic runs locally within each communicating component (ZeroMQ, 2008).

Several state-of-the-art middleware solutions has been evaluated at CERN (Dworak et al., 2011) to find the most suitable candidate for realizing the upgraded CERN Controls Middleware, a systems responsible for managing communication with a multitude of sensors and actuators at the organization's accelerator complex. Similarly to the specifics of the robotics context, for CERN engineers it was important to achieve low latency, as well as low memory and resource usage. In addition, it was preferable to possess a solution without message brokers, central servers, or additional daemons. As a result of the performance study with different communication scenarios, ZeroMQ was chosen as the most suitable technology. A specifically good results were shown with respect to system scalability (latency was kept relatively constant regardless the number of clients added) due to its automatic buffering capability (Dworak et al., 2011, 2012).

Robot Operating System (ROS) is the most widely used middleware that is specifically designed for building distributed robotic systems. It supports request/reply remote procedure calls via *services*, and publish/subscribe communication via *topics*. Messages in ROS are serialized with the built-in serialization mechanism. A ROS system requires a central master server, responsible for name resolution. On the transport layer, both TCP and UDP are supported via standard sockets. In its current form, ROS is tightly coupled with Ubuntu as the runtime platform.

To preserve the philosophy of ROS and most of working code, yet adapt it to the production environment, the ROS2 initiative has started (Gerkey, 2018), introducing cross-platform support (including for small embedded platforms) and built-in real-time control capabilities. Data Distribution Service (DDS) is used as a communication backbone in ROS2. DDS is a data-oriented middleware standard with several industrial-grade implementations, which provides various transport configurations suitable for real-time control (e.g. deadline and fault-tolerance) (Maruyama et al., 2016).

ROS is perhaps the most widely used robotic middleware, although not the only one. The development of the iCub humanoid platform has spawned off YARP, which is based on ACE for communication and Thrift for typed data serialization. YARP supports the publish/subscribe messaging paradigm and different buffering policies, such as FIFO and Oldest Packet Drop (ODP) (Natale et al., 2016).

The low-level operating system capabilities are directly utilized by the ach interprocess communication library (Dantam et al., 2015, 2016), designed specifically for real-time transmission of periodically sampled sensor signals in a robotic system. The goal of the library is to guarantee processing of the latest sample with a minimum latency. Contrary to traditional robotic middleware solutions, ach is implemented as a Linux kernel module.

Robotic middleware solutions such as ROS, YARP, and ach are rooted in the research environment, and often used with complex prototypes such as humanoid robots, AGVs, and various custom-built robotic systems. When it comes to industrial robots, their support is rather limited, even in the context of the popular ROS platform. Support for the latter is being added by the participants of the ROS-Industrial consortium, and, for some new robot models, ROS support comes built-in out of the box. In general, however, there is a long way to go. The Adept platform, for instance, does not have a maintained ROS driver.

The pilot implementation of the robot control solution proposed in this paper uses ZeroMQ as the middleware for publish-subscribe communication. In addition to being highly lightweight, efficient, and cross-platform, ZeroMQ natively supports AsyncIO event loop.

SYSTEM ARCHITECTURE

This section presents the architecture for industrial robot control that facilitates integration of the robots into distributed systems with publish-subscribe communication and building flexible solutions with event-based logic. First, the general principle of the architecture, along with a step-by-step example of

communication between the robot controller and the high-level control node is presented. Further, a more detailed description of the proposed wire protocol is described, followed by an overview of the developed software abstractions based on AsyncIO and ZeroMQ.

Components and general principles

The proposed system for control of an industrial robot is based on two principal networked components: (1) RobotServer, a TCP/IP server realized on the robot controller, and (2) MasterControlNode, a high-level control node running on a dedicated computer, performing computations aimed at establishing the desired control logic, and communicating with both the RobotServer and other networked components (Figure 1).




Figure 1. Structure of the proposed robot control system

RobotServer is associated with the defined set of actions, dubbed *skills*. They are implemented as procedures in the robot controller's programming language, each accepting its own set of parameters. To make the robot perform a specific skill, the MasterControlNode sends the corresponding ASCII byte string command over the TCP socket connecting it with the RobotServer. A correctly formatted byte string that correspond to the available skill is referred to as a *message*, and it is always delimited with "\r\n". A more formalized description of the communication protocol between MasterControlNode and RobotServer is presented in the following subsection.

As an example, consider a robot operation of motion towards a specified pose in the world coordinate frame. To perform it, MasterControlNode sends a byte string such as the following:

```

eae86869:move_to:-80.000,-481.000,112.500,180.000,90.000,180.000\r\nnee861124:break\r\n

```

The above byte string is comprised of two messages, corresponding to skills *move_to* and *break*, each defined as a V+ program. The former accepts six real-valued arguments, while the latter is invoked without arguments. It is a common pattern to combine a motion command with breaking, as this ensures that several subsequent motions are not interpolated, and the robot's end effector reaches the specified pose.

The first 8 bytes of each message correspond to a unique ID, generated by the MasterControlNode. It is obtained as the first 8 bytes of an UUID generated by the `uuid.uuid4` function. The remaining components, separated by colon, constitute the name of the skill and the list of parameters.

RobotServer operates as a task in the robot controller that realizes a TCP server. After a complete message is read from the TCP stream, it is mapped to specific skill, which gets executed, with the start and completion timestamps being recorded. After the completion, an acknowledging message of the following form is sent back to MasterControlNode:

```

eae86869:done:2492.516,2492.539:480.014,-0.038,709.975,0.000,179.995,0.004\r\n

```

The parts of the acknowledging message, separated by colon, constitute the associated command ID, execution status, starting and completion timestamps separated by a comma, and current robot pose separated by commas. The timestamps are measured in seconds with millisecond precision, and the pose parameters correspond to translation vector components *x*, *y*, *z*, expressed in millimeters, and rotation angles (yaw, pitch, roll) expressed in degrees.

MasterControlNode monitors the arrival of responses from RobotServer, and, for the current operation, once all of the IDs that characterize this operation have been acknowledged, the operation is marked as completed.

In addition to communication with the RobotServer via TCP, the MasterControlNode participates in a distributed publish/subscribe network. All the communication primitives are implemented on top of Python's AsyncIO event loop.

Communication protocol

MasterControlNode and RobotServer communicate with a TCP-based protocol described in this subsection.

When MasterControlNode (the client) gets connected to RobotServer (the server), a communication session is established. It stays active until one of the endpoints (normally the client) closes the connection.

Both endpoints send each other streams of bytes, where every byte is semantically regarded as the corresponding ASCII-encoded character. Sequence "\r\n" has a role of *delimiter string*, which separates two consecutive *commands*.

`delimiter ::= "\r\n"`

A command represent a string that can be mapped to a predefined V+ program. The most important set of commands constitutes motion commands, all of which map to programs having 6 real-valued arguments (representing either poses or joint vectors). Formally, a motion command, along with its components, is defined as follows:

```

motion_command ::= motion_command_name ":" location delimiter
motion_command_name ::= "move_to" | "move_joints" |
                        "move_rel_world" | "move_rel_joints" | "move_rel_tool"
location ::= real "," real "," real "," real "," real "," real
real ::= digit+ "." fractional;
fractional ::= digit digit digit
digit ::= [0-9]
```

Semantics of the motion commands is the following:

- `move_to:x,y,z,yaw,pitch,roll` moves the robot's tool center point to the specified pose, expressed in the world coordinate frame. Here x, y, z represent a translation vector expressed in millimeters, and $yaw, pitch, roll$ represent a vector of rotation angles expressed in degrees.
- `move_rel_world:x,y,z,yaw,pitch,roll` performs movement relative to the current pose expressed in the world coordinate frame: given the current pose ${}^w\xi_{now}$, move to the pose ${}^w\xi_{now} \oplus \xi$, where ξ is embodied in the pose parameters $x, y, z, roll, pitch, yaw$.
- `move_rel_tool:x,y,z,yaw,pitch,roll` performs movement relative to the current pose ${}^t\xi_{now}$ expressed in the tool coordinate frame (${}^t\xi_{now} \oplus \xi$).
- `move_joints:j1,j2,j3,j4,j5,j6` move robot to the specific joints configuration.
- `move_rel_joints:j1,j2,j3,j4,j5,j6` performs relative joint movement by displacing each joint in the amounts specified by $j1, j2, j3, j4, j5, j6$.

Apart from the motion commands, other classes of commands are defined. `break_command` signalizes the robot that two subsequent motions with break in between shall not be interpolated. `air_command` is used to control vacuum valves attached to the tool. `speed_command` specifies speed factor for the subsequent motion command.

```

command ::= motion_command | break_command | air_command | speed_command
speed_command ::= "set_speed" ":" digit delimiter
air_command ::= ('enable_air' | 'disable_air') delimiter
break_command ::= "break" delimiter
```

One or more commands constitute a command chain.

`command_chain ::= command+`

By the nature of TCP protocol, the bytes are communicated between endpoints in a streaming fashion: the correct order of bytes is guaranteed, but a sent command may not be delivered as an atomic message, and may arrive in pieces. That's why, on both the MasterControlNode's and RobotServer's side, buffering of the incoming bytes is performed.

Software abstractions

The pilot implementation of the proposed architecture is released as the pyadept Python library¹, together with the associated V+ code structured into the AdeptServer project². The intended workflow is based on treating the robot controller as a service. The first stage is to enable high power for the robot and start the AdeptServer's server V+ program on the robot controller side. After this, a Python program based on pyadept can be launched and used for high-level system coordination.

Robot commands (as specified in the "Communication protocol" subsection), are defined as classes in the pyadept.rcommands module. They construct immutable instances providing the functionality of correct generation of the corresponding byte strings. All robot command classes realize the get_messages method, returning a tuple of byte strings, each finalized with the delimiter sequence "\r\n".

The pyadept.rprotocol module consists of classes, functions and coroutines realizing the logic behind two-sided communication of a MasterControlNode, as well as tools for data capture during system operation. The two central classes of this module are RobotClient and ProtobufCommunicator, realizing AsyncIO-based communication with the RobotServer and the external systems respectively:

- RobotClient provides coroutine methods connect (establishing the connection with the server), as well as cmdexec and cmdexec_joined (providing execution of commands). The two latter methods accept one or more instances of robot commands and initiate communication with the RobotServer using AsyncIO's StreamWriter/StreamReader pair. Several commands supplied to cmdexec are handled one-by-one: each command's messages are sent to the server, and the corresponding responses are awaited before proceeding to the next command. Conversely, cmdexec_joined combines messages from the supplied commands into a single sequence, and sends all of them in one run.
- ProtobufCommunicator uses AsyncIO-compatible ZeroMQ primitives to announce a Protobuf-based request event and wait for the corresponding Protobuf-based response in the context of a publish/subscribe system.

APPLICATION USE CASE

Problem context

The functionality of the proposed system is demonstrated on a robotic application of handling a small part for detailed vision-based quality inspection. Drawing from the previous work on picking and inspection of small automotive components (Semeniuta et al., 2016), the described setup is aimed at moving the part from the pick pose ξ_{pick} to the inspection-start pose ξ_{is} in front of a Prosilica GC1020C camera with a 35 mm Fujinon HF35HA-1B lens, with the subsequent sequence of tool rotations while keeping the part in focus of the camera. On each rotation increment, an image of the camera is requested by the MasterControlNode.

The primary operation, described in the previous paragraph, is performed after the initial calibration phase, which includes determination of the inspection-start pose ξ_{is} . Since the chosen camera setup is aimed at close-range imaging of small parts, it is rather sensitive to the depth at which the manipulated part is being held. That's why, in order to determine the focus plane, a calibration tool is moved first to the approach pose ξ_{appr} , and eventually aligned with the focus plane by a series of small linear motion increments with vision feedback. A robot in poses ξ_{appr} and ξ_{is} is shown in Figure 2.

¹The pyadept implementation is available under the 3-clause BSD license at <https://github.com/semeniuta/pyadept>

²The AdeptServer implementation is available under the 3-clause BSD license at <https://github.com/semeniuta/AdeptServer>




Figure 2. Robot in the approach pose ξ_{appr} and the sought inspection-start pose ξ_{is}

System components

To realize the described task and demonstrate composability of the MasterControlNode/RobotServer pair with components providing vision services, the system shown in Figure 3 is considered. In addition to the robot-related components, it includes an FxIS-based image acquisition service ImAcqService (Semeniuta and Falkman, 2018), and ImProcNode – a computational component responsible for image processing. The ImProcNode component is realized with EPypes primitives (Semeniuta and Falkman, 2019), i.e. the logic of the image processing routine is specified as a directed acyclic bipartite graph of computational procedures as data tokens.

The vision-related components (ImAcqService and ImProcNode) are composed via thread-based concurrency, with asynchronous communication being performed via blocking queues. ImAcqService performs continuous image acquisition from one or more GigE Vision cameras while keeping a circular buffer of a number of recent images. On arrival of a vision request event, the buffer is queried to retrieve the most closely associated in time image. The latter undergoes processing in the ImProcNode, with the result being published.




Figure 3. Event-driven communication in a robotic cell

More complex systems bearing the same architecture can be comprised of larger number of nodes. The subset of components shown as a part of the gray-shaded region constitutes the system with

publish-subscribe communication. The green double-sided arrow shows the TCP-based communication between MasterControlNode and RobotServer.

Network topology design

The laboratory setup used in this paper constitutes a distributed system (Figure 4) consisting of a robot controller (ROB, Adept V+), three GigE Vision-based industrial cameras (C1, C2, C3), and three computational nodes: a computer performing image acquisition and running computer vision routines (VIS, Ubuntu), a robot programming station running Adept DeskTop (ADT, Windows), and a Raspberry Pi single-board computer running the master control node (MCN, Debian).

The above components are joined into two IP networks: (1) the Robot Network, and (2) the Vision Network. Both of them are realized with a single managed network switch (Netgear GS108Ev3) supporting the IEEE 802.1Q protocol for virtual LANs. The MCN component is configured with two virtual network adapters and connected to the tagged port on the switch. MCN thus belongs to both networks.




Figure 4. Network configuration

With regards to the components shown in Figure 3, they are deployed as follows. ROB hosts the RobotServer, while MCN hosts the MasterControlNode. The vision-related components (ImAcqService and ImProcNode) run on the same physical machine (VIS). This is motivated by the substantial cost of image transmission over the network. ImAcqService performs acquisition from C1, C2, C3. C1 is the camera with the 35 mm focal length lens employed for close-range measurement, and it is used to perform the experiment described further.

Vision system for sharpness measurement

In order to realize robot movement with visual feedback on how focused the tool plate is, the following system is employed. A simple planar calibration object is attached to the robot's tool plate (Figure 5). The object constitutes a series of rectangles of different sizes enclosed one inside another. A rectangle's border is a thin black line. The motivation is that when the object is out of focus, the thin lines become blurred. By devising a method that systematically measures sharpness of the object, it can be possible to provide the necessary feedback to MasterControlNode. The white background makes the object easily segmentable.

The developed algorithm for sharpness measurement is visualized as an EPtypes computational graph in Figure 6. Here, ellipses represent data tokens, and rectangles represent processing functions. The shaded tokens are the pre-defined configuration values.

The original image is supplied in the grayscale format. First, it undergoes thresholding operation to highlight the light regions on the image (including the white background of the calibration object). The thresholded binary image is eroded to remove the influence of the black lines in well-focused images. Further, connected components are identified. The goal is to segment the connected component belonging to the calibration object. To do that, a filter based on width-to-height ratio range and minimal region area is applied. The selected region of interest is cropped from the original image, and is used as an input to the Sobel operator, applied in the x direction. From the middle, in terms of y axis, of resulting gradient image, a horizontal line profile is extracted. As a measure of sharpness, the standard deviation of this profile is used: the more the original image is in focus, the greater variability between dark and bright pixels in the calibration region.




Figure 5. Calibration object on the robot's tool plate




Figure 6. Computational graph of the sharpness measurement algorithm

Figure 8 demonstrates the intermediate results (`sobelx_im` and `profile_sx` tokens) of the sharpness measurement routine for images with different positioning of the calibration object.

Performance of the proposed algorithm on a sequence of images with varying sharpness is shown in Figure 7. Here, the robot arm was gradually moved from the approach pose closer to the cameras. The red vertical line correspond to the image with maximal sharpness (as perceived by a person). It is clearly seen that the sharpness curve, measured with the proposed algorithm, reliably corresponds to human perception.

Coroutines

The logic of the focus plane calibration is realized with a set of coroutines. The first two can be regarded as "helper" coroutines. The `init_move` coroutine performs the initial set of motions: retract to the home pose ξ_{home} , and then transition to the approach pose ξ_{appr} :




Figure 7. Sharpness measurement on a sequence of images after consecutive robot motions

```

433 async def init_move(rc):
434     return await rc.cmdexec(
435         rcommands.MoveJoints([0, -90, 180, 0, 90, 0]), # "home" joint configuration
436         rcommands.MoveRelJoints([-90, 60, 30, -90, 0, 0]),
437         rcommands.MoveRelTool([40, -25, 185, 0, 0, 0]),
438         rcommands.MoveRelJoints([0, 0, 0, 0, 0, 1.5])
439     )

```

The parameter `rc` of the coroutine supplies reference to the instance of `RobotClient`. As can be seen from the code, `init_move` consists of only one `await` call to the `rc.cmdexec` coroutine method, with the first command corresponding to the motion towards ξ_{home} , and the latter three commands corresponding to the motion $\xi_{home} \rightarrow \xi_{appr}$.

The second coroutine, `move_tool_z`, combines sending the setting speed command and the commands for tool motion in the z direction:

```

446 async def move_tool_z(rc, appr_speed, delta_z):
447     return await rc.cmdexec_joined(
448         rcommands.SetSpeed(appr_speed),
449         rcommands.MoveToolZ(delta_z)
450     )

```

Note that for the increment towards the focus plane, two commands are supplied to the `cmdexec_joined` coroutine method of the instance of `RobotClient`. The `SetSpeed` command produces a single message, while `MoveToolZ` produces two messages (one for motion and one for break). By supplying them as in the provided example, all three messages will be sent to the `RobotServer` conceptually at the same time.

The primary coroutine, `ufloop`, realizes the overall logic of approaching the focus plane with vision feedback. In addition to `rc`, it accepts `pbcomm`, an instance of `ProtobufCommunicator`, as well as the parameter for approach vector increment (`delta_z`, mm). The source code of `ufloop` is presented below:

```

460 async def uflow(rc, pbcomm, delta_z, appr_speed):
461
462     await rc.connect()
463     await init_move(rc)
464
465     sharpness = []
466     while True:
467
468         pb_req = create_vision_request()
469
470         await pbcomm.send(pb_req)
471         pb_resp = await pbcomm.recv()
472
473         resp_attrs = get_attributes_dict(pb_resp.attributes.entries)

```




Figure 8. Visualization of sharpness measurement intermediate results for images with different positioning of the calibration object

```

474     s = resp_attrs['sharpness']
475     sharpness.append(s)
476
477     if len(sharpness) > 1 and (sharpness[-1] < sharpness[-2]):
478         break
479
480     await move_tool_z(rc, appr_speed, delta_z)
481
482     await move_tool_z(rc, appr_speed, -delta_z) # retract back
483

```

```

484     return sharpness

```

485 First, a TCP connection to RobotServer is established and the initial motion commands are executed.
486 Following that, a series of vision requests are announced using pbcomm. A response obtained as a result
487 of each request contains, amongst others, a real-valued attribute with sharpness measurement from
488 the vision pipeline. A list of these measurements is maintained, and a new value is compared to the
489 previous one. It is expected that sharpness should rise as the robot arm approaches the focus plane. If
490 the new value is smaller than the last, it is an indication that the focus plane has been passed. The robot
491 tool should move one Δz backwards and the loop should be completed. The final pose of the robot
492 arm can be recorded as ξ_{is} .

493 Coroutines are scheduled to be executed by an event loop. In a simplified form, this includes
494 instantiation of the event loop, the coroutine object (ufloop_coro), and scheduling the latter in the
495 event loop:

```

496 loop = asyncio.get_event_loop()
497 uflow_coro = uflow(rc, pscomm, delta_z)
498 loop.run_until_complete(uflow_coro)

```

499 Time measurements

500 A MasterControlNode with logic defined with uflow has been deployed to MCN and run together with
501 Adept Viper s850 robot and the network configuration described in the "Network topology design"
502 subsection. The vision pipeline from the "Vision system for sharpness measurement" subsection is
503 deployed to the VIS node.

504 To study the timing properties of such AsyncIO-based logic, the approach phase is of interest
505 (implemented as an infinite loop in uflow with the sharpness-based termination condition). Figure 9
506 shows two iterations in the approach phase. Vision (orange) and robot (blue) requests are shown in a
507 way similar to a Gantt chart: a horizontal bar starts at a time instant when the request is sent and ends
508 when the response is received. All time instants are measured in terms of MCN's AsyncIO clock.




Figure 9. Vision (orange) and robot (blue) requests during the approach phase of the uflow coroutine

509 Each iteration in the approach phase is comprised with a request to the vision system, followed by
510 sending two commands (embodied in the three messages) to the RobotServer. The event-driven nature
511 of the AsyncIO-based implementation is clearly seen for the case of sending the three messages for
512 each robot motion increment. The bytes of the messages are sent asynchronously, and the responses
513 tagged with the same IDs are received as fast as they arrive. RobotServer executes the set_speed
514 and move_rel_tool skills quickly, sending the corresponding responses back to MasterControlNode.
515 Invocation of break blocks until the physical motion has completed.

516 For each iteration, let $t^{(vreq)}$ and $t^{(vresp)}$ correspond to the timestamps of sending the vision
517 request and receiving the vision response respectively. Similarly, let $t_{ss}^{(rreq)}$, $t_{mrt}^{(rreq)}$, and $t_b^{(rreq)}$ denote
518 timestamps of requests to the RobotServer corresponding to the set_speed, move_rel_tool, and break
519 messages. Notification about the completed motion is received at $t_b^{(rresp)}$.

520 Travel time of a robot motion increment τ_r is measured as a difference between the duration of
521 waiting on the client side and duration of the operation on the server side. More concretely, it is defined
522 as follows:

$$\tau_r = (t_b^{(rresp)} - t_{ss}^{(rreq)}) - (t_b^{(rstart)} - t_{ss}^{(rstart)})$$

where $t_b^{(rstart)}$ and $t_{ss}^{(rstart)}$ denote the starting timestamps (measurement in the robot controller's clock) corresponding to the break and set_speed skills respectively.




Figure 10. Distribution of travel times of robot motion increments

Figure 10 shows a histogram of τ_r measurements derived from an experiment with 32 runs of ufloop program with varying values of appr_speed and delta_z. It can be seen that τ_r has Gaussian distribution with mean of 5.219 ms and standard deviation of 0.964 ms.

The switching durations between robot and vision requests are computed as follows:

$$\tau_i^{(r \rightarrow v)} = t_i^{(vreq)} - t_{b,i-1}^{(rresp)}$$

$$\tau_i^{(v \rightarrow r)} = t_{ss,i}^{(rreq)} - t_i^{(vresp)}$$

Given the same experiment, the histograms representing distributions of $\tau_i^{(r \rightarrow v)}$ and $\tau_i^{(v \rightarrow r)}$ are presented in Figure 11, with the vertical lines representing the respective minimal and maximal value. The distribution of these characteristics is heavy tailed, with most of the occurrences being around 1 ms.




Figure 11. Distributions of switching durations between robot and vision requests

Durations between the events of starting consecutive send operations for each robot motion increment are defined as follows:

$$\tau^{(ss \rightarrow mrt)} = t_{mrt}^{(rreq)} - t_{ss}^{(rreq)}$$

$$\tau^{(mrt \rightarrow b)} = t_b^{(rreq)} - t_{mrt}^{(rreq)}$$

The distributions of these durations are visualized in Figure 12. One can notice similarities with distributions of robot/vision switching durations in Figure 11, although the range of observed measurements tend to be smaller (with most of occurrences being around 0.2 ms).




Figure 12. Distributions of durations between starting consecutive send operations to RobotServer

Composition of coroutines

The code of the `ufloop` coroutine looks simple and clear, despite the built-in communication and asynchronous logic. One can argue, however, that the sequential nature of this particular example could be exploited with more traditional blocking I/O primitives. One argument in favor of coroutines is the resulting more efficient runtime, as shown in Figure 9. Another advantage is the one of composability: several coroutines can be composed together in a well-defined way and treated as a collection of concurrent "lightweight threads". For example, a particular event of interest can be continuously monitored by the dedicated coroutine, say `listener_coro`. It can be scheduled together with `ufloop_coro` as follows:

```
loop.run_until_complete(
    asyncio.gather(
        uflow_coro,
        listener_coro
    )
)
```

The same composition logic can be applied to any number of concurrent coroutines. As synchronization mechanisms, one can use the AsyncIO-native Event, Queue, Condition, and others. Concrete use cases of multiple coroutines composition will be investigated in the further work.

DISCUSSION

Similar work

Establishing flexible interfaces to industrial robot controllers is a widely practiced endeavour, specifically in research environments. Such projects are motivated by the constrained capabilities of the proprietary robot platforms, in particular when it comes to sensors integration, multi-robot synchronization, connectivity with external systems, and utilization of methods and tools from modern software engineering in the robotics domain (Angerer et al., 2013). Depending on the intended application and the available robots platforms' capabilities, the developed interfaces offer either fine-grained real-time control, or coarse-grained control with soft real-time properties.

Sophistication of the available robot interfaces vary depending on the original robot platform capabilities and the degree of involvement of the respective robot vendors in the development process.

A great deal of flexible robot interfaces development has been done with KUKA robots. Research around KUKA Lightweight Robot (iiwa) resulted in a fast real-time interface based on UDP and ability to access the controller's motion kernel in a highly fine-grained manner (e.g. supplying custom trajectories and realization of custom cyclic control modes, such as impedance control), having cyclic time frame of 1 to 100 ms (Schreiber et al., 2010).

Traditional KUKA robots can be supplied with the vendor-provided Kuka.RobotSensorInterface (RSI) and Kuka.Ethernet KRL XML packages, which require additional investments. The user are nevertheless required to create custom communication solutions integrated into existing robot controller code. An example of such approach is an RSI-based configuration for adaptive robot-based fabrication integrating a CAD system and a 3D sensor (Sharif et al., 2017).

An alternative approach for the traditional KUKA robots is based on application of KUKAVARPROXY, a Windows binary that can be deployed to the Windows-side of the robot controller and thus provide access to global variables using the CrossCom interface (Eriksen, 2017). JOpenShowVar (Sanfilippo et al., 2015) is a Java-based client to KUKA robot controllers via an existing KUKAVARPROXY. It uses TCP/IP to communicate with KUKAVARPROXY, and is hence constrained by soft real-time tasks.

ROS interface for COMAU robots is described by Stefano et al. (2014), providing position and velocity controller. The available control modalities include additional and absolute position control, additional current control, trajectory management and modification of pre-planned trajectory. The interface, which is implemented as a multithreaded solution, requires an external PC with real-time Linux. The resulting UDP-based real-time communication with the robot controller has frame rate of 2 ms.

A comparison of three custom interfaces for direct joint control of NACHI, KUKA, and Universal Robots (UR) is done by Lind et al. (2010). Communication with NACHI and UR is based on UDP (with cyclic time frames of 10 ms and 8 ms respectively), while with KUKA – on TCP-based RSI (having the time frame of 12 ms).

Comparing with the abovementioned robot interfaces, pyadept/AdeptServer in its current form stands in the category of coarse-grained soft real-time solutions, and bears most similarity with KUKAVARPROXY and JOpenShowVar. In contrast to the latter, the proposed architecture provide a greater decoupling of higher-level logic with native robot controller logic. When it comes to the Adept robot platform, the proposed solution is the first publicly available flexible interface. Earlier attempts were made around the year 2012 with establishing of a ROS interface for Adept robots (Willow Garage, 2012). However, the limited initial functionality was not further developed³. Another novelty of the proposed solution is utilization of AsyncIO coroutines for specification of communication-heavy robot logic.

Lessons learned

The presented solutions for flexible coarse-grained control of Adept robots resulted from the ongoing work of integrating an Adept Viper s850 robot with distributed vision systems based on GigE Vision. The Python codebase evolved together with V+ codebase to form pyadept and AdeptServer. The choice of AsyncIO coroutines enabled specification of composable logic with well-defined coordination of multiple connections.

The choice of Python for implementation of the high-level part of the robot interface may seem questionable, as the real-time guarantees cannot be provided. However, for the purpose of coarse-grained control with communication over TCP/IP, such choice is acceptable. The current version of the system is designed to provide reasonable timing characteristics and assure logically correct robot behavior and flexible interaction with external systems. The latter aspect motivated the application of Python coroutines to allow specification of complex tasks based on composition.

During development of the presented solutions, the biggest hurdle was associated with implementation and debugging of V+ logic. As the V+ language is designed for implementing robotic tasks directly in the robot controller, it suits well use cases with repeatable pre-defined motions. At the same time, V+ debugging capabilities are extremely limited for non-trivial tasks. One of these is communication with external systems. Networking capabilities are built-in in V+, although implementation of specific clients and servers is error-prone.

Big advantage of the proposed architecture is that the robot controller is treated as a service: once the server task is launched, the central application logic is driven by the Python-based MasterControlNode. This comes in hand particularly during interactive development: more complex robot scenarios can be realized in a high-level programming language quickly, with a rich set of communication capabilities.

It is clear that the proposed architecture cannot beat a dedicated V+ program in terms of execution speed. For one thing, the communication overhead exists per each command. Secondly, because the RobotServer maps the incoming ASCII byte strings to the available skills (realized as V+ programs) and

³The project web page: <http://wiki.ros.org/adept>

executes the latter with the CALLS call⁴, the operation is by definition slower than if V+ programs would be called natively. On the other hand, the proposed architecture targets applications with discrete event behavior, where no fine-grained control is required, and the overall sequential logic of the operation and communication capabilities are of greater importance.

As mentioned before, the most challenging part of development of the presented solutions lies in ensuring that V+ code in AdeptServer works correctly and reliably. As such, the forthcoming research and development efforts shall be focused on improvement of the V+ functionality.

SUMMARY AND FURTHER WORK

This paper has presented an industrial robot control architecture for the Adept V+ platform that aims at maximizing flexibility of system development. The latter is achieved by explicitly incorporating event-based logic in the master control node and use of AsyncIO as the underlying platform. By creating modular logic blocks as coroutines, one achieves well-defined composability and sophisticated networking capabilities. On the robot controller side, a native V+ server and a collection of robot skills are realized. As such, in the proposed architecture, the robot controller is treated as a service, with all core logic being implemented in on a higher level and with extensible communication capabilities.

In its current form, pyadept, the library incorporating the ideas described in this paper, can be used on any platform supporting the latest versions of Python (3.6 and onwards) and TCP/IP connectivity. When used together with the RobotServer code, pyadept allows to prototype robotic applications that communicate with other distributed components via TCP/IP or ZeroMQ. It can also be extended with additional networking modalities, due to the use of the polymorphic AsyncIO's reader/writer interface.

The presented solutions were validated on an application combining robot motion with vision feedback. Experiments based on this application revealed timing properties of data transmission and AsyncIO-driven task coordination.

When compared to the established robotic frameworks, in its current form, pyadept is platform-specific and rather high-level. The goal, however, is not to develop yet another robotic middleware, but to test-drive the ideas of using asynchronous coroutines and event-driven logic in building robotic systems in distributed environments. The most natural future strategy is to adapt both the Python code in pyadept and V+ code in AdeptServer to be used with ROS2. The latter natively supports Python 3, so the available codebase will serve as a framework for coroutine-based ROS2 node design. The V+ code can form the basis for Adept robots support in ROS2.

In future iterations of the proposed architecture, it is of interest to investigate more high-performance approaches, such as binary message formats and high-frequency periodic UDP-based communication.

REFERENCES

- Angerer, A., Hoffmann, A., and Schierl, A. (2013). Robotics api: Object-oriented software development for industrial robots. *Journal of Software Engineering for Robotics*, 4(May):1–22.
- Åström, K. J. (2008). Event based control. In *Analysis and Design of Nonlinear Control Systems*, pages 127–147. Springer Berlin Heidelberg, Berlin, Heidelberg.
- Buschmann, F., Henney, K., and Schmidt, D. (2007). *Pattern-Oriented Software Architecture: A Pattern Language for Distributed Computing*. John Wiley & Sons.
- Cassandras, C. and Lafortune, S. (2008). *Introduction to Discrete Event Systems*. Springer.
- Dantam, N. T., Bøndergaard, K., Johansson, M. A., Furuholm, T., and Kavraki, L. E. (2016). Unix philosophy and the real world: Control software for humanoid robots. *Frontiers in Robotics and AI*, 3(March):1–15.
- Dantam, N. T., Lofaro, D. M., Hereid, A., Oh, P. Y., Ames, A. D., and Stilman, M. (2015). The ach library: A new framework for real-time communication. *Robotics & Automation Magazine, IEEE*, 22(1):76–85.
- Dworak, A., Charrue, P., Ehm, F., Sliwinski, W., Sobczak, M., Dworak, A., Charrue, P., Ehm, F., Sliwinski, W., and Sobczak, M. (2011). Middleware trends and market leaders 2011. In *13th International Conference on Accelerator and Large Experimental Physics Control Systems*, number October, pages 1334–1337, Grenoble, France.
- Dworak, A., Ehm, F., Charrue, P., and Sliwinski, W. (2012). The new cern controls middleware. *Journal of Physics: Conference Series*, 396.

⁴The CALLS is a V+ instruction allowing to call a subroutine identified by its string-based name and a sequence of arguments

- 674 Eriksen, I. (2017). *Setup and Interfacing of a KUKA Robotics*. PhD thesis, Norwegian University of Science
675 and Technology.
- 676 Gerkey, B. (2018). Why ros 2.0? Accessed: 2018-02-28.
- 677 Kerrisk, M. (2010). *The Linux Programming Interface: A Linux and UNIX System Programming Handbook*.
678 No Starch Press.
- 679 Komu, M., Varjonen, S., Gurtov, A., and Tarkoma, S. (2012). Sockets and beyond: Assessing the source
680 code of network applications. In *Linux Symposium*, pages 7–23.
- 681 Kortenkamp, D. and Simmons, R. (2008). Robotic systems architectures and programming. In Siciliano,
682 B. and Khatib, O., editors, *Springer Handbook of Robotics SE - 9*, pages 187–206. Springer Berlin
683 Heidelberg.
- 684 Lennartson, B., Bengtsson, K., Chengyin, Y., Andersson, K., Fabian, M., Falkman, P., and Åkesson, K.
685 (2010). Sequence planning for integrated product, process and automation design. *Automation Science
686 and Engineering, IEEE Transactions on*, 7(4):791–802.
- 687 Lind, M., Schrimpf, J., and Ulleberg, T. (2010). Open real-time robot controller framework. In *2010 3rd
688 CIRP Conference on Assembly Technology and Systems*, number June 2010, pages 13–18.
- 689 Magnoni, L. (2015). Modern messaging for distributed sytems. *Journal of Physics: Conference Series*,
690 608(1):1–8.
- 691 Maruyama, Y., Kato, S., and Azumi, T. (2016). Exploring the performance of ros2. In *Proceedings of the
692 13th International Conference on Embedded Software - EMSOFT '16*, pages 1–10, New York, New York,
693 USA. ACM Press.
- 694 Miskowicz, M. (2015). Reducing communication by event-triggered sampling. In Miskowicz, M., editor,
695 *Event-Based Control and Signal Processing*, pages 37–58. CRC Press.
- 696 Natale, L., Paikan, A., Randazzo, M., and Domenichelli, D. E. (2016). The icub software architecture:
697 Evolution and lessons learned. *Frontiers in Robotics and AI*, 3(April):1–21.
- 698 Onori, M. and Oliveira, J. B. (2010). Outlook report on the future of european assembly automation.
699 *Assembly Automation*, 30(1):7–31.
- 700 Rhodes, B. and Goerzen, J. (2010). *Foundations of Python Network Programming*. Apress, Berkeley, CA.
- 701 Sanfilippo, F., Hatledal, L. I., Zhang, H., Fago, M., and Pettersen, K. Y. (2015). Controlling kuka industrial
702 robots: Flexible communication interface jopenshowvar. *IEEE Robotics & Automation Magazine*,
703 22(4):96–109.
- 704 Schreiber, G., Stemmer, A., and Bischoff, R. (2010). The fast research interface for the kuka lightweight
705 robot. In *IEEE Workshop on Innovative Robot Control Architectures for Demanding (Research) Applica-
706 tions How to Modify and Enhance Commercial Controllers (ICRA 2010)*, pages 15–21.
- 707 Semeniuta, O., Dransfeld, S., and Falkman, P. (2016). Vision-based robotic system for picking and
708 inspection of small automotive components. In *2016 IEEE International Conference on Automation
709 Science and Engineering (CASE)*, pages 549–554. IEEE.
- 710 Semeniuta, O. and Falkman, P. (2018). Flexible image acquisition service for distributed robotic systems.
711 In *2018 Second IEEE International Conference on Robotic Computing (IRC)*, pages 106–112. IEEE.
- 712 Semeniuta, O. and Falkman, P. (2019). Epypes: a framework for building event-driven data processing
713 pipelines. *PeerJ Computer Science*, 5:e176.
- 714 Sharif, S., Agrawal, V., and Sweet, L. (2017). Adaptive industrial robot control for designers. In *35th
715 Annual International Conference of eCAADe – Educational and research in Computer Aided Architectural
716 Design in Europe*.
- 717 Stefano, M., Elisa, T., Fabrizio, R., Valentina, F., and Emanuele, M. (2014). Ros-i interface for comau
718 robots. *Simulation, Modeling, and Programming for Autonomous Robots*, 8810:243–254.
- 719 Willow Garage (2012). Willow garage collaborating with adept technologies and southwest research
720 institute for ros industrial. Accessed: 2018-11-21.
- 721 ZeroMQ (2008). Broker vs. brokerless. Accessed: 2018-02-28.