

4, 8, 32, 64 bit Substitution Box generation using Irreducible or Reducible Polynomials over Galois Field $GF(p^q)$

Sankhanil Dey¹ and Ranjan Ghosh²,
 sdrpe_rs@caluniv.ac.in¹, rghosh47@yahoo.co.in²,
 Institute of Radio Physics and Electronics^{1,2},
 University of Calcutta.

Keywords. Substitution Boxes, Irreducible Polynomials, Galois Fields, Finite Fields.

Abstract. Substitution Box or S-Box had been generated using 4-bit Boolean Functions (BFs) for Encryption and Decryption Algorithm of Lucifer and Data Encryption Standard (DES) in late sixties and late seventies respectively. The S-Box of Advance Encryption Standard have also been generated using Irreducible Polynomials over Galois field $GF(2^8)$ adding an additive constant in early twenty first century. In this paper Substitution Boxes have been generated from Irreducible or Reducible Polynomials over Galois field $GF(p^q)$. Binary Galois fields have been used to generate Substitution Boxes. Since the Galois Field Number or the Number generated from coefficients of a polynomial over a particular Binary Galois field (2^q) is similar to $\log_2 2^{q+1}$ bit BFs. So generation of $\log_2 2^{q+1}$ bit S-Boxes is Possible. Now if $p =$ prime or non-prime number then generation of S-Boxes is possible using Galois field $GF(p^q)$. where, $q = p-1$.

1. **Introduction.** Polynomials over Finite field or Galois field $GF(p^q)$ have been of utmost importance in Public Key Cryptography [1]. The polynomials over Finite field or Galois field $GF(p^q)$ that cannot be factored into polynomials with less degree of d and $q-d$ where $d = \{1, 2, \dots, (q-1)/2\}$ have been termed as Irreducible polynomials over Finite field or Galois field $GF(p^q)$ and the rest have been termed as Reducible polynomials over Finite field or Galois field $GF(p^q)$ [2]. The polynomials over Galois field $GF(p^q)$ with coefficient of the highest degree term as 1 have been termed as Monic polynomials Galois field $GF(p^q)$ and rest have been termed as Non-monic Polynomials Galois field $GF(p^q)$ [3]. The polynomials Galois field $GF(p^q)$ with degree q have been termed as Basic Polynomials or BPs over Galois field $GF(p^q)$ and Polynomials with degree $q-1$ have been termed as Elemental Polynomials or EPs over Galois field $GF(p^q)$ [4].

q bit proper Substitution box or S-Box have 2^q elements in an array where each element is unique and distinct and arranged in a random fashion varies from 0 to q . Polynomials over Galois field $GF(p^q)$ have been termed as binary polynomials if $p = 2$. The binary number constructed with $q = 0$ at LSB and $q = q$ at MSB has been termed as binary Coefficient Number or BCN of $\log_2 2^{q+1}$ bits. The Binary Coefficient Number or BCN over Galois field $GF(p^q)$ has been similar with $\log_2 2^{q+1}$ bit BFs. The $\log_2 2^{q+1}$ bit S-Boxes have been generated using $\log_2 2^{q+1}$ bit BCNs. In this paper proper 4, 5, 6, 7, and 8 bit S-Boxes have been generated using BCNs and the procure has been continued as a future scope to generate 16 and 32 bit S-Boxes. The non-repeated Coefficients of BPs over Galois field $GF(p^q)$, where $P = 2^{(\log_2 2^{q+1})}$ and $q = p-1$ have been used to generate $\log_2 2^{q+1}$ bit S-Boxes. In this paper proper 4, 5, 6, 7, and 8 bit S-Boxes have been generated using BCNs and the procure has been continued as a future scope to generate 16 and 32 bit S-Boxes.

In this paper Polynomials over Galois field $GF(p^q)$ and Substitution Boxes have been reviewed in section.2. The generation of 4 and 8 bit S-Boxes using BCNs have been elaborated in section 3. The generation of S-Boxes of 4 and 8 bit using Coefficients of Non-binary Galois Field Polynomials have been depicted in section 4. Conclusion, Acknowledgement and Reference has been given in section 5, 6 and 7.

2. Polynomials over Galois field $GF(p^q)$ and $\log_2 2^{q+1}$ bit S-Boxes. In this section the sub section 2.1. has been devoted to a small review of Polynomials. The sub section 2.2. has been of Utmost importance since in it A four bit bijective Crypto or Proper S-Box has been defined in brief. At last in sub section 2.3. The equation among 2^{15} Galois field Polynomials and a 4-bit Bijective Crypto S-Box has been elaborated in details.

2.1. Polynomials over Galois field $GF(p^q)$. Polynomials over Galois field $GF(p^q)$ have been of utmost importance in Cryptographic Applications. Polynomials with degree q have been termed as Basic Polynomials and Polynomials with degree less than q have been termed as Elemental Polynomials over Galois field $GF(p^q)$. Polynomials with leading coefficient as 1 have been termed as Monic Polynomials irrespective of BPs and EPs. An example, of the said criteria have been described as follows, the Example of Basic Polynomial or BP over Galois field $GF(p^q)$ has been given below,

$$BP(x) = co_q x^q + co_{q-1} x^{q-1} + co_{q-1} x^{q-2} + \dots + co_2 x^2 + co_1 x^1 + a_0 \dots \dots \dots (i)$$

In equation (i) $BP(x)$ has been represented as Basic Polynomial over Galois field $GF(p^q)$ since the highest degree term of the said Polynomial over Galois field $GF(p^q)$ is $\in q$. The BP has been called as a Monic BP if $co_q = 1$. The number of Terms in a BP over Galois field $GF(p^q)$ has been 0 to q i.e. $(q+1)$. The number of possible values of a particular coefficient co_q , where $0 \leq q \leq q$ has been from 0 to p i.e. $\in (p+1)$. If the value of q has been $< q$ then The Polynomial over Galois field $GF(p^q)$ has been termed as Elemental Polynomial over Galois field $GF(p^q)$. If a BP over Galois field $GF(p^q)$ can be factored into two non-constant EPs then the BP can be termed as Reducible Polynomials over Galois field $GF(p^q)$. If the two factor of a BP over Galois field $GF(p^q)$ have been the BP itself and a constant Polynomial then The BP have been said as an Irreducible Polynomial over Galois field $GF(p^q)$.

2.2. 4-bit Crypto S-Boxes: A 4-bit bijective Crypto S-Box can be written as Follows, where the each element of the first row of Table.1, entitled as index, are the position of each element of the S-Box within the given S-Box and the elements of the 2nd row, entitled as S-Box, are the elements of the given Substitution Box. It can be concluded that the 1st row is fixed for all possible bijective crypto S-Boxes. The values of each element of the 1st row are distinct, unique and vary between 0 and F. The values of the each element of the 2nd row of a bijective crypto S-Box are also distinct and unique and also vary between 0 and F. The values of the elements of the fixed 1st row are sequential and monotonically increasing where for the 2nd row they can be sequential or partly sequential or non-sequential. Here the given Substitution Box is the 1st 4-bit S-Box of the 1st S-Box out of 8 of Data Encryption Standard [5][6][7].

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
2	S-Box	E	4	D	1	2	F	B	8	3	A	6	C	5	9	0	7

Table.1. 4-bit bijective Crypto S-Box.

2.3. Relation between 4-bit S-Boxes and Polynomials over Galois field $GF(2^{15})$. Index of Each element of a 4-bit bijective crypto S-Box and the element itself is a hexadecimal number and that can be converted into a 4-bit bit sequence. From row 2 through 5 and row 7 through A of each column from 1 through G of Table.2. shows the 4-bit bit sequences of the corresponding hexadecimal numbers of the index of each element of the given S-Box and each element of the S-Box itself. Each row from 2 through 5 and 7 through A from column 1 through G constitutes a 16 bit, bit sequence that is a Basic Polynomial over Galois field $GF(2^{15})$. column 1 through G of Row 2 is termed as 4th IGFP, Row 3 is termed as 3rd IGFP Row 4 is termed as 2nd IGFP and Row 5 is termed as IGFP whereas column 1 through G of Row 7 is termed as 4th OGFP, Row 8 is termed as 3rd OGFP, Row 9 is termed as 2nd OGFP and Row A is termed as 1st OGFP. The decimal equivalent of each IGFP and OGFP are noted at column H of respective rows. Where IGFP stands for Input Galois Field Polynomial and OGFP stands for Output Galois Field Polynomials. The respective Polynomials have been shown in Row 1 through 8 of column 3 of Table.3.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G	H. Decimal Equivalent
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
2	IBF4	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	00255
3	IBF3	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1	03855
4	IBF2	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1	13107
5	IBF1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	21845
6	S-Box	E	4	D	1	2	F	B	8	3	A	6	C	5	9	0	7	
7	OBF4	1	0	1	0	0	1	1	1	0	1	0	1	0	1	0	0	42836
8	OBF3	1	1	1	0	0	1	0	0	0	0	1	1	1	0	0	1	58425
9	OBF2	1	0	0	0	1	1	1	0	1	1	1	0	0	0	0	1	36577
A	OBF1	0	0	1	1	0	1	1	0	1	0	0	0	1	1	0	1	13965

Table.2. Input and Output BCNs of the Substitution Box

Col	1	2	3
Row	Index	DCM Eqv.	Polynomials over Galois Field GF(2¹⁵).
1	IGFP4	00255	$BP(x) = x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + x^1 + 1.$
2	IGFP3	03855	$BP(x) = x^{11} + x^{10} + x^9 + x^8 + x^3 + x^2 + x^1 + 1.$
3	IGFP2	13107	$BP(x) = x^{13} + x^{12} + x^9 + x^8 + x^5 + x^4 + x^1 + 1.$
4	IGFP1	21845	$BP(x) = x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2 + 1.$
5	OGFP4	42836	$BP(x) = x^{15} + x^{13} + x^{10} + x^9 + x^8 + x^6 + x^4 + x^2.$
6	OGFP3	58425	$BP(x) = x^{15} + x^{14} + x^{13} + x^{10} + x^5 + x^4 + x^3 + 1.$
7	OGFP2	36577	$BP(x) = x^{15} + x^{11} + x^{10} + x^9 + x^7 + x^6 + x^5 + 1.$
8	OGFP1	13965	$BP(x) = x^{13} + x^{12} + x^{10} + x^9 + x^7 + x^3 + x^2 + 1.$

Table.3. Respective Polynomials of IGFP4 through IGFP1 and OGFP4 through OGFP1

3. 4 and 8 bit S-Box Generation by respective BCNs over Binary Galois Field GF(2^q) where

q €15 and 255 respectively. In this paper 4 and 8 bit Identity S-Boxes have been taken for example for generation of 4 and 8 bit S-Boxes over Binary Galois Fields GF(2^q) where q €15 and 255 respectively. The generation of Identity 4-bit S-Box from four BCNs over Binary Galois Field GF(2¹⁵) have been elaborated in sub section 3.1 and The generation of Identity 8-bit S-Box from Eight BCNs over Binary Galois Field GF(2²⁵⁵) have been elaborated in sub section 3.2. The Algorithm for generation of log₂^{q+1} bit S-Boxes over Binary Galois Field GF(2^q) has been depicted with Time Complexity of the algorithm in sub section 3.3.

3.1. Generation of 4-bit Identity Crypto S-Box from four Polynomials over Binary Galois Field GF(2¹⁵).

The Concerned 4-bit Identity S-Box has been shown in table.4 where each element of the first row of Table.4, entitled as index, are the position of each element of the S-Box within the given S-Box and the elements of the 2nd row, entitled as S-Box, are the elements of the given Identity Substitution Box. It can be concluded that the 1st row is fixed for all possible bijective crypto S-Boxes. The values of each element of the 1st row are distinct, unique and vary between 0 and F. The values of the each element of the 2nd row of the Identity crypto S-Box are also distinct and unique and also vary between 0 and F. The values of the elements of the fixed 1st row are sequential and monotonically increasing where for the 2nd row, they can be sequential or partly sequential or non-sequential. Here the given Substitution Box is the 4-bit Identity Crypto S-Box.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
2	S-Box	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table.4. 4-bit Identity Crypto S-Box.

Index of Each element of a 4-bit bijective crypto S-Box and the element itself is a hexadecimal number and that can be converted into a 4-bit bit sequence. From row 2 through 5 and row 7 through A of each column from 1 through G of Table.5. shows the 4-bit bit sequences of the corresponding hexadecimal numbers of the index of each element of the given S-Box and each element of the S-Box itself. Each row from 2 through 5 and 7 through A from column 1 through G constitutes a 16 bit, bit sequence that is a Basic Polynomial over Galois field $GF(2^{15})$. column 1 through G of Row 2 is termed as 4th IGFP, Row 3 is termed as 3rd IGFP Row 4 is termed as 2nd IGFP and Row 5 is termed as IGFP whereas column 1 through G of Row 7 is termed as 4th OGFP, Row 8 is termed as 3rd OGFP, Row 9 is termed as 2nd OGFP and Row A is termed as 1st OGFP. The decimal equivalent of each IGFP and OGFP are noted at column H of respective rows. Where IGFP stands for Input Galois Field Polynomial and OGFP stands for Output Galois Field Polynomials. The respective Polynomials have been shown in Row 1 through 8 of column 3 of Table.6.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G	H. Decimal Equivalent
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
2	IBC N4	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	00255
3	IBC N3	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1	03855
4	IBC N2	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1	13107
5	IBC N1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	21845
6	S-Box	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	
7	OBC N4	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	00255
8	OBC N3	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1	03855
9	OBC N2	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1	13107
A	OBC N1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	21845

Table.5. Input and Output BCNs of the Identity Substitution Box

Col	1	2	3
Row	Index	DCM Eqv.	Polynomials over Galois Field $GF(2^{15})$.
1	IGFP4	00255	$BP(x) = x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + x^1 + 1.$
2	IGFP3	03855	$BP(x) = x^{11} + x^{10} + x^9 + x^8 + x^3 + x^2 + x^1 + 1.$
3	IGFP2	13107	$BP(x) = x^{13} + x^{12} + x^9 + x^8 + x^5 + x^4 + x^1 + 1.$
4	IGFP1	21845	$BP(x) = x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2 + 1.$
5	OGFP4	00255	$BP(x) = x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + x^1 + 1.$
6	OGFP3	03855	$BP(x) = x^{11} + x^{10} + x^9 + x^8 + x^3 + x^2 + x^1 + 1.$
7	OGFP2	13107	$BP(x) = x^{13} + x^{12} + x^9 + x^8 + x^5 + x^4 + x^1 + 1.$
8	OGFP1	21845	$BP(x) = x^{14} + x^{12} + x^{10} + x^8 + x^6 + x^4 + x^2 + 1.$

Table.6. Respective Polynomials of IGFP4 through IGFP1 and OGFP4 through OGFP1

3.2. Generation of 8-bit Identity Crypto S-Box from Eight Polynomials over Binary Galois Field $GF(2^{255})$.

The Concerned 8-bit Identity S-Box has been shown in table.7 where each element of the first row of Table.7, entitled as index, are the position of each element of the S-Box within the given S-Box and the elements of the column 1 through G of 2nd to 17th row, entitled as S-Box, are the elements of the given 8-bit Identity Substitution Box sequentially. It can be concluded that the 1st row is fixed for all possible 8-bit bijective crypto S-Boxes. The values of each element of the 1st row are distinct, unique and vary between 0 and F. The values of the each element of the column 1 through G of 2nd row to 17th row of the 8-bit Identity crypto S-Box are also distinct and unique and vary between 0 and 256. The values of the elements of the fixed 1st row are sequential and monotonically increasing where for the 2nd to 17th row, they can be sequential or partly sequential or non- sequential. Here the given Substitution Box is the 8-bit Identity Crypto S-Box.

BCNs of	Polynomial
IGFP8 & OGFP8	$ \begin{aligned} & x^{127} + x^{126} + x^{125} + x^{124} + x^{123} + x^{122} + x^{121} + x^{120} + x^{119} + x^{118} + x^{117} + x^{116} + x^{115} + x^{114} + x^{113} + x^{112} + \\ & x^{111} + x^{110} + x^{109} + x^{108} + x^{107} + x^{106} + x^{105} + x^{104} + x^{103} + x^{102} + x^{101} + x^{100} + x^{99} + x^{98} + x^{97} + x^{96} + \\ & x^{95} + x^{94} + x^{93} + x^{92} + x^{91} + x^{90} + x^{89} + x^{88} + x^{87} + x^{86} + x^{85} + x^{84} + x^{83} + x^{82} + x^{81} + x^{80} + \\ & x^{79} + x^{78} + x^{77} + x^{76} + x^{75} + x^{74} + x^{73} + x^{72} + x^{71} + x^{70} + x^{69} + x^{68} + x^{67} + x^{66} + x^{65} + x^{64} + \\ & x^{63} + x^{62} + x^{61} + x^{60} + x^{59} + x^{58} + x^{57} + x^{56} + x^{55} + x^{54} + x^{53} + x^{52} + x^{51} + x^{50} + x^{49} + x^{48} + \\ & x^{47} + x^{46} + x^{45} + x^{44} + x^{43} + x^{42} + x^{41} + x^{40} + x^{39} + x^{38} + x^{37} + x^{36} + x^{35} + x^{34} + x^{33} + x^{32} + \\ & x^{31} + x^{30} + x^{29} + x^{28} + x^{27} + x^{26} + x^{25} + x^{24} + x^{23} + x^{22} + x^{21} + x^{20} + x^{19} + x^{18} + x^{17} + x^{16} + \\ & x^{15} + x^{14} + x^{13} + x^{12} + x^{11} + x^{10} + x^9 + x^8 + x^7 + x^6 + x^5 + x^4 + x^3 + x^2 + x + 1. \end{aligned} $

Table.9. Respective Polynomial of IGFP8 and OGFP8 of the Given 8 bit S-Box.

3.3 Algorithm to generate S-Box from Polynomials over Galois field $GF(2^{15})$ or $GF(2^{255})$.

START.

Step OA. Choose 4 Galois field Polynomials over Galois field $GF(2^{15})$ or 8 Galois field Polynomials over Galois field $GF(2^{255})$.

Step.01. If Number of Terms in BCNs are Half of Number of total terms Then Step 02. Else Step 0A.

Step.02. Convert to decimal the 4 or 8 bit binary number generated by bits in same position of 4 BCNs for Galois field Polynomials over Galois field $GF(2^{15})$ or 8 Galois field Polynomials over Galois field $GF(2^{255})$.

STOP.

Time Complexity of the given Algorithm. $O(n)$.

4. **4 and 8 bit S-Box Generation by respective BCNs over Non Binary Galois Field $GF(16^{15})$ and Galois Field $GF(256^{255})$ respectively.** The coefficients of each polynomial over Non Binary Galois Field $GF(16^{15})$ forms a 4-bit S-Box. The Coefficient of highest or lowest degree term must be the 1st element in 4-bit S-box, the value of other elements are the value of coefficients with immediate degree less than or greater than the previous one. Let The Polynomial be,

$$BP(x) = 0x^{15} + 1x^{14} + 2x^{13} + 3x^{12} + 4x^{11} + 5x^{10} + 6x^9 + 7x^8 + 8x^7 + 9x^6 + 10x^5 + 11x^4 + 12x^3 + 13x^2 + 14x + 15 \dots \dots \dots (ii)$$

For the above Polynomial The Constituted 4-bit S-Box have been given in Table 10.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
2	S-Box	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F

Table.10. constituted 4-bit Crypto S-Box.

The Polynomial with coefficients in reverse order,

$$BP(x) = 15x^{15} + 14x^{14} + 13x^{13} + 12x^{12} + 11x^{11} + 10x^{10} + 9x^9 + 8x^8 + 7x^7 + 6x^6 + 5x^5 + 4x^4 + 3x^3 + 2x^2 + 1x + 0 \dots \dots \dots (iii)$$

For the above Polynomial The Constituted 4-bit S-Box have been given in Table 11.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
2	S-Box	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0

Table.11. constituted 4-bit Crypto S-Box.

The coefficients of each polynomial over Non Binary Galois Field $GF(256^{255})$ forms a 8-bit S-Box. The Coefficient of highest or lowest degree term must be the 1st element in 4-bit S-box, the value of other elements are the value of coefficients with immediate degree less than or greater than the previous one. Let The Polynomial be, Let the Polynomial be given in Table.12.,

Polynomial BP(x) =	
$0.x^{255} + 1.x^{254} + 2.x^{253} + 3.x^{252} + 4.x^{251} + 5.x^{250} + 6.x^{249} + 7.x^{248} + 8.x^{247} + 9.x^{246} + 10.x^{245} + 11.x^{244} + 12.x^{243} + 13.x^{242} + 14.x^{241} + 15.x^{240} + 16.x^{239} + 17.x^{238} + 18.x^{237} + 19.x^{236} + 20.x^{235} + 21.x^{234} + 22.x^{233} + 23.x^{232} + 24.x^{231} + 25.x^{230} + 26.x^{229} + 27.x^{228} + 28.x^{227} + 29.x^{226} + 30.x^{225} + 31.x^{224} + 32.x^{223} + 33.x^{222} + 34.x^{221} + 35.x^{220} + 36.x^{219} + 37.x^{218} + 38.x^{217} + 39.x^{216} + 40.x^{215} + 41.x^{214} + 42.x^{213} + 43.x^{212} + 44.x^{211} + 45.x^{210} + 46.x^{209} + 47.x^{208} + 48.x^{207} + 49.x^{206} + 50.x^{205} + 51.x^{204} + 52.x^{203} + 53.x^{202} + 54.x^{201} + 55.x^{200} + 56.x^{199} + 57.x^{198} + 58.x^{197} + 59.x^{196} + 60.x^{195} + 61.x^{194} + 62.x^{193} + 63.x^{192} + 64.x^{191} + 65.x^{190} + 66.x^{189} + 67.x^{188} + 68.x^{187} + 69.x^{186} + 70.x^{185} + 71.x^{184} + 72.x^{183} + 73.x^{182} + 74.x^{181} + 75.x^{180} + 76.x^{179} + 77.x^{178} + 78.x^{177} + 79.x^{176} + 80.x^{175} + 81.x^{174} + 82.x^{173} + 83.x^{172} + 84.x^{171} + 85.x^{170} + 86.x^{169} + 87.x^{168} + 88.x^{167} + 89.x^{166} + 90.x^{165} + 91.x^{164} + 92.x^{163} + 93.x^{162} + 94.x^{161} + 95.x^{160} + 96.x^{159} + 97.x^{158} + 98.x^{157} + 99.x^{156} + 100.x^{155} + 101.x^{154} + 102.x^{153} + 103.x^{152} + 104.x^{151} + 105.x^{150} + 106.x^{149} + 107.x^{148} + 108.x^{147} + 109.x^{146} + 110.x^{145} + 111.x^{144} + 112.x^{143} + 113.x^{142} + 114.x^{141} + 115.x^{140} + 116.x^{139} + 117.x^{138} + 118.x^{137} + 119.x^{136} + 120.x^{135} + 121.x^{134} + 122.x^{133} + 123.x^{132} + 124.x^{131} + 125.x^{130} + 126.x^{129} + 127.x^{128} + 128.x^{127} + 129.x^{126} + 130.x^{125} + 131.x^{124} + 132.x^{123} + 133.x^{122} + 134.x^{121} + 135.x^{120} + 136.x^{119} + 137.x^{118} + 138.x^{117} + 139.x^{116} + 140.x^{115} + 141.x^{114} + 142.x^{113} + 143.x^{112} + 144.x^{111} + 145.x^{110} + 146.x^{109} + 147.x^{108} + 148.x^{107} + 149.x^{106} + 150.x^{105} + 151.x^{104} + 152.x^{103} + 153.x^{102} + 154.x^{101} + 155.x^{100} + 156.x^{99} + 157.x^{98} + 158.x^{97} + 159.x^{96} + 160.x^{95} + 161.x^{94} + 162.x^{93} + 163.x^{92} + 164.x^{91} + 165.x^{90} + 166.x^{89} + 167.x^{88} + 168.x^{87} + 169.x^{86} + 170.x^{85} + 171.x^{84} + 172.x^{83} + 173.x^{82} + 174.x^{81} + 175.x^{80} + 176.x^{79} + 177.x^{78} + 178.x^{77} + 179.x^{76} + 180.x^{75} + 181.x^{74} + 182.x^{73} + 183.x^{72} + 184.x^{71} + 185.x^{70} + 186.x^{69} + 187.x^{68} + 188.x^{67} + 189.x^{66} + 190.x^{65} + 191.x^{64} + 192.x^{63} + 193.x^{62} + 194.x^{61} + 195.x^{60} + 196.x^{59} + 197.x^{58} + 198.x^{57} + 199.x^{56} + 200.x^{55} + 201.x^{54} + 202.x^{53} + 203.x^{52} + 204.x^{51} + 205.x^{50} + 206.x^{49} + 207.x^{48} + 208.x^{47} + 209.x^{46} + 210.x^{45} + 211.x^{44} + 212.x^{43} + 213.x^{42} + 214.x^{41} + 215.x^{40} + 216.x^{39} + 217.x^{38} + 218.x^{37} + 219.x^{36} + 220.x^{35} + 221.x^{34} + 222.x^{33} + 223.x^{32} + 224.x^{31} + 225.x^{30} + 226.x^{29} + 227.x^{28} + 228.x^{27} + 229.x^{26} + 230.x^{25} + 231.x^{24} + 232.x^{23} + 233.x^{22} + 234.x^{21} + 235.x^{20} + 236.x^{19} + 237.x^{18} + 238.x^{17} + 239.x^{16} + 240.x^{15} + 241.x^{14} + 242.x^{13} + 243.x^{12} + 244.x^{11} + 245.x^{10} + 246.x^9 + 247.x^8 + 248.x^7 + 249.x^6 + 250.x^5 + 251.x^4 + 252.x^3 + 253.x^2 + 254.x + 255.$	

Table.12. Polynomial to Construct 8-bit Identity S-Box.

For the above Polynomial The Constituted 8-bit S-Box have been given in Table 13.

Row	Column	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G
1	Index	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
2	S-Box	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
3		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
4		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
5		48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63
6		64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79
7		80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
8		96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111
9		112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127
10		128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143
11		144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159
12		160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175
13		176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191
14		192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207
15		208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223
16		224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239
17		240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255

Table.13. Constituted Identity 8-bit S-Box.

Note. The 32-bit S-Boxes can be constituted by Polynomials over Galois field $GF[(2^{32})^{(2^{32}-1)}]$ and the 64-bit S-Boxes can be constituted by Polynomials over Galois field $GF[(2^{64})^{(2^{64}-1)}]$.

5. Conclusion. From this Research Article it can be concluded that 4, 8, 32, 64 bit Substitution boxes can be constituted using Basic Polynomials or BPs over Galois Fields $GF(16^{15})$, $GF(256^{255})$, $GF[(2^{32})^{(2^{32}-1)}]$ and $GF[(2^{64})^{(2^{64}-1)}]$ respectively. For this reason Generation of 4, 8, 32, 64 bit S-Boxes have been generated very easily with very less complexity. It is a very important work in modern cryptography since the work has been dedicated to crypto community for upgradation of complexity of crypto algorithms.

6. Acknowledgement. For this work I would like to acknowledge my Supervisor Dr. Ranjan Ghosh for his continuous encouragement and support. I would also like to acknowledge Prof. Debatosh Guha for providing me the infrastructure to do this work very elegantly.

7. References.

- [1] Church R., "Tables of Irreducible Polynomials for the first four Prime Moduli", Annals of Mathematics, Vol. 36(1), pp. 198 – 209, January, 1935.
- [2] Das, S, Zaman, J.K.M.S. Uz, Ghosh, R, "Generation of AES S-Boxes with various modulus and additive constant polynomials and testing their randomization", Proceedings (CIMTA) 2013, Procedia Technology vol. 10.(2013), pp: 957 – 962.
- [3] Jacques C'almel And Riidiger Loos, "An Improvement of Rabin's Probabilistic Algorithm For Generating Irreducible Polynomials Over $Gf(P)$ ", Information Processing Letters, 20 October 1980, Volume 11, No. 2.
- [4] Zaman , J K M Sadique Uz, Dey sankhanil, Ghosh, R, "An Algorithm to find the Irreducible Polynomials over Galois Field $GF(p^m)$ ", International Journal of Computer Applications (0975 – 8887) Volume 109 – No. 15, January 2015.