

Polyester or epoxy: assessing embedding product efficacy in paleohistological methods (#51266)

1

First submission

Guidance from your Editor

Please submit by **30 Aug 2020** for the benefit of the authors (and your \$200 publishing discount) .



Structure and Criteria

Please read the 'Structure and Criteria' page for general guidance.



Author notes

Have you read the author notes on the [guidance page](#)?



Raw data check

Review the raw data.



Image check

Check that figures and images have not been inappropriately manipulated.

Privacy reminder: If uploading an annotated PDF, remove identifiable information to remain anonymous.

Files

Download and review all files from the [materials page](#).

4 Figure file(s)

2 Table file(s)

1 Raw data file(s)



Structure and Criteria

Structure your review

The review form is divided into 5 sections. Please consider these when composing your review:

1. BASIC REPORTING
2. EXPERIMENTAL DESIGN
3. VALIDITY OF THE FINDINGS
4. General comments
5. Confidential notes to the editor

 You can also annotate this PDF and upload it as part of your review

When ready [submit online](#).

Editorial Criteria

Use these criteria points to structure your review. The full detailed editorial criteria is on your [guidance page](#).

BASIC REPORTING

-  Clear, unambiguous, professional English language used throughout.
-  Intro & background to show context. Literature well referenced & relevant.
-  Structure conforms to [Peerj standards](#), discipline norm, or improved for clarity.
-  Figures are relevant, high quality, well labelled & described.
-  Raw data supplied (see [Peerj policy](#)).

EXPERIMENTAL DESIGN

-  Original primary research within [Scope of the journal](#).
-  Research question well defined, relevant & meaningful. It is stated how the research fills an identified knowledge gap.
-  Rigorous investigation performed to a high technical & ethical standard.
-  Methods described with sufficient detail & information to replicate.

VALIDITY OF THE FINDINGS

-  Impact and novelty not assessed. Negative/inconclusive results accepted. *Meaningful* replication encouraged where rationale & benefit to literature is clearly stated.
-  All underlying data have been provided; they are robust, statistically sound, & controlled.
-  Speculation is welcome, but should be identified as such.
-  Conclusions are well stated, linked to original research question & limited to supporting results.

Standout reviewing tips

3



The best reviewers use these techniques

Tip

Support criticisms with evidence from the text or from other sources

Example

Smith et al (J of Methodology, 2005, V3, pp 123) have shown that the analysis you use in Lines 241-250 is not the most appropriate for this situation. Please explain why you used this method.

Give specific suggestions on how to improve the manuscript

Your introduction needs more detail. I suggest that you improve the description at lines 57- 86 to provide more justification for your study (specifically, you should expand upon the knowledge gap being filled).

Comment on language and grammar issues

The English language should be improved to ensure that an international audience can clearly understand your text. Some examples where the language could be improved include lines 23, 77, 121, 128 – the current phrasing makes comprehension difficult.

Organize by importance of the issues, and number your points

1. Your most important issue
2. The next most important item
3. ...
4. The least important points

Please provide constructive criticism, and avoid personal opinions

I thank you for providing the raw data, however your supplemental files need more descriptive metadata identifiers to be useful to future readers. Although your results are compelling, the data analysis should be improved in the following ways: AA, BB, CC

Comment on strengths (as well as weaknesses) of the manuscript

I commend the authors for their extensive data set, compiled over many years of detailed fieldwork. In addition, the manuscript is clearly written in professional, unambiguous language. If there is a weakness, it is in the statistical analysis (as I have noted above) which should be improved upon before Acceptance.

Polyester or epoxy: assessing embedding product efficacy in paleohistological methods

Christian T Heck^{Corresp., 1}, Gwyneth Volkmann¹, Holly N Woodward¹

¹ Department of Biomedical Sciences, Oklahoma State University Center for Health Sciences, Tulsa, Oklahoma, United States

Corresponding Author: Christian T Heck
Email address: ccheck@okstate.edu

Histological examination of bone microstructure provides insight into extant and extinct vertebrate physiology. Fossil specimens sampled for histological examination are typically first embedded in an inexpensive polyester resin and then cut into thin sections, mounted on slides, and polished for viewing. Modern undecalcified bone is chemically processed prior to embedding in plastic resin, sectioning, mounting, and polishing. Conversely, small fossil material and modern undecalcified bone are typically embedded in higher priced epoxy resin because these specimen types require final sections near or below 100µm thick. Anecdotal evidence suggests thin sections made of polyester resin embedded material polished thinner than 100µm increases likelihood of sample peeling, material loss, and is unsuitable for modern tissue and small fossil material. To test this assertion, a sample of modern bones and fossil bones, teeth, and scales were embedded in either polyester resin or epoxy resin. Embedded specimens were sectioned and mounted following standard published protocol. Thin sections were ground on a lapidary wheel using decreasing grit sizes until tissue microstructure was completely discernible when viewed under a polarizing light microscope. Additionally, eight prepared thin sections (four from polyester resin embedded specimens and four from epoxy resin embedded specimens) were continuously ground on a lapidary wheel using 600 grit carbide paper until peeling occurred or material integrity was lost. Slide thickness when peeling occurred was measured for comparing slide thickness when specimen integrity was lost between the two resin types. Final slide thickness ranged from 38µm to 247µm when tissue was identifiable using a polarizing microscope. Finished slide thickness varied between resin types despite similar tissue visibility. However, finished slide thickness appears more dependent on hard tissue composition than resin type. Additionally, we did not find a difference of slide thickness when material was lost between resin types. The results of this preliminary study suggest that polyester resins can be used for embedding undecalcified modern hard tissues and fossilized hard tissues without loss of tissue visibility or material integrity, at least in the short term.

Polyester or epoxy: assessing embedding product efficacy in paleohistological methods.

Christian Thomas Heck¹, Gwyneth Volkmann¹, Holly N. Woodward¹

¹Department of Biomedical Sciences, Oklahoma State University – Center for Health Sciences, Tulsa, Oklahoma, United States of America

Corresponding Author:

Christian Heck¹

1111 W 17th St, Tulsa, OK, 74136, USA

Email address: check@okstate.edu

Abstract

Histological examination of bone microstructure provides insight into extant and extinct vertebrate physiology. Fossil specimens sampled for histological examination are typically first embedded in an inexpensive polyester resin and then cut into thin sections, mounted on slides, and polished for viewing. Modern undecalcified bone is chemically processed prior to embedding in plastic resin, sectioning, mounting, and polishing. Conversely, small fossil material and modern undecalcified bone are typically embedded in higher priced epoxy resin because these specimen types require final sections near or below 100 μ m thick. Anecdotal evidence suggests thin sections made of polyester resin embedded material polished thinner than 100 μ m increases likelihood of sample peeling, material loss, and is unsuitable for modern tissue and small fossil material. To test this assertion, a sample of modern bones and fossil bones, teeth, and scales were embedded in either polyester resin or epoxy resin. Embedded specimens were sectioned and mounted following standard published protocol. Thin sections were ground on a lapidary wheel using decreasing grit sizes until tissue microstructure was completely discernible when viewed under a polarizing light microscope. Additionally, eight prepared thin sections (four from polyester resin embedded specimens and four from epoxy resin embedded specimens) were continuously ground on a lapidary wheel using 600 grit carbide paper until peeling occurred or material integrity was lost. Slide thickness when peeling occurred was measured for comparing slide thickness when specimen integrity was lost between the two resin types. Final slide thickness ranged from 38 μ m to 247 μ m when tissue was identifiable using a polarizing microscope. Finished slide thickness varied between resin types despite similar tissue visibility. However, finished slide thickness appears more dependent on hard tissue composition than resin type. Additionally, we did not find a difference of slide thickness when material was lost between resin types. The results of this preliminary study suggest that polyester resins can be used for embedding undecalcified modern hard tissues and fossilized hard tissues without loss of tissue visibility or material integrity, at least in the short term.

Introduction

Histological examination of bone allows interpretation of relative growth rates, absolute age, pathologies, and life history reconstructions of extinct and extant taxa (Marin-Moratalla et al. 2013; Cubo et al. 2015; Woodward et al. 2015; Calderon et al. 2019). Vertebrate paleontology studies increasingly incorporate osteohistology, or bone histotechniques, for these reasons, with large-sample studies becoming more common. The recognized utility of osteohistology necessitates investigating the cost-effectiveness of consumables involved to reduce expense, especially concerning large sample sizes. Decalcification of modern hard tissues is necessary for specific staining protocol at the sacrifice of the mineral component (Skinner 2003). However, preparation of hard tissues without decalcification allows for investigation of mineralization patterns and direct comparisons with fossil specimens (Scarano, Orsini, & Piattelli 2003; Skinner 2003; Straehl et al. 2013), as the unmineralized component of bone typically degrades prior to fossilization. Methodology for the

preparation of undecalcified hard tissues, also simply termed ‘calcified tissue’, for histological examination varies but generally includes stepwise tissue fixation, dehydration, and clearing prior to specimen embedding in resin, mounting the embedded specimen to a slide with glue, and thin section polishing (Fig. 1) (An et al. 2003, Schweitzer et al. 2007). Soft tissues in bone, e.g. oils, fats, and the collagen component of bone, are lost during the process of fossilization, thus, preparation of fossil hard tissues does not include the initial chemical treatments of modern hard tissues but still requires embedding in resin for stabilization, mounting, and polishing (Fig. 1) (Chinsamy and Raath 1992; Wilson 1994; Lamm 2013). Embedding, or investing, biological material for histological study was first introduced by Klebs (1869) using paraffin as the embedding medium (Sanderson et al 1988). Over the next century advancements in petrography and biological histology developed, and new methodologies for processing specimens emerged; however, protocol for histological processing of mineralized fossil material in publications was often absent or vague. Mineralized osteohistological studies have since utilized a variety of embedding mediums, with epoxy and polyester resins being common for extant bone and fossil bone respectively. However, choice of fossil and modern hard tissue embedding medium does not appear established on the basis of resin efficacy. Instead, resin selection seems to be personal preference or based off of published corporate technical notes (Ahmed and Vander Voort 2000; 2003). For instance, Chinsamy and Raath (1992) were the first to publish a detailed protocol for their preparation of fossil bone for histological study and utilized epoxy resin for their embedding medium. They state, “...any resin or other rigid, clear mounting medium which does not interfere with the structure or optical properties of the tissues could be used” (Chinsamy and Raath 1992, p. 40). Wilson (1994) also details methods used for preparing fossil bone for histological analysis and lists polyester resin as the preferred embedding medium for fossil bone. Lamm (2013) thoroughly describes the methodology developed at the Museum of the Rockies (Bozeman, MT, USA) for preparation and sectioning of fossil specimens for histological sampling. Lamm (2013) states that small fossils between one millimeter and one centimeter in length benefit from epoxy resin embedding due to the low viscosity of epoxy, which increases resin penetration, but that polyester resin is suitable for larger fossil material. Resin choice is further compounded by price, with some epoxy resins costing up to 479% that of some polyester resins at the time of this publication. Such expenses can be prohibitive for underfunded researchers and institutions and necessitates determining cost effective alternatives. Here, we investigate the efficacy of polyester and epoxy embedding mediums (of different price points) commonly used in histological studies of fossil bone and modern undecalcified hard tissues to determine the variables requiring higher priced epoxy resins in the event that polyester and epoxy resins are similar in functionality.

Materials & Methods

Fossil and modern hard tissues were chosen for sampling to test the efficacy of polyester and epoxy resins. The fossils are donated bones, teeth, and fish scales of unknown provenience.

Fossil specimens include a turtle femur, two ornithischian dinosaur teeth, gar scale, crocodile scute, and a rib and bone fragment of unknown taxa. Modern bones were either purchased from a local grocery store (domestic chicken (*Gallus gallus domesticus*)) or collected as salvage (nine-banded armadillo (*Dasypus novemcinctus*)). Salvage was collected under Oklahoma collecting permits. The chicken humerus, tibia, and femur were sampled as well as both calcanea from the nine-banded armadillo.

Fossil material was thoroughly washed with acetone to remove any consolidants from the bone surface. Specimens were placed in small silicone containers and filled with either Silmar-41 two-part polyester resin, a commonly manufactured polyester resin, or Buehler Epothin (1 or 2, see Table 1) two-part epoxy resin (Buehler Ltd.). A variety of epoxy and polyester resins are utilized by osteohistological studies, but the two resins tested here are commonly used in paleohistological embedding (Lamm 2013). Buehler Epothin 1 became unavailable mid-way through the experiment and was replaced by two-part Buehler Epothin 2. We assume there is no major difference in efficacy between Epothin 1 and Epothin 2. Specimen processing then followed standard protocol outlined in Lamm (2013).

All modern bones were processed prior to embedding using modified techniques from An et al. (2003) and Schweitzer et al. (2007) and outlined here. Modern material was soaked in warm water mixed with 1% Tergazyme Enzyme Detergent (Alconox Inc.) to degrade and to ease the removal of soft tissues from the bones. Specimens were air dried and **remaining soft tissues** were removed via dissection. Bones were fixed in 10% formalin solution for 2-3 days. Specimens were then dehydrated in step-wise increasing concentrations of ethanol starting at 70% EtOH for 48 hours, followed by 85% EtOH for 48 hours, and finishing in 100% EtOH for 48 hours. Specimens were then cleared in Clear-Advantage Xylene Substitute (Polysciences Inc.) for 2-4 hours and set aside **until dry** (24-48 hours under a fume hood). Embedding procedure then proceeded as described above for fossil material (see Table 1 for embedding resin type used for each specimen).

One to two **thin** sections were generated from each embedded specimen (Table 1). A Buehler Isomet 1000 saw (Buehler Ltd.), equipped with a 6" diamond cutoff blade, was used to cut thick wafers of approximately 2.5mm from each embedded specimen block. One side of each wafer was ground on a Buehler Ecomet 4 lapidary grinder/polisher (Buehler Ltd.) using silicon carbide paper from 600 grit to 800 grit. Additionally, one side of the plastic slides was "frosted" using 600 grit silicon carbide paper on the Ecomet 4. Frosting of the wafer and plastic slide permits better adherence when glue is applied. Using 600 grit silicon carbide paper does not create scratches large enough to affect visibility of the finished section with microscope viewing. Wafers were placed under a fume hood for 24 hours to dry. After drying, wafers were mounted to frosted plastic slides with Starbond cyanoacrylate glue of medium viscosity to form a thin-section slide. Lamm (2013) recommends that polyester embedded specimens be mounted to glass slides using two-part, two-ton epoxy, while epoxy embedded specimens be mounted to plastic slides using cyanoacrylate glue for better adherence. Recent processing of thin sections on glass with two-ton epoxy as the adhesive resulted in artifacts at the microscopic level. Although

not visible in plane light, the artifacts appear as tiny birefringent square flakes in cross polarized light (Fig. 2). The presence of birefringent flakes is not isolated to any single brand of two-part epoxy, and are only present in the hardener component (HNW pers. obs.). Here, we use plastic slides for all specimens because of the much lower cost of plastic slides relative to glass, and apply cyanoacrylate glue to avoid visual complications caused by the use of two-ton epoxy. Thin-sections (wafers mounted on slides) were set under a fume hood for 24 hours to cure and were then removed and allowed to cure for an additional 24 hours. Thin-sections were ground and polished using silicon carbide paper of decreasing grit sizes beginning at 320 grit and ending with 800 grit on a lapidary wheel until bone microstructure was visible and identifiable under a polarizing light microscope. Thin-sections were further polished by hand with 5µm and 1µm solutions. Osteohistological studies often rely on qualitative descriptions such as that of bone tissue organization and vascular canal organization. Therefore, clarity of tissue organization and visibility between specimens embedded in the two resin types were qualitatively assessed by the authors. Thickness of finished slides was averaged for each specimen. Differences in resin refractive index were not taken into account when assessing tissue visibility.

Slide thickness and specimen peeling

Two general kinds of damage can occur during grinding and polishing of hard tissues: (1) hard tissue material tearing, or popping, off the slide and (2) complete removal of specimen tissue due to excessive polishing. Lamm (2013) suggests epoxy resin performs better with material requiring extremely low thickness for tissue visibility whereas similar material embedded in polyester resin may succumb to the second type of damage during the grinding and polishing stage. Four specimens used in the study were chosen for further testing the ability of each resin to maintain specimen integrity when polished aggressively. The fossil rib and unknown bone fragment were carefully broken in half using a small hammer, and one half was embedded in Silmar-41 polyester resin and the other half embedded in either Buehler Epothin 1 or Epothin 2 epoxy resin (Table 1). Embedding protocol followed protocol previously stated. Testing each half in a different resin eliminated potential variation in tissue reaction based on mineral density, bone tissue organization, and/or vascular density. Similarly, one fossil tooth and the right nine-banded armadillo calcaneum was embedded in Silmar-41 while a second fossil tooth and the left nine-banded armadillo calcaneum was embedded in Buehler Epothin 2. Specimen processing and thin section preparation followed the previously stated protocol and the resultant thin section slides were polished on a lapidary wheel with 600 grit carbide paper until light could pass through the specimen. Thin sections were then polished further on the lapidary wheel using 800 grit carbide paper until specimen integrity was lost (damage type (1) or (2) as defined previously). Thickness of thin sections at moment of lost integrity was measured using a digital micrometer. Resultant thicknesses were compared between specimens embedded in each resin.

Results

We qualitatively assessed thin-sections produced from specimens embedded in the two resin types, Silmar-41 polyester resin and Buehler Epothin epoxy resins. Assessment included clarity of tissue organization and incurred thin section damage, as described previously. We found no appreciable difference in tissue clarity or visibility between specimens embedded in Buehler Epothin epoxy resin and specimens embedded in Silmar-41 polyester resin (Fig. 3). Additionally, we found no difference in thin-section quality between modern and fossil specimens regardless of resin type. None of the prepared thin-sections exhibited either type of damage prior to tissue organization being visible and identifiable under a polarized light microscope. Final thin section thicknesses ranged from 38 μ m to 247 μ m when tissue organization could be identified under a polarized light microscope; averaged thicknesses ranged from 46 μ m to 237 μ m (Table 2). Finished, averaged thin-section thickness varied between resin types despite similar tissue visibility with specimens embedded in Buehler Epothin resins ranging from 46 μ m to 90 μ m and specimens embedded in Silmar-41 resin ranging from 56 μ m to 237 μ m (see Supp. 1 for individual slide thickness).

Resin type and section damage

We also did not find a difference between thin-section thickness at point of material damage, albeit with a small sample size. Table 2 lists the slide thickness at integrity loss for each specimen. Thickness at integrity loss was well beyond that in which bone microstructure was visible and identifiable in each specimen, and integrity loss resulted in damage type (1) (material tearing or popping off of the slide) (Fig. 4).

Discussion

Our results suggest that polyester resins can be used for embedding undecalcified modern bone and fossilized hard tissues without loss of tissue visibility or embedded material integrity. The finished section thickness did vary between Silmar-41 and Buehler Epothin embedded specimens. On average, epoxy resin embedded specimens had to be ground thinner than polyester embedded specimens to achieve similar levels of tissue visibility. However, finished section thickness appears more dependent on variation in hard tissue composition rather than resin type. For example, the fossil rib was divided into two parts and each part embedded in a different resin. The average finished section thickness of the polyester resin embedded rib part was 56 μ m and the epoxy resin embedded rib part was 60 μ m. Similar trends were observed in the finished slide thicknesses of the divided unknown fossil bone fragment and the two fossil teeth. The gar scale, composed of bone, dentine, and ganoin, was embedded in Silmar-41 resin and finished section thickness was 226 μ m - 247 μ m, far thicker than any other finished thin section (Supp. 1). Removal of the gar scale section thickness results reduces the polyester resin section thickness range to 38 μ m - 113 μ m, closer in range to slides with epoxy resin embedded specimens. Ideally, a future study will embed a fossil gar scale in epoxy resin for comparison of similar specimen material compositions.

Resin type also did not appear to affect tissue visibility with the microscope or thickness at material loss during polishing. Section thickness at moment of material integrity loss was similar between resin types but varied among specimens, similar to results of finished slide thicknesses. This suggests that resin type has no appreciable effect on adherence or material loss at low section thicknesses.

Recently published methodologies for the preparation of undecalcified modern bones and small fossil hard tissues show a preference for the use of epoxy resins as embedding media (Lamm 2013) rather than polyester-based media. In a brief survey of 134 research articles using histological sampling of either fossil bone or undecalcified modern bone (modern bone studies surveyed typically focused on non-primate tetrapods), we found polyester resins were preferably used in fossil studies (41% used a polyester resin, 32% used an epoxy resin, 26% did not use polyester or epoxy or did not specify a resin type) and epoxy resins were preferred for modern undecalcified bone (59% used an epoxy resin, 26% used a polyester resin, 15% did not use polyester or epoxy or did not specify). Epoxy resins were suggested to improve penetration and bonding of resin to the embedded hard tissue and to prevent material loss at low thin-section thickness. Polyester resins, on the other hand are recommended for larger fossil material (Wilson 1994; Lamm 2013), although several studies have utilized polyester resins for embedding modern undecalcified bone (e.g. Bourdon et al. 2009; Canoville, Schweitzer, & Zanno 2019). Our study suggests that the less expensive polyester resins can be used interchangeably with the more expensive epoxy resins, decreasing the costs of histological preparation. However, this is a preliminary study and other variables may affect results including selection of mounting glue, hand pressure during polishing, humidity, room temperature, silicon carbide paper quality, and lab tech experience. In addition, our study focuses on specific resins used in protocol outlined in Lamm (2013) and excludes other commonly used resins (e.g. UV curing glue, Araldite, Technovit, etc.). Our study does not examine the long-term effects of resin types in terms of color changes or changes in brittleness of embedded specimens. Lamm (2013) notes changes in glue color (yellowing) and slide peeling have occurred in a few older specimens (histologically prepared over 24 years ago) in the Museum of the Rockies histology collection. A long-term study is necessary to ensure that resin type does not have a depreciable effect on stored embedded specimens.

Conclusions

Few studies have focused on product efficacy in paleohistological methods, potentially leading to unnecessary expenses. Epoxy resins are suggested to improve resin penetration, but incur a much larger financial cost relative to polyester resins. In this preliminary study, neither tissue quality under the microscope or integrity of specimen thin sections differed between polyester and epoxy resins. Institutions processing specimens for osteohistological sampling can alleviate some financial strain by utilizing polyester resins. However, long term storage may have

negative effects on one resin type more so than another. The results of this study would benefit from an increased sample size and observation of resin embed deterioration over time.

Acknowledgements

The authors would like to thank Ellen-Thérèse Lamm and Museum of the Rockies for critical discussions, materials, and extensive training in osteohistology.

References

- Ahmed W and Vander Voort G. 2000. Petrographic examination methods. Tech-notes 3(5), Buehler Ltd.
- Ahmed W and Vander Voort G. 2003. Specimen preparation of bones, tissues and other similar materials. Tech-notes 3(8), Buehler Ltd.
- An Y, Moreira P, Kang Q, Gruber H. 2003. Principles of embedding and common protocols. In: An Y and Martin K, eds. *Handbook of histology methods for bone and cartilage*. New Jersey: Humana Press, 185 – 197.
- Bourdon E, Castanet J, de Ricqlès A, Scofield P, Tennyson A, Lamrous H, Cubo J. 2009. Bone growth marks reveal protracted growth in New Zealand kiwi (Aves, Apterygidae). *Biology Letters* 5(5): 639 – 642 DOI 10.1098/rsbl.2009.0310.
- Calderon T, DeMiguel D, Arnold W, Stalder G, Köhler M. 2019. Calibration of life history traits with epiphyseal closure, dental eruption and bone histology in captive and wild red deer. *Journal of Anatomy* 235: 205 – 216.
- Canoville A, Schweitzer MH, Zanno LE. 2019. Systemic distribution of medullary bone in the avian skeleton: ground trothing criteria for the identification of reproductive tissues in extinct Avemetatarsalia. *BMC Evolutionary Biology* 19(1): 71 DOI 10.1186/s12862-019-1402-7.
- Chinsamy A and Raath M. 1992. Preparation of fossil bone for histological examination. *Palaeontologia Africana* 29: 39 – 44.
- Cubo J, Woodward H, Wolff E, Horner J. 2015. First reported case of biomechanically adaptive bone modeling in non-avian dinosaurs. *PLOS One* 10(7): e0131131 DOI 10.1371/journal.pone.0131131.

- Klebs E. 1869. Die einschmelzungs, method, ein beitrage zur mikroskopischen technik. Arch mikr Anat 5: 164 – 166.
- Lamm ET. 2013. Preparation and sectioning of specimens. In: Padian K and Lamm ET, eds. *Bone histology of fossil tetrapods: advancing methods, analysis, and interpretation*. California: University of California Press, 55 – 160.
- Marín-Moratalla N, Jordana X, Köhler M. 2013. Bone histology as an approach to providing data on certain key life history traits in mammals: implications for conservative biology. Mammalian Biology 78: 422 – 429.
- Sanderson C, Emmanuel J, Emmanuel J, Campbell P. 1988. A historical review of paraffin and its development as an embedding medium. Journal of Histotechnology 11: 61 – 63.
- Scarano A, Orsini G, Piattelli A. 2003. Infiltration techniques and results in different types of resin. In: An Y and Martin K, eds. *Handbook of histology methods for bone and cartilage*. New Jersey: Humana Press, 199 – 206.
- Schweitzer MH, Elsey RM, Dacke CG, Horner JR, Lamm E.-T. 2007. Do egg-laying crocodilian (*Alligator mississippiensis*) archosaurs form medullary bone? Bone 40: 1152-1158.
- Skinner R. 2003. Decalcification of bone tissue. In: An Y and Martin K, eds. *Handbook of histology methods for bone and cartilage*. New Jersey: Humana Press, 167 – 184.
- Straehl F, Scheyer T, Forasiepi A, MacPhee RD, Sánchez-Villagra MR. Evolutionary patterns of bone histology and bone compactness in xenarthran mammal long bones. PLOS One 8(7): e69275 DOI 10.1371/journal.pone.0069275
- Wilson J. 1994. Histological techniques. In: Leiggi P and May P. *Vertebrate paleontological techniques, Vol. One*. New York: Cambridge University Press, 205 – 234.
- Woodward H, Fowler E, Farlow J, Horner J. 2015. *Maiasaura*, a model organism for extinct vertebrate population biology: a large sample statistical assessment of growth dynamics and survivorship. Paleontology 41(4): 503 – 527. DOI 10.1017/pab.2015.19.

Table 1(on next page)

Material histologically sampled using either polyester resin or epoxy resin as the embedding medium.

Specimens sampled for this study included modern and fossil hard tissues. * - indicates material used to compare specimen integrity during thin section grinding and polishing.

1

Resin Type	Specimen Age	Specimen	Element	No. of Sections
Polyester Resin (Silmar-41)	Modern	Domestic Chicken	Humerus	2
			Femur	2
			Tibia	2
		Nine-banded Armadillo	Right Calcaneum*	2
	Fossil	Indet. Turtle	Femur*	2
		Gar	Scale	2
		Indet. Crocodile	Scute	2
		Indet. Ornithopod	Tooth*	2
		Unknown	Rib	2
		Unknown	Fragment*	1
Epoxy Resin (Epothin-1)	Modern	Nine-banded Armadillo	Left Calcaneum*	2
	Fossil	Indet. Turtle	Femur*	1
		Unknown	Rib	1
		Indet. Ceratopsian	Tooth*	2
		Unknown	Fragment*	1
(Epothin-2)				

2

3

Table 2(on next page)

Slide thickness of each finished thin section and thickness at material loss.

Thin sections were defined as finished when tissue organization was visible and identifiable using a polarizing light microscope. Select thin sections were further ground on a lapidary wheel until material integrity was lost and the thickness of the specimen when material damage incurred was measured.

1

Resin Type	Specimen	Element	Avg. Finished Slide Thickness (μm)	Slide Thickness at Loss (μm)
Polyester Resin (Silmar-41)	Domestic Chicken	Right Humerus	72	-
		Right Femur	61	-
		Right Tibia	100	-
	Nine-banded Armadillo	Right Calcaneum	66	60
	Indet. Turtle	Femur	64	32
	Gar	Scale	237	-
	Indet. Crocodile	Scute	70	-
	Indet. Ornithopod	Tooth	66	45
	Unknown	Rib	56	-
	Unknown	Fragment	80	67
Epoxy Resin (Epothin-1)	Nine-banded Armadillo	Left Calcaneum	78	71
	Indet. Turtle	Femur	46	44
	Unknown	Rib	60	-
	Indet. Ceratopsian	Tooth	81	20
	Unknown	Fragment	90	81

2

3

Figure 1

Simplified protocol for osteohistological protocol.

In standard protocol, processing of modern specimens (top) requires chemical processing prior to embedding in epoxy resin. Fossil samples do not require chemical processing, but consolidants must be removed prior to embedding in polyester resin.




Figure 2

Visual obstructions in the mounting medium 2-ton epoxy resin.

2-ton epoxy resin is used as a mounting medium for polyester resin embedded specimens to glass slides. (A) A drop of 2-ton epoxy resin imaged showing 'confetti' visual obstructions. (B) "Confetti" obstructing tissue visibility in a *Maiaasaura* tibia cross-section. Both images taken with a camera mounted to a polarizing light microscope with a $\frac{1}{4}$ lambda wave plate.




Figure 3

Tissue clarity between polyester and epoxy resin embedded specimens.

Separate parts of a fossil rib of an indeterminate taxa were embedded in (A) polyester resin and (B) epoxy resin and the finished sections imaged under linear light with a polarizing light microscope. Tissue clarity, as qualitatively assessed by the authors when viewed with a polarizing light microscope, did not appear to be affected by resin type.




Figure 4

Example of specimen damage incurred during grinding and polishing.

(A) Thin section of fossil turtle femur embedded in polyester resin was ground on a lapidary wheel until specimen integrity was lost. (B) Inset of (A) showing region of specimen (red shade) that ripped off of the slide when ground too thin. Image taken under linear polarized light.

